




Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.



Matthew H. Mead, Governor

Todd Parfitt, Director

November 16, 2012

Mr. Jason Anderson
ExxonMobil Production Company
P.O. BOX 1300,
Kemmerer, WY 83101

RE: Notice of Violation

Dear Mr. Anderson,

Enclosed you will find a Notice of Violation (NOV) issued to ExxonMobil Production Company by the Department of Environmental Quality, Air Quality Division, for the failure to comply with Chapter 3, Section 8 of the Wyoming Air Quality Standards and Regulations in the renovation of the training room located at the Shute Creek Facility, in Lincoln County, Wyoming.

As the Department and this Division consider the failure to comply with asbestos requirements to be a serious matter, I am considering recommending that the Department refer this violation to the State Attorney General's office requesting a suit be filed in District Court to recover appropriate penalties.

If you would like to discuss settlement of this issue prior to referral to the Attorney General's office, please contact Ms. Karen Godman, Air Quality Compliance Program Principal, at 307-777-8601 no later than ten (10) days after receipt of this letter.

Should you have any questions regarding this matter, please feel free to contact me or Ms. Karen Godman.

Sincerely,

Steven A. Dietrich
Administrator
Air Quality Division

cc: Greg Meeker
Linda Dewitt
Nancy Vehr
Bob Gill
Keith Guille



**BEFORE THE
DEPARTMENT OF ENVIRONMENTAL QUALITY
STATE OF WYOMING**

IN THE MATTER OF THE NOTICE OF VIOLATION)
ISSUED TO EXXONMOBIL PRODUCTION COMPANY) DOCKET 5088-12
MR. JASON ANDERSON, MANAGER)
P.O. BOX 1300)
KEMMERER, WYOMING 83101)

NOTICE OF VIOLATION

NOTICE IS HEREBY GIVEN THAT:

1) The Department of Environmental Quality, Division of Air Quality has found ExxonMobil Production Company to be in violation of Chapter 3, Section 8 of the Wyoming Air Quality Standards and Regulations as a result of the renovation of the training room located at the Shute Creek Facility in Lincoln County, Wyoming.

2) Chapter 3, Section 8 of the Wyoming Air Quality Standards and Regulations establishes asbestos emission standards for demolition, renovation, manufacturing, spraying and fabricating that apply to owners and operators of facilities where renovation/demolition activities are taking place.

3) On July 27, 2012, Ms. Linda Dewitt, Asbestos Program Coordinator, received a phone call from ExxonMobil personnel regarding renovation of a training room and the disturbance of suspect floor tile and mastic at the Shute Creek Facility. The company representative explained that approximately 1000 square feet of floor tile had been removed by ExxonMobil employees. Subsequently, samples of the disturbed floor tile and mastic were collected and submitted for analysis; sample results showed the black mastic material to contain 8% chrysotile asbestos

4) Chapter 3, Section 8(i)(i) of the Wyoming Air Quality Standards and Regulations states, "To determine which requirements of paragraphs (i)(i), (i)(ii), and (i)(iii) apply to the owner or operator of a demolition or renovation activity and prior to the commencement of the demolition or renovation, thoroughly inspect the affected facility or part of the facility where the demolition or renovation operation will occur for the presence of asbestos, including Category I and Category II non friable ACM." Based on the information provided, an inspection had not been conducted at the site prior to the renovation.

5) Chapter 3, Section 8(i)(ii) of the Wyoming Air Quality Standards and Regulations states, "Each owner or operator of a demolition or renovation activity to which this section applies shall: (A) provide the Administrator with written notice of intention to demolish or renovate." Further requirements in Chapter 3, Section 8(i)(ii) require the notification to be provided to the Division at least ten working days prior to the start date. Based on a review of the Air Quality Division's records, notification was not provided prior to the renovation of this facility.

6) Said violations consist of failing to: 1) thoroughly inspect the facility prior to renovation, and 2) provide prior written notification of a demolition/renovation project to the Administrator. These are violations of Chapter 3, Section 8 of the Wyoming Air Quality Standards and Regulations.

7) Under W.S. 35-11-901(a), any person who violates any provision of Article 2 of (the Environmental Quality Act)... or any rule, regulation, standard or permit adopted pursuant to those provision, or who violates any determination or order of the council pursuant to Article 2 of (the Environmental Quality Act)... is subject to a penalty not to exceed ten thousand dollars for each violation for each day during which the violation continues, a temporary or permanent injunction, or both a penalty and an injunction.

8) This notice is being sent to you pursuant to W.S. 35-11-701(c), which requires that, in any case of the failure to correct or remedy an alleged violation, the Director of the Department of Environmental Quality shall cause a written notice to be issued and served upon the person alleged to be responsible.

Dated this 16th day of NOVEMBER, 2012.



Steven A. Dietrich
Administrator
Air Quality Division



Todd Parfitt
Director
Department of Environmental Quality

Please direct all inquiries to Steven A. Dietrich, Administrator, Division of Air Quality, Department of Environmental Quality, Herschler Building, 2nd Floor, 122 West 25th Street, Cheyenne, Wyoming 82002. (Telephone: 307-777-3746)