ANALYTICAL REPORT

Job Number: 280-6340-1

Job Description: Casper Orphan PCE - WDEQ

For:
EnviroGroup Limited
7009 South Potomac Street
Suite 300
Centennial, CO 80112

Attention: Ms. Martina Litasi

Approved for release.
Lori A Parsons
Project Manager I
8/27/2010 10:32 AM

Lori A Parsons
Project Manager I
lori.parsons@testamericainc.com
08/27/2010

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is E87667.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

Table of Contents

Cover Title Page 1

Report Narrative 3

Executive Summary 4

Method Summary 5

Method / Analyst Summary 6

Sample Summary 7

Sample Results 8

Sample Datasheets 9

Data Qualifiers 27

QC Results 28

Qc Association Summary 29

Surrogate Recovery Report 30

Qc Reports 31

Laboratory Chronicle 37

Client Chain of Custody 40

Sample Receipt Checklist 41

CASE NARRATIVE

Client: EnviroGroup Limited

Project: Casper Orphan PCE - WDEQ

Report Number: 280-6340-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 08/13/2010; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.3 C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples TB081110 (280-6340-1), EMW-11 (280-6340-2), EMW-12 (280-6340-3), EMW-13 (280-6340-4), EMW-14 (280-6340-5), EMW-10 (280-6340-6), EMW-08 (280-6340-7), EMW-08 DUP (280-6340-8) and EMW-09 (280-6340-9) were analyzed for volatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 08/18/2010.

Sample EMW-13 (280-6340-4) required a dilution prior to analysis due to the high concentration of tetrachloroethene. Elevated reporting limits have been provided.

No difficulties were encountered during the volatiles analyses.

All quality control parameters were within the acceptance limits.

EXECUTIVE SUMMARY - Detections

Client: EnviroGroup Limited

Job Number: 280-6340-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
280-6340-1	**TB081110**					
Methylene Chloride		0.59	J	2.0	ug/L	8260B
280-6340-2	**EMW-11**					
Bromomethane		0.24	J	2.0	ug/L	8260B
Tetrachloroethene		0.37	J	1.0	ug/L	8260B
280-6340-3	**EMW-12**					
n-Butylbenzene		0.19	J	1.0	ug/L	8260B
280-6340-4	**EMW-13**					
Methylene Chloride		0.80	J	4.0	ug/L	8260B
Tetrachloroethene		65		2.0	ug/L	8260B
Trichloroethene		1.4	J	2.0	ug/L	8260B
280-6340-5	**EMW-14**					
Acetone		2.5	J	10	ug/L	8260B
Tetrachloroethene		47		1.0	ug/L	8260B
Trichloroethene		0.90	J	1.0	ug/L	8260B
280-6340-6	**EMW-10**					
n-Butylbenzene		0.18	J	1.0	ug/L	8260B
Acetone		2.4	J	10	ug/L	8260B
Methylene Chloride		0.40	J	2.0	ug/L	8260B
280-6340-7	**EMW-08**					
Acetone		4.5	J	10	ug/L	8260B
Methylene Chloride		0.35	J	2.0	ug/L	8260B
280-6340-8FD	**EMW-08 DUP**					
Acetone		4.5	J	10	ug/L	8260B
280-6340-9	**EMW-09**					
Tetrachloroethene		0.24	J	1.0	ug/L	8260B

METHOD SUMMARY

Client: EnviroGroup Limited

Job Number: 280-6340-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL DEN	SW846 8260B	
Purge and Trap	TAL DEN		SW846 5030B

Lab References:

TAL DEN = TestAmerica Denver

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: EnviroGroup Limited

Job Number: 280-6340-1

Method	Analyst	Analyst ID
SW846 8260B	Meier, Greg P	GPM

SAMPLE SUMMARY

Client: EnviroGroup Limited

Job Number: 280-6340-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
280-6340-1	TB081110	Water	08/11/2010 1005	08/13/2010 1000
280-6340-2	EMW-11	Water	08/11/2010 1035	08/13/2010 1000
280-6340-3	EMW-12	Water	08/11/2010 1120	08/13/2010 1000
280-6340-4	EMW-13	Water	08/11/2010 1202	08/13/2010 1000
280-6340-5	EMW-14	Water	08/11/2010 1239	08/13/2010 1000
280-6340-6	EMW-10	Water	08/11/2010 1337	08/13/2010 1000
280-6340-7	EMW-08	Water	08/11/2010 1412	08/13/2010 1000
280-6340-8FD	EMW-08 DUP	Water	08/11/2010 1412	08/13/2010 1000
280-6340-9	EMW-09	Water	08/11/2010 1449	08/13/2010 1000

SAMPLE RESULTS

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **TB081110**

Lab Sample ID: 280-6340-1

Client Matrix: Water

Date Sampled: 08/11/2010 1005

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7181.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1143		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1143			

Analyte	Result (ug/L)	Qualifier	MDL	RL
cis-1,2-Dichloroethene	ND		0.15	1.0
cis-1,3-Dichloropropene	ND		0.16	1.0
m-Xylene & p-Xylene	ND		0.34	2.0
N-Propylbenzene	ND		0.16	1.0
n-Butylbenzene	ND		0.14	1.0
o-Xylene	ND		0.19	1.0
sec-Butylbenzene	ND		0.17	1.0
tert-Butylbenzene	ND		0.16	1.0
trans-1,2-Dichloroethene	ND		0.15	1.0
trans-1,3-Dichloropropene	ND		0.19	3.0
Acetone	ND		1.9	10
Benzene	ND		0.16	1.0
Bromobenzene	ND		0.17	1.0
Chlorobromomethane	ND		0.10	1.0
Dichlorobromomethane	ND		0.17	1.0
Bromoform	ND		0.19	1.0
Bromomethane	ND		0.21	2.0
Carbon tetrachloride	ND		0.19	1.0
Chlorobenzene	ND		0.17	1.0
Chlorodibromomethane	ND		0.17	1.0
Chloroethane	ND		0.41	2.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	2.0
Dibromomethane	ND		0.17	1.0
Dichlorodifluoromethane	ND		0.31	2.0
Ethylbenzene	ND		0.16	1.0
Hexachlorobutadiene	ND		0.12	1.0
Isopropylbenzene	ND		0.19	1.0
Methyl tert-butyl ether	ND		0.25	5.0
Methylene Chloride	0.59	J	0.32	2.0
Naphthalene	ND		0.22	1.0
Styrene	ND		0.17	1.0
Tetrachloroethene	ND		0.20	1.0
Toluene	ND		0.17	1.0
Trichloroethene	ND		0.16	1.0
Trichlorofluoromethane	ND		0.29	2.0
Vinyl chloride	ND		0.40	1.0
Xylenes, Total	ND		0.19	2.0
1,1-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.23	1.0
1,1-Dichloropropene	ND		0.19	1.0
1,1,1-Trichloroethane	ND		0.16	1.0
1,1,1,2-Tetrachloroethane	ND		0.21	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,2-Dibromo-3-Chloropropane	ND		0.47	5.0

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **TB081110**

Lab Sample ID: 280-6340-1

Client Matrix: Water

Date Sampled: 08/11/2010 1005

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7181.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1143		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1143			

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,2-Dibromoethane	ND		0.18	1.0
1,2-Dichlorobenzene	ND		0.15	1.0
1,2-Dichloroethane	ND		0.13	1.0
1,2-Dichloroethene, Total	ND		0.24	1.0
1,2-Dichloropropane	ND		0.18	1.0
1,2,3-Trichlorobenzene	ND		0.21	1.0
1,2,3-Trichloropropane	ND		0.33	2.5
1,2,4-Trichlorobenzene	ND		0.21	1.0
1,2,4-Trimethylbenzene	ND		0.15	1.0
1,3-Dichlorobenzene	ND		0.13	1.0
1,3-Dichloropropane	ND		0.22	1.0
1,3,5-Trimethylbenzene	ND		0.16	1.0
1,4-Dichlorobenzene	ND		0.16	1.0
2-Butanone (MEK)	ND		2.0	6.0
2-Chlorotoluene	ND		0.17	1.0
2-Hexanone	ND		1.7	5.0
2,2-Dichloropropane	ND		0.18	1.0
4-Chlorotoluene	ND		0.21	1.0
4-Isopropyltoluene	ND		0.20	1.0
4-Methyl-2-pentanone (MIBK)	ND		0.98	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 127
Toluene-d8 (Surr)	113		80 - 125
4-Bromofluorobenzene (Surr)	111		78 - 120
Dibromofluoromethane (Surr)	107		77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-11**

Lab Sample ID: 280-6340-2

Client Matrix: Water

Date Sampled: 08/11/2010 1035

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7182.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1204		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1204			

Analyte	Result (ug/L)	Qualifier	MDL	RL
cis-1,2-Dichloroethene	ND		0.15	1.0
cis-1,3-Dichloropropene	ND		0.16	1.0
m-Xylene & p-Xylene	ND		0.34	2.0
N-Propylbenzene	ND		0.16	1.0
n-Butylbenzene	ND		0.14	1.0
o-Xylene	ND		0.19	1.0
sec-Butylbenzene	ND		0.17	1.0
tert-Butylbenzene	ND		0.16	1.0
trans-1,2-Dichloroethene	ND		0.15	1.0
trans-1,3-Dichloropropene	ND		0.19	3.0
Acetone	ND		1.9	10
Benzene	ND		0.16	1.0
Bromobenzene	ND		0.17	1.0
Chlorobromomethane	ND		0.10	1.0
Dichlorobromomethane	ND		0.17	1.0
Bromoform	ND		0.19	1.0
Bromomethane	0.24	J	0.21	2.0
Carbon tetrachloride	ND		0.19	1.0
Chlorobenzene	ND		0.17	1.0
Chlorodibromomethane	ND		0.17	1.0
Chloroethane	ND		0.41	2.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	2.0
Dibromomethane	ND		0.17	1.0
Dichlorodifluoromethane	ND		0.31	2.0
Ethylbenzene	ND		0.16	1.0
Hexachlorobutadiene	ND		0.12	1.0
Isopropylbenzene	ND		0.19	1.0
Methyl tert-butyl ether	ND		0.25	5.0
Methylene Chloride	ND		0.32	2.0
Naphthalene	ND		0.22	1.0
Styrene	ND		0.17	1.0
Tetrachloroethene	0.37	J	0.20	1.0
Toluene	ND		0.17	1.0
Trichloroethene	ND		0.16	1.0
Trichlorofluoromethane	ND		0.29	2.0
Vinyl chloride	ND		0.40	1.0
Xylenes, Total	ND		0.19	2.0
1,1-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.23	1.0
1,1-Dichloropropene	ND		0.19	1.0
1,1,1-Trichloroethane	ND		0.16	1.0
1,1,1,2-Tetrachloroethane	ND		0.21	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,2-Dibromo-3-Chloropropane	ND		0.47	5.0

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-11**

Lab Sample ID: 280-6340-2

Client Matrix: Water

Date Sampled: 08/11/2010 1035

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7182.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1204		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1204			

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,2-Dibromoethane	ND		0.18	1.0
1,2-Dichlorobenzene	ND		0.15	1.0
1,2-Dichloroethane	ND		0.13	1.0
1,2-Dichloroethene, Total	ND		0.24	1.0
1,2-Dichloropropane	ND		0.18	1.0
1,2,3-Trichlorobenzene	ND		0.21	1.0
1,2,3-Trichloropropane	ND		0.33	2.5
1,2,4-Trichlorobenzene	ND		0.21	1.0
1,2,4-Trimethylbenzene	ND		0.15	1.0
1,3-Dichlorobenzene	ND		0.13	1.0
1,3-Dichloropropane	ND		0.22	1.0
1,3,5-Trimethylbenzene	ND		0.16	1.0
1,4-Dichlorobenzene	ND		0.16	1.0
2-Butanone (MEK)	ND		2.0	6.0
2-Chlorotoluene	ND		0.17	1.0
2-Hexanone	ND		1.7	5.0
2,2-Dichloropropane	ND		0.18	1.0
4-Chlorotoluene	ND		0.21	1.0
4-Isopropyltoluene	ND		0.20	1.0
4-Methyl-2-pentanone (MIBK)	ND		0.98	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	94		70 - 127
Toluene-d8 (Surr)	105		80 - 125
4-Bromofluorobenzene (Surr)	105		78 - 120
Dibromofluoromethane (Surr)	101		77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-12**

Lab Sample ID: 280-6340-3

Client Matrix: Water

Date Sampled: 08/11/2010 1120

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7185.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1310		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1310			

Analyte	Result (ug/L)	Qualifier	MDL	RL
cis-1,2-Dichloroethene	ND		0.15	1.0
cis-1,3-Dichloropropene	ND		0.16	1.0
m-Xylene & p-Xylene	ND		0.34	2.0
N-Propylbenzene	ND		0.16	1.0
n-Butylbenzene	0.19	J	0.14	1.0
o-Xylene	ND		0.19	1.0
sec-Butylbenzene	ND		0.17	1.0
tert-Butylbenzene	ND		0.16	1.0
trans-1,2-Dichloroethene	ND		0.15	1.0
trans-1,3-Dichloropropene	ND		0.19	3.0
Acetone	ND		1.9	10
Benzene	ND		0.16	1.0
Bromobenzene	ND		0.17	1.0
Chlorobromomethane	ND		0.10	1.0
Dichlorobromomethane	ND		0.17	1.0
Bromoform	ND		0.19	1.0
Bromomethane	ND		0.21	2.0
Carbon tetrachloride	ND		0.19	1.0
Chlorobenzene	ND		0.17	1.0
Chlorodibromomethane	ND		0.17	1.0
Chloroethane	ND		0.41	2.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	2.0
Dibromomethane	ND		0.17	1.0
Dichlorodifluoromethane	ND		0.31	2.0
Ethylbenzene	ND		0.16	1.0
Hexachlorobutadiene	ND		0.12	1.0
Isopropylbenzene	ND		0.19	1.0
Methyl tert-butyl ether	ND		0.25	5.0
Methylene Chloride	ND		0.32	2.0
Naphthalene	ND		0.22	1.0
Styrene	ND		0.17	1.0
Tetrachloroethene	ND		0.20	1.0
Toluene	ND		0.17	1.0
Trichloroethene	ND		0.16	1.0
Trichlorofluoromethane	ND		0.29	2.0
Vinyl chloride	ND		0.40	1.0
Xylenes, Total	ND		0.19	2.0
1,1-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.23	1.0
1,1-Dichloropropene	ND		0.19	1.0
1,1,1-Trichloroethane	ND		0.16	1.0
1,1,1,2-Tetrachloroethane	ND		0.21	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,2-Dibromo-3-Chloropropane	ND		0.47	5.0

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-12**

Lab Sample ID: 280-6340-3

Client Matrix: Water

Date Sampled: 08/11/2010 1120

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7185.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1310		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1310			

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,2-Dibromoethane	ND		0.18	1.0
1,2-Dichlorobenzene	ND		0.15	1.0
1,2-Dichloroethane	ND		0.13	1.0
1,2-Dichloroethene, Total	ND		0.24	1.0
1,2-Dichloropropane	ND		0.18	1.0
1,2,3-Trichlorobenzene	ND		0.21	1.0
1,2,3-Trichloropropane	ND		0.33	2.5
1,2,4-Trichlorobenzene	ND		0.21	1.0
1,2,4-Trimethylbenzene	ND		0.15	1.0
1,3-Dichlorobenzene	ND		0.13	1.0
1,3-Dichloropropane	ND		0.22	1.0
1,3,5-Trimethylbenzene	ND		0.16	1.0
1,4-Dichlorobenzene	ND		0.16	1.0
2-Butanone (MEK)	ND		2.0	6.0
2-Chlorotoluene	ND		0.17	1.0
2-Hexanone	ND		1.7	5.0
2,2-Dichloropropane	ND		0.18	1.0
4-Chlorotoluene	ND		0.21	1.0
4-Isopropyltoluene	ND		0.20	1.0
4-Methyl-2-pentanone (MIBK)	ND		0.98	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	89		70 - 127
Toluene-d8 (Surr)	100		80 - 125
4-Bromofluorobenzene (Surr)	100		78 - 120
Dibromofluoromethane (Surr)	96		77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-13**

Lab Sample ID: 280-6340-4

Client Matrix: Water

Date Sampled: 08/11/2010 1202

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7186.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	08/18/2010 1331		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1331			

Analyte	Result (ug/L)	Qualifier	MDL	RL
cis-1,2-Dichloroethene	ND		0.30	2.0
cis-1,3-Dichloropropene	ND		0.32	2.0
m-Xylene & p-Xylene	ND		0.68	4.0
N-Propylbenzene	ND		0.32	2.0
n-Butylbenzene	ND		0.28	2.0
o-Xylene	ND		0.38	2.0
sec-Butylbenzene	ND		0.34	2.0
tert-Butylbenzene	ND		0.32	2.0
trans-1,2-Dichloroethene	ND		0.30	2.0
trans-1,3-Dichloropropene	ND		0.38	6.0
Acetone	ND		3.8	20
Benzene	ND		0.32	2.0
Bromobenzene	ND		0.34	2.0
Chlorobromomethane	ND		0.20	2.0
Dichlorobromomethane	ND		0.34	2.0
Bromoform	ND		0.38	2.0
Bromomethane	ND		0.42	4.0
Carbon tetrachloride	ND		0.38	2.0
Chlorobenzene	ND		0.34	2.0
Chlorodibromomethane	ND		0.34	2.0
Chloroethane	ND		0.82	4.0
Chloroform	ND		0.32	2.0
Chloromethane	ND		0.60	4.0
Dibromomethane	ND		0.34	2.0
Dichlorodifluoromethane	ND		0.62	4.0
Ethylbenzene	ND		0.32	2.0
Hexachlorobutadiene	ND		0.24	2.0
Isopropylbenzene	ND		0.38	2.0
Methyl tert-butyl ether	ND		0.50	10
Methylene Chloride	0.80	J	0.64	4.0
Naphthalene	ND		0.44	2.0
Styrene	ND		0.34	2.0
Tetrachloroethene	65		0.40	2.0
Toluene	ND		0.34	2.0
Trichloroethene	1.4	J	0.32	2.0
Trichlorofluoromethane	ND		0.58	4.0
Vinyl chloride	ND		0.80	2.0
Xylenes, Total	ND		0.38	4.0
1,1-Dichloroethane	ND		0.44	2.0
1,1-Dichloroethene	ND		0.46	2.0
1,1-Dichloropropene	ND		0.38	2.0
1,1,1-Trichloroethane	ND		0.32	2.0
1,1,1,2-Tetrachloroethane	ND		0.42	2.0
1,1,2-Trichloroethane	ND		0.54	2.0
1,1,2,2-Tetrachloroethane	ND		0.42	2.0
1,2-Dibromo-3-Chloropropane	ND		0.94	10

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-13**

Lab Sample ID: 280-6340-4

Client Matrix: Water

Date Sampled: 08/11/2010 1202

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7186.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	08/18/2010 1331		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1331			

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,2-Dibromoethane	ND		0.36	2.0
1,2-Dichlorobenzene	ND		0.30	2.0
1,2-Dichloroethane	ND		0.26	2.0
1,2-Dichloroethene, Total	ND		0.48	2.0
1,2-Dichloropropane	ND		0.36	2.0
1,2,3-Trichlorobenzene	ND		0.42	2.0
1,2,3-Trichloropropane	ND		0.66	5.0
1,2,4-Trichlorobenzene	ND		0.42	2.0
1,2,4-Trimethylbenzene	ND		0.30	2.0
1,3-Dichlorobenzene	ND		0.26	2.0
1,3-Dichloropropane	ND		0.44	2.0
1,3,5-Trimethylbenzene	ND		0.32	2.0
1,4-Dichlorobenzene	ND		0.32	2.0
2-Butanone (MEK)	ND		4.0	12
2-Chlorotoluene	ND		0.34	2.0
2-Hexanone	ND		3.4	10
2,2-Dichloropropane	ND		0.36	2.0
4-Chlorotoluene	ND		0.42	2.0
4-Isopropyltoluene	ND		0.40	2.0
4-Methyl-2-pentanone (MIBK)	ND		2.0	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	93		70 - 127
Toluene-d8 (Surr)	106		80 - 125
4-Bromofluorobenzene (Surr)	106		78 - 120
Dibromofluoromethane (Surr)	101		77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-14**

Lab Sample ID: 280-6340-5

Client Matrix: Water

Date Sampled: 08/11/2010 1239

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7187.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1353		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1353			

Analyte	Result (ug/L)	Qualifier	MDL	RL
cis-1,2-Dichloroethene	ND		0.15	1.0
cis-1,3-Dichloropropene	ND		0.16	1.0
m-Xylene & p-Xylene	ND		0.34	2.0
N-Propylbenzene	ND		0.16	1.0
n-Butylbenzene	ND		0.14	1.0
o-Xylene	ND		0.19	1.0
sec-Butylbenzene	ND		0.17	1.0
tert-Butylbenzene	ND		0.16	1.0
trans-1,2-Dichloroethene	ND		0.15	1.0
trans-1,3-Dichloropropene	ND		0.19	3.0
Acetone	2.5	J	1.9	10
Benzene	ND		0.16	1.0
Bromobenzene	ND		0.17	1.0
Chlorobromomethane	ND		0.10	1.0
Dichlorobromomethane	ND		0.17	1.0
Bromoform	ND		0.19	1.0
Bromomethane	ND		0.21	2.0
Carbon tetrachloride	ND		0.19	1.0
Chlorobenzene	ND		0.17	1.0
Chlorodibromomethane	ND		0.17	1.0
Chloroethane	ND		0.41	2.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	2.0
Dibromomethane	ND		0.17	1.0
Dichlorodifluoromethane	ND		0.31	2.0
Ethylbenzene	ND		0.16	1.0
Hexachlorobutadiene	ND		0.12	1.0
Isopropylbenzene	ND		0.19	1.0
Methyl tert-butyl ether	ND		0.25	5.0
Methylene Chloride	ND		0.32	2.0
Naphthalene	ND		0.22	1.0
Styrene	ND		0.17	1.0
Tetrachloroethene	47		0.20	1.0
Toluene	ND		0.17	1.0
Trichloroethene	0.90	J	0.16	1.0
Trichlorofluoromethane	ND		0.29	2.0
Vinyl chloride	ND		0.40	1.0
Xylenes, Total	ND		0.19	2.0
1,1-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.23	1.0
1,1-Dichloropropene	ND		0.19	1.0
1,1,1-Trichloroethane	ND		0.16	1.0
1,1,1,2-Tetrachloroethane	ND		0.21	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,2-Dibromo-3-Chloropropane	ND		0.47	5.0

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-14**

Lab Sample ID: 280-6340-5

Client Matrix: Water

Date Sampled: 08/11/2010 1239

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7187.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1353		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1353			

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,2-Dibromoethane	ND		0.18	1.0
1,2-Dichlorobenzene	ND		0.15	1.0
1,2-Dichloroethane	ND		0.13	1.0
1,2-Dichloroethene, Total	ND		0.24	1.0
1,2-Dichloropropane	ND		0.18	1.0
1,2,3-Trichlorobenzene	ND		0.21	1.0
1,2,3-Trichloropropane	ND		0.33	2.5
1,2,4-Trichlorobenzene	ND		0.21	1.0
1,2,4-Trimethylbenzene	ND		0.15	1.0
1,3-Dichlorobenzene	ND		0.13	1.0
1,3-Dichloropropane	ND		0.22	1.0
1,3,5-Trimethylbenzene	ND		0.16	1.0
1,4-Dichlorobenzene	ND		0.16	1.0
2-Butanone (MEK)	ND		2.0	6.0
2-Chlorotoluene	ND		0.17	1.0
2-Hexanone	ND		1.7	5.0
2,2-Dichloropropane	ND		0.18	1.0
4-Chlorotoluene	ND		0.21	1.0
4-Isopropyltoluene	ND		0.20	1.0
4-Methyl-2-pentanone (MIBK)	ND		0.98	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 127
Toluene-d8 (Surr)	110		80 - 125
4-Bromofluorobenzene (Surr)	107		78 - 120
Dibromofluoromethane (Surr)	106		77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-10**

Lab Sample ID: 280-6340-6

Client Matrix: Water

Date Sampled: 08/11/2010 1337

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7188.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1415		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1415			

Analyte	Result (ug/L)	Qualifier	MDL	RL
cis-1,2-Dichloroethene	ND		0.15	1.0
cis-1,3-Dichloropropene	ND		0.16	1.0
m-Xylene & p-Xylene	ND		0.34	2.0
N-Propylbenzene	ND		0.16	1.0
n-Butylbenzene	0.18	J	0.14	1.0
o-Xylene	ND		0.19	1.0
sec-Butylbenzene	ND		0.17	1.0
tert-Butylbenzene	ND		0.16	1.0
trans-1,2-Dichloroethene	ND		0.15	1.0
trans-1,3-Dichloropropene	ND		0.19	3.0
Acetone	2.4	J	1.9	10
Benzene	ND		0.16	1.0
Bromobenzene	ND		0.17	1.0
Chlorobromomethane	ND		0.10	1.0
Dichlorobromomethane	ND		0.17	1.0
Bromoform	ND		0.19	1.0
Bromomethane	ND		0.21	2.0
Carbon tetrachloride	ND		0.19	1.0
Chlorobenzene	ND		0.17	1.0
Chlorodibromomethane	ND		0.17	1.0
Chloroethane	ND		0.41	2.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	2.0
Dibromomethane	ND		0.17	1.0
Dichlorodifluoromethane	ND		0.31	2.0
Ethylbenzene	ND		0.16	1.0
Hexachlorobutadiene	ND		0.12	1.0
Isopropylbenzene	ND		0.19	1.0
Methyl tert-butyl ether	ND		0.25	5.0
Methylene Chloride	0.40	J	0.32	2.0
Naphthalene	ND		0.22	1.0
Styrene	ND		0.17	1.0
Tetrachloroethene	ND		0.20	1.0
Toluene	ND		0.17	1.0
Trichloroethene	ND		0.16	1.0
Trichlorofluoromethane	ND		0.29	2.0
Vinyl chloride	ND		0.40	1.0
Xylenes, Total	ND		0.19	2.0
1,1-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.23	1.0
1,1-Dichloropropene	ND		0.19	1.0
1,1,1-Trichloroethane	ND		0.16	1.0
1,1,1,2-Tetrachloroethane	ND		0.21	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,2-Dibromo-3-Chloropropane	ND		0.47	5.0

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-10**

Lab Sample ID: 280-6340-6

Client Matrix: Water

Date Sampled: 08/11/2010 1337

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7188.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1415		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1415			

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,2-Dibromoethane	ND		0.18	1.0
1,2-Dichlorobenzene	ND		0.15	1.0
1,2-Dichloroethane	ND		0.13	1.0
1,2-Dichloroethene, Total	ND		0.24	1.0
1,2-Dichloropropane	ND		0.18	1.0
1,2,3-Trichlorobenzene	ND		0.21	1.0
1,2,3-Trichloropropane	ND		0.33	2.5
1,2,4-Trichlorobenzene	ND		0.21	1.0
1,2,4-Trimethylbenzene	ND		0.15	1.0
1,3-Dichlorobenzene	ND		0.13	1.0
1,3-Dichloropropane	ND		0.22	1.0
1,3,5-Trimethylbenzene	ND		0.16	1.0
1,4-Dichlorobenzene	ND		0.16	1.0
2-Butanone (MEK)	ND		2.0	6.0
2-Chlorotoluene	ND		0.17	1.0
2-Hexanone	ND		1.7	5.0
2,2-Dichloropropane	ND		0.18	1.0
4-Chlorotoluene	ND		0.21	1.0
4-Isopropyltoluene	ND		0.20	1.0
4-Methyl-2-pentanone (MIBK)	ND		0.98	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 127
Toluene-d8 (Surr)	106		80 - 125
4-Bromofluorobenzene (Surr)	104		78 - 120
Dibromofluoromethane (Surr)	103		77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-08**

Lab Sample ID: 280-6340-7

Client Matrix: Water

Date Sampled: 08/11/2010 1412

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7189.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1436		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1436			

Analyte	Result (ug/L)	Qualifier	MDL	RL
cis-1,2-Dichloroethene	ND		0.15	1.0
cis-1,3-Dichloropropene	ND		0.16	1.0
m-Xylene & p-Xylene	ND		0.34	2.0
N-Propylbenzene	ND		0.16	1.0
n-Butylbenzene	ND		0.14	1.0
o-Xylene	ND		0.19	1.0
sec-Butylbenzene	ND		0.17	1.0
tert-Butylbenzene	ND		0.16	1.0
trans-1,2-Dichloroethene	ND		0.15	1.0
trans-1,3-Dichloropropene	ND		0.19	3.0
Acetone	4.5	J	1.9	10
Benzene	ND		0.16	1.0
Bromobenzene	ND		0.17	1.0
Chlorobromomethane	ND		0.10	1.0
Dichlorobromomethane	ND		0.17	1.0
Bromoform	ND		0.19	1.0
Bromomethane	ND		0.21	2.0
Carbon tetrachloride	ND		0.19	1.0
Chlorobenzene	ND		0.17	1.0
Chlorodibromomethane	ND		0.17	1.0
Chloroethane	ND		0.41	2.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	2.0
Dibromomethane	ND		0.17	1.0
Dichlorodifluoromethane	ND		0.31	2.0
Ethylbenzene	ND		0.16	1.0
Hexachlorobutadiene	ND		0.12	1.0
Isopropylbenzene	ND		0.19	1.0
Methyl tert-butyl ether	ND		0.25	5.0
Methylene Chloride	0.35	J	0.32	2.0
Naphthalene	ND		0.22	1.0
Styrene	ND		0.17	1.0
Tetrachloroethene	ND		0.20	1.0
Toluene	ND		0.17	1.0
Trichloroethene	ND		0.16	1.0
Trichlorofluoromethane	ND		0.29	2.0
Vinyl chloride	ND		0.40	1.0
Xylenes, Total	ND		0.19	2.0
1,1-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.23	1.0
1,1-Dichloropropene	ND		0.19	1.0
1,1,1-Trichloroethane	ND		0.16	1.0
1,1,1,2-Tetrachloroethane	ND		0.21	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,2-Dibromo-3-Chloropropane	ND		0.47	5.0

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-08**

Lab Sample ID: 280-6340-7

Client Matrix: Water

Date Sampled: 08/11/2010 1412

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7189.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1436		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1436			

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,2-Dibromoethane	ND		0.18	1.0
1,2-Dichlorobenzene	ND		0.15	1.0
1,2-Dichloroethane	ND		0.13	1.0
1,2-Dichloroethene, Total	ND		0.24	1.0
1,2-Dichloropropane	ND		0.18	1.0
1,2,3-Trichlorobenzene	ND		0.21	1.0
1,2,3-Trichloropropane	ND		0.33	2.5
1,2,4-Trichlorobenzene	ND		0.21	1.0
1,2,4-Trimethylbenzene	ND		0.15	1.0
1,3-Dichlorobenzene	ND		0.13	1.0
1,3-Dichloropropane	ND		0.22	1.0
1,3,5-Trimethylbenzene	ND		0.16	1.0
1,4-Dichlorobenzene	ND		0.16	1.0
2-Butanone (MEK)	ND		2.0	6.0
2-Chlorotoluene	ND		0.17	1.0
2-Hexanone	ND		1.7	5.0
2,2-Dichloropropane	ND		0.18	1.0
4-Chlorotoluene	ND		0.21	1.0
4-Isopropyltoluene	ND		0.20	1.0
4-Methyl-2-pentanone (MIBK)	ND		0.98	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 127
Toluene-d8 (Surr)	113		80 - 125
4-Bromofluorobenzene (Surr)	111		78 - 120
Dibromofluoromethane (Surr)	109		77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-08 DUP**

Lab Sample ID: 280-6340-8FD

Client Matrix: Water

Date Sampled: 08/11/2010 1412

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7190.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1458		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1458			

Analyte	Result (ug/L)	Qualifier	MDL	RL
cis-1,2-Dichloroethene	ND		0.15	1.0
cis-1,3-Dichloropropene	ND		0.16	1.0
m-Xylene & p-Xylene	ND		0.34	2.0
N-Propylbenzene	ND		0.16	1.0
n-Butylbenzene	ND		0.14	1.0
o-Xylene	ND		0.19	1.0
sec-Butylbenzene	ND		0.17	1.0
tert-Butylbenzene	ND		0.16	1.0
trans-1,2-Dichloroethene	ND		0.15	1.0
trans-1,3-Dichloropropene	ND		0.19	3.0
Acetone	4.5	J	1.9	10
Benzene	ND		0.16	1.0
Bromobenzene	ND		0.17	1.0
Chlorobromomethane	ND		0.10	1.0
Dichlorobromomethane	ND		0.17	1.0
Bromoform	ND		0.19	1.0
Bromomethane	ND		0.21	2.0
Carbon tetrachloride	ND		0.19	1.0
Chlorobenzene	ND		0.17	1.0
Chlorodibromomethane	ND		0.17	1.0
Chloroethane	ND		0.41	2.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	2.0
Dibromomethane	ND		0.17	1.0
Dichlorodifluoromethane	ND		0.31	2.0
Ethylbenzene	ND		0.16	1.0
Hexachlorobutadiene	ND		0.12	1.0
Isopropylbenzene	ND		0.19	1.0
Methyl tert-butyl ether	ND		0.25	5.0
Methylene Chloride	ND		0.32	2.0
Naphthalene	ND		0.22	1.0
Styrene	ND		0.17	1.0
Tetrachloroethene	ND		0.20	1.0
Toluene	ND		0.17	1.0
Trichloroethene	ND		0.16	1.0
Trichlorofluoromethane	ND		0.29	2.0
Vinyl chloride	ND		0.40	1.0
Xylenes, Total	ND		0.19	2.0
1,1-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.23	1.0
1,1-Dichloropropene	ND		0.19	1.0
1,1,1-Trichloroethane	ND		0.16	1.0
1,1,1,2-Tetrachloroethane	ND		0.21	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,2-Dibromo-3-Chloropropane	ND		0.47	5.0

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-08 DUP**

Lab Sample ID: 280-6340-8FD

Client Matrix: Water

Date Sampled: 08/11/2010 1412

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7190.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1458		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1458			

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,2-Dibromoethane	ND		0.18	1.0
1,2-Dichlorobenzene	ND		0.15	1.0
1,2-Dichloroethane	ND		0.13	1.0
1,2-Dichloroethene, Total	ND		0.24	1.0
1,2-Dichloropropane	ND		0.18	1.0
1,2,3-Trichlorobenzene	ND		0.21	1.0
1,2,3-Trichloropropane	ND		0.33	2.5
1,2,4-Trichlorobenzene	ND		0.21	1.0
1,2,4-Trimethylbenzene	ND		0.15	1.0
1,3-Dichlorobenzene	ND		0.13	1.0
1,3-Dichloropropane	ND		0.22	1.0
1,3,5-Trimethylbenzene	ND		0.16	1.0
1,4-Dichlorobenzene	ND		0.16	1.0
2-Butanone (MEK)	ND		2.0	6.0
2-Chlorotoluene	ND		0.17	1.0
2-Hexanone	ND		1.7	5.0
2,2-Dichloropropane	ND		0.18	1.0
4-Chlorotoluene	ND		0.21	1.0
4-Isopropyltoluene	ND		0.20	1.0
4-Methyl-2-pentanone (MIBK)	ND		0.98	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	100		70 - 127
Toluene-d8 (Surr)	112		80 - 125
4-Bromofluorobenzene (Surr)	108		78 - 120
Dibromofluoromethane (Surr)	108		77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-09**

Lab Sample ID: 280-6340-9

Client Matrix: Water

Date Sampled: 08/11/2010 1449

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7191.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1520		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1520			

Analyte	Result (ug/L)	Qualifier	MDL	RL
cis-1,2-Dichloroethene	ND		0.15	1.0
cis-1,3-Dichloropropene	ND		0.16	1.0
m-Xylene & p-Xylene	ND		0.34	2.0
N-Propylbenzene	ND		0.16	1.0
n-Butylbenzene	ND		0.14	1.0
o-Xylene	ND		0.19	1.0
sec-Butylbenzene	ND		0.17	1.0
tert-Butylbenzene	ND		0.16	1.0
trans-1,2-Dichloroethene	ND		0.15	1.0
trans-1,3-Dichloropropene	ND		0.19	3.0
Acetone	ND		1.9	10
Benzene	ND		0.16	1.0
Bromobenzene	ND		0.17	1.0
Chlorobromomethane	ND		0.10	1.0
Dichlorobromomethane	ND		0.17	1.0
Bromoform	ND		0.19	1.0
Bromomethane	ND		0.21	2.0
Carbon tetrachloride	ND		0.19	1.0
Chlorobenzene	ND		0.17	1.0
Chlorodibromomethane	ND		0.17	1.0
Chloroethane	ND		0.41	2.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	2.0
Dibromomethane	ND		0.17	1.0
Dichlorodifluoromethane	ND		0.31	2.0
Ethylbenzene	ND		0.16	1.0
Hexachlorobutadiene	ND		0.12	1.0
Isopropylbenzene	ND		0.19	1.0
Methyl tert-butyl ether	ND		0.25	5.0
Methylene Chloride	ND		0.32	2.0
Naphthalene	ND		0.22	1.0
Styrene	ND		0.17	1.0
Tetrachloroethene	0.24	J	0.20	1.0
Toluene	ND		0.17	1.0
Trichloroethene	ND		0.16	1.0
Trichlorofluoromethane	ND		0.29	2.0
Vinyl chloride	ND		0.40	1.0
Xylenes, Total	ND		0.19	2.0
1,1-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.23	1.0
1,1-Dichloropropene	ND		0.19	1.0
1,1,1-Trichloroethane	ND		0.16	1.0
1,1,1,2-Tetrachloroethane	ND		0.21	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,2-Dibromo-3-Chloropropane	ND		0.47	5.0

Client: EnviroGroup Limited

Job Number: 280-6340-1

Client Sample ID: **EMW-09**

Lab Sample ID: 280-6340-9

Client Matrix: Water

Date Sampled: 08/11/2010 1449

Date Received: 08/13/2010 1000

8260B Volatile Organic Compounds (GC/MS)

Method:	8260B	Analysis Batch: 280-27564	Instrument ID:	MSV_H
Preparation:	5030B		Lab File ID:	H7191.D
Dilution:	1.0		Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1520		Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1520			

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,2-Dibromoethane	ND		0.18	1.0
1,2-Dichlorobenzene	ND		0.15	1.0
1,2-Dichloroethane	ND		0.13	1.0
1,2-Dichloroethene, Total	ND		0.24	1.0
1,2-Dichloropropane	ND		0.18	1.0
1,2,3-Trichlorobenzene	ND		0.21	1.0
1,2,3-Trichloropropane	ND		0.33	2.5
1,2,4-Trichlorobenzene	ND		0.21	1.0
1,2,4-Trimethylbenzene	ND		0.15	1.0
1,3-Dichlorobenzene	ND		0.13	1.0
1,3-Dichloropropane	ND		0.22	1.0
1,3,5-Trimethylbenzene	ND		0.16	1.0
1,4-Dichlorobenzene	ND		0.16	1.0
2-Butanone (MEK)	ND		2.0	6.0
2-Chlorotoluene	ND		0.17	1.0
2-Hexanone	ND		1.7	5.0
2,2-Dichloropropane	ND		0.18	1.0
4-Chlorotoluene	ND		0.21	1.0
4-Isopropyltoluene	ND		0.20	1.0
4-Methyl-2-pentanone (MIBK)	ND		0.98	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	99		70 - 127
Toluene-d8 (Surr)	111		80 - 125
4-Bromofluorobenzene (Surr)	109		78 - 120
Dibromofluoromethane (Surr)	109		77 - 120

DATA REPORTING QUALIFIERS

Client: EnviroGroup Limited

Job Number: 280-6340-1

Lab Section	Qualifier	Description
GC/MS VOA		
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

QUALITY CONTROL RESULTS

Client: EnviroGroup Limited

Job Number: 280-6340-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:280-27564					
LCS 280-27564/4	Lab Control Sample	T	Water	8260B	
LCSD 280-27564/5	Lab Control Sample Duplicate	T	Water	8260B	
MB 280-27564/6	Method Blank	T	Water	8260B	
280-6340-1	TB081110	T	Water	8260B	
280-6340-2	EMW-11	T	Water	8260B	
280-6340-2MS	Matrix Spike	T	Water	8260B	
280-6340-2MSD	Matrix Spike Duplicate	T	Water	8260B	
280-6340-3	EMW-12	T	Water	8260B	
280-6340-4	EMW-13	T	Water	8260B	
280-6340-5	EMW-14	T	Water	8260B	
280-6340-6	EMW-10	T	Water	8260B	
280-6340-7	EMW-08	T	Water	8260B	
280-6340-8FD	EMW-08 DUP	T	Water	8260B	
280-6340-9	EMW-09	T	Water	8260B	

Report Basis

T = Total

Client: EnviroGroup Limited

Job Number: 280-6340-1

Surrogate Recovery Report

8260B Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
280-6340-1	TB081110	101	113	111	107
280-6340-2	EMW-11	94	105	105	101
280-6340-3	EMW-12	89	100	100	96
280-6340-4	EMW-13	93	106	106	101
280-6340-5	EMW-14	98	110	107	106
280-6340-6	EMW-10	97	106	104	103
280-6340-7	EMW-08	101	113	111	109
280-6340-8	EMW-08 DUP	100	112	108	108
280-6340-9	EMW-09	99	111	109	109
MB 280-27564/6		96	106	105	101
LCS 280-27564/4		87	104	93	88
LCSD 280-27564/5		102	118	107	105
280-6340-2 MS	EMW-11 MS	103	122	107	105
280-6340-2 MSD	EMW-11 MSD	101	122	105	104

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	70-127
TOL = Toluene-d8 (Surr)	80-125
BFB = 4-Bromofluorobenzene (Surr)	78-120
DBFM = Dibromofluoromethane (Surr)	77-120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Method Blank - Batch: 280-27564

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 280-27564/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 08/18/2010 1009
Date Prepared: 08/18/2010 1009

Analysis Batch: 280-27564
Prep Batch: N/A
Units: ug/L

Instrument ID: MSV_H
Lab File ID: H7177.D
Initial Weight/Volume: 20 mL
Final Weight/Volume: 20 mL

Analyte	Result	Qual	MDL	RL
cis-1,2-Dichloroethene	ND		0.15	1.0
cis-1,3-Dichloropropene	ND		0.16	1.0
m-Xylene & p-Xylene	ND		0.34	2.0
N-Propylbenzene	ND		0.16	1.0
n-Butylbenzene	ND		0.14	1.0
o-Xylene	ND		0.19	1.0
sec-Butylbenzene	ND		0.17	1.0
tert-Butylbenzene	ND		0.16	1.0
trans-1,2-Dichloroethene	ND		0.15	1.0
trans-1,3-Dichloropropene	ND		0.19	3.0
Acetone	ND		1.9	10
Benzene	ND		0.16	1.0
Bromobenzene	ND		0.17	1.0
Chlorobromomethane	ND		0.10	1.0
Dichlorobromomethane	ND		0.17	1.0
Bromoform	ND		0.19	1.0
Bromomethane	ND		0.21	2.0
Carbon tetrachloride	ND		0.19	1.0
Chlorobenzene	ND		0.17	1.0
Chlorodibromomethane	ND		0.17	1.0
Chloroethane	ND		0.41	2.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	2.0
Dibromomethane	ND		0.17	1.0
Dichlorodifluoromethane	ND		0.31	2.0
Ethylbenzene	ND		0.16	1.0
Hexachlorobutadiene	ND		0.12	1.0
Isopropylbenzene	ND		0.19	1.0
Methyl tert-butyl ether	ND		0.25	5.0
Methylene Chloride	ND		0.32	2.0
Naphthalene	ND		0.22	1.0
Styrene	ND		0.17	1.0
Tetrachloroethene	ND		0.20	1.0
Toluene	ND		0.17	1.0
Trichloroethene	ND		0.16	1.0
Trichlorofluoromethane	ND		0.29	2.0
Vinyl chloride	ND		0.40	1.0
Xylenes, Total	ND		0.19	2.0
1,1-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.23	1.0
1,1-Dichloropropene	ND		0.19	1.0
1,1,1-Trichloroethane	ND		0.16	1.0
1,1,1,2-Tetrachloroethane	ND		0.21	1.0

Client: EnviroGroup Limited

Job Number: 280-6340-1

Method Blank - Batch: 280-27564

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 280-27564/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 08/18/2010 1009
Date Prepared: 08/18/2010 1009

Analysis Batch: 280-27564
Prep Batch: N/A
Units: ug/L

Instrument ID: MSV_H
Lab File ID: H7177.D
Initial Weight/Volume: 20 mL
Final Weight/Volume: 20 mL

Analyte	Result	Qual	MDL	RL
1,1,2-Trichloroethane	ND		0.27	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,2-Dibromo-3-Chloropropane	ND		0.47	5.0
1,2-Dibromoethane	ND		0.18	1.0
1,2-Dichlorobenzene	ND		0.15	1.0
1,2-Dichloroethane	ND		0.13	1.0
1,2-Dichloroethene, Total	ND		0.24	1.0
1,2-Dichloropropane	ND		0.18	1.0
1,2,3-Trichlorobenzene	ND		0.21	1.0
1,2,3-Trichloropropane	ND		0.33	2.5
1,2,4-Trichlorobenzene	ND		0.21	1.0
1,2,4-Trimethylbenzene	ND		0.15	1.0
1,3-Dichlorobenzene	ND		0.13	1.0
1,3-Dichloropropane	ND		0.22	1.0
1,3,5-Trimethylbenzene	ND		0.16	1.0
1,4-Dichlorobenzene	ND		0.16	1.0
2-Butanone (MEK)	ND		2.0	6.0
2-Chlorotoluene	ND		0.17	1.0
2-Hexanone	ND		1.7	5.0
2,2-Dichloropropane	ND		0.18	1.0
4-Chlorotoluene	ND		0.21	1.0
4-Isopropyltoluene	ND		0.20	1.0
4-Methyl-2-pentanone (MIBK)	ND		0.98	5.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	96	70 - 127
Toluene-d8 (Surr)	106	80 - 125
4-Bromofluorobenzene (Surr)	105	78 - 120
Dibromofluoromethane (Surr)	101	77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 280-27564

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID:	LCS 280-27564/4	Analysis Batch:	280-27564	Instrument ID:	MSV_H
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	H7174.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 0904			Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 0904				

LCSD Lab Sample ID:	LCSD 280-27564/5	Analysis Batch:	280-27564	Instrument ID:	MSV_H
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	H7175.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 0926			Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 0926				

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
trans-1,2-Dichloroethene	102	97	80 - 120	6	24		
Benzene	100	96	77 - 120	5	20		
Dichlorobromomethane	92	89	78 - 120	4	20		
Carbon tetrachloride	103	96	80 - 120	6	21		
Chlorobenzene	101	95	78 - 120	7	20		
Chloroform	95	93	78 - 120	2	20		
Ethylbenzene	102	96	78 - 120	5	26		
Methylene Chloride	91	95	71 - 120	5	20		
Tetrachloroethene	105	97	77 - 120	8	20		
Toluene	96	93	73 - 120	3	20		
Trichloroethene	101	95	78 - 122	5	20		
1,1-Dichloroethane	99	97	77 - 120	2	21		
1,1-Dichloroethene	110	103	68 - 133	7	20		
1,1,1-Trichloroethane	101	95	78 - 120	6	20		
1,2-Dichloropropane	98	97	76 - 120	1	20		
1,3-Dichlorobenzene	99	102	75 - 120	3	20		

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	87	102	70 - 127
Toluene-d8 (Surr)	104	118	80 - 125
4-Bromofluorobenzene (Surr)	93	107	78 - 120
Dibromofluoromethane (Surr)	88	105	77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Laboratory Control/
Laboratory Duplicate Data Report - Batch: 280-27564

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID:	LCS 280-27564/4	Units:	ug/L	LCSD Lab Sample ID:	LCSD 280-27564/5
Client Matrix:	Water			Client Matrix:	Water
Dilution:	1.0			Dilution:	1.0
Date Analyzed:	08/18/2010 0904			Date Analyzed:	08/18/2010 0926
Date Prepared:	08/18/2010 0904			Date Prepared:	08/18/2010 0926

Analyte	LCS Spike Amount	LCSD Spike Amount	LCS Result/Qual	LCSD Result/Qual
trans-1,2-Dichloroethene	5.00	5.00	5.11	4.83
Benzene	5.00	5.00	5.02	4.79
Dichlorobromomethane	5.00	5.00	4.62	4.45
Carbon tetrachloride	5.00	5.00	5.13	4.81
Chlorobenzene	5.00	5.00	5.07	4.74
Chloroform	5.00	5.00	4.76	4.66
Ethylbenzene	5.00	5.00	5.08	4.82
Methylene Chloride	5.00	5.00	4.53	4.75
Tetrachloroethene	5.00	5.00	5.24	4.84
Toluene	5.00	5.00	4.79	4.63
Trichloroethene	5.00	5.00	5.04	4.77
1,1-Dichloroethane	5.00	5.00	4.93	4.83
1,1-Dichloroethene	5.00	5.00	5.52	5.14
1,1,1-Trichloroethane	5.00	5.00	5.04	4.75
1,2-Dichloropropane	5.00	5.00	4.88	4.83
1,3-Dichlorobenzene	5.00	5.00	4.95	5.11

Client: EnviroGroup Limited

Job Number: 280-6340-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 280-27564

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	280-6340-2	Analysis Batch:	280-27564	Instrument ID:	MSV_H
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	H7183.D
Dilution:	1.0			Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1226			Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1226				

MSD Lab Sample ID:	280-6340-2	Analysis Batch:	280-27564	Instrument ID:	MSV_H
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	H7184.D
Dilution:	1.0			Initial Weight/Volume:	20 mL
Date Analyzed:	08/18/2010 1248			Final Weight/Volume:	20 mL
Date Prepared:	08/18/2010 1248				

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
trans-1,2-Dichloroethene	99	108	80 - 120	9	24		
Benzene	99	108	77 - 120	8	20		
Dichlorobromomethane	92	102	78 - 120	10	20		
Carbon tetrachloride	97	107	80 - 120	10	21		
Chlorobenzene	102	110	78 - 120	7	20		
Chloroform	97	106	78 - 120	8	20		
Ethylbenzene	100	112	78 - 120	11	26		
Methylene Chloride	95	99	71 - 120	5	20		
Tetrachloroethene	102	112	77 - 120	9	20		
Toluene	94	105	73 - 120	11	20		
Trichloroethene	100	110	78 - 122	10	20		
1,1-Dichloroethane	97	104	77 - 120	7	21		
1,1-Dichloroethene	104	115	68 - 133	10	20		
1,1,1-Trichloroethane	96	106	78 - 120	10	20		
1,2-Dichloropropane	99	108	76 - 120	9	20		
1,3-Dichlorobenzene	104	106	75 - 120	2	20		

Surrogate	MS % Rec	MSD % Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	103	101	70 - 127
Toluene-d8 (Surr)	122	122	80 - 125
4-Bromofluorobenzene (Surr)	107	105	78 - 120
Dibromofluoromethane (Surr)	105	104	77 - 120

Client: EnviroGroup Limited

Job Number: 280-6340-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 280-27564

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	280-6340-2	Units: ug/L	MSD Lab Sample ID:	280-6340-2
Client Matrix:	Water		Client Matrix:	Water
Dilution:	1.0		Dilution:	1.0
Date Analyzed:	08/18/2010 1226		Date Analyzed:	08/18/2010 1248
Date Prepared:	08/18/2010 1226		Date Prepared:	08/18/2010 1248

Analyte	Sample Result/Qual		MS Spike Amount	MSD Spike Amount	MS Result/Qual	MSD Result/Qual
trans-1,2-Dichloroethene	ND		5.00	5.00	4.96	5.41
Benzene	ND		5.00	5.00	4.96	5.40
Dichlorobromomethane	ND		5.00	5.00	4.62	5.11
Carbon tetrachloride	ND		5.00	5.00	4.85	5.35
Chlorobenzene	ND		5.00	5.00	5.12	5.49
Chloroform	ND		5.00	5.00	4.85	5.28
Ethylbenzene	ND		5.00	5.00	5.02	5.61
Methylene Chloride	ND		5.00	5.00	4.73	4.97
Tetrachloroethene	0.37	J	5.00	5.00	5.47	5.97
Toluene	ND		5.00	5.00	4.69	5.25
Trichloroethene	ND		5.00	5.00	4.98	5.49
1,1-Dichloroethane	ND		5.00	5.00	4.87	5.21
1,1-Dichloroethene	ND		5.00	5.00	5.22	5.77
1,1,1-Trichloroethane	ND		5.00	5.00	4.81	5.30
1,2-Dichloropropane	ND		5.00	5.00	4.95	5.41
1,3-Dichlorobenzene	ND		5.00	5.00	5.19	5.30

Client: EnviroGroup Limited

Job Number: 280-6340-1

Laboratory Chronicle

Lab ID: 280-6340-1 **Client ID:** TB081110

Sample Date/Time: 08/11/2010 10:05 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-A-1		280-27564		08/18/2010 11:43	1	TAL DEN	GPM
A:8260B	280-6340-A-1		280-27564		08/18/2010 11:43	1	TAL DEN	GPM

Lab ID: 280-6340-2 **Client ID:** EMW-11

Sample Date/Time: 08/11/2010 10:35 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-A-2		280-27564		08/18/2010 12:04	1	TAL DEN	GPM
A:8260B	280-6340-A-2		280-27564		08/18/2010 12:04	1	TAL DEN	GPM

Lab ID: 280-6340-2 MS **Client ID:** EMW-11

Sample Date/Time: 08/11/2010 10:35 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-B-2 MS		280-27564		08/18/2010 12:26	1	TAL DEN	GPM
A:8260B	280-6340-B-2 MS		280-27564		08/18/2010 12:26	1	TAL DEN	GPM

Lab ID: 280-6340-2 MSD **Client ID:** EMW-11

Sample Date/Time: 08/11/2010 10:35 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-B-2 MSD		280-27564		08/18/2010 12:48	1	TAL DEN	GPM
A:8260B	280-6340-B-2 MSD		280-27564		08/18/2010 12:48	1	TAL DEN	GPM

Lab ID: 280-6340-3 **Client ID:** EMW-12

Sample Date/Time: 08/11/2010 11:20 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-C-3		280-27564		08/18/2010 13:10	1	TAL DEN	GPM
A:8260B	280-6340-C-3		280-27564		08/18/2010 13:10	1	TAL DEN	GPM

Lab ID: 280-6340-4 **Client ID:** EMW-13

Sample Date/Time: 08/11/2010 12:02 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-C-4		280-27564		08/18/2010 13:31	1	TAL DEN	GPM
A:8260B	280-6340-C-4		280-27564		08/18/2010 13:31	1	TAL DEN	GPM

Client: EnviroGroup Limited

Job Number: 280-6340-1

Laboratory Chronicle

Lab ID: 280-6340-5 **Client ID:** EMW-14

Sample Date/Time: 08/11/2010 12:39 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-A-5		280-27564		08/18/2010 13:53	1	TAL DEN	GPM
A:8260B	280-6340-A-5		280-27564		08/18/2010 13:53	1	TAL DEN	GPM

Lab ID: 280-6340-6 **Client ID:** EMW-10

Sample Date/Time: 08/11/2010 13:37 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-C-6		280-27564		08/18/2010 14:15	1	TAL DEN	GPM
A:8260B	280-6340-C-6		280-27564		08/18/2010 14:15	1	TAL DEN	GPM

Lab ID: 280-6340-7 **Client ID:** EMW-08

Sample Date/Time: 08/11/2010 14:12 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-B-7		280-27564		08/18/2010 14:36	1	TAL DEN	GPM
A:8260B	280-6340-B-7		280-27564		08/18/2010 14:36	1	TAL DEN	GPM

Lab ID: 280-6340-8 **Client ID:** EMW-08 DUP

Sample Date/Time: 08/11/2010 14:12 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-C-8		280-27564		08/18/2010 14:58	1	TAL DEN	GPM
A:8260B	280-6340-C-8		280-27564		08/18/2010 14:58	1	TAL DEN	GPM

Lab ID: 280-6340-9 **Client ID:** EMW-09

Sample Date/Time: 08/11/2010 14:49 Received Date/Time: 08/13/2010 10:00

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	280-6340-A-9		280-27564		08/18/2010 15:20	1	TAL DEN	GPM
A:8260B	280-6340-A-9		280-27564		08/18/2010 15:20	1	TAL DEN	GPM

Lab ID: MB **Client ID:** N/A

Sample Date/Time: N/A Received Date/Time: N/A

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	MB 280-27564/6		280-27564		08/18/2010 10:09	1	TAL DEN	GPM
A:8260B	MB 280-27564/6		280-27564		08/18/2010 10:09	1	TAL DEN	GPM

Client: EnviroGroup Limited

Job Number: 280-6340-1

Laboratory Chronicle

Lab ID: **LCS** **Client ID:** **N/A**

Sample Date/Time: N/A Received Date/Time: N/A

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	LCS 280-27564/4		280-27564		08/18/2010 09:04	1	TAL DEN	GPM
A:8260B	LCS 280-27564/4		280-27564		08/18/2010 09:04	1	TAL DEN	GPM

Lab ID: **LCSD** **Client ID:** **N/A**

Sample Date/Time: N/A Received Date/Time: N/A

Method	Bottle ID	Run	Analysis Batch	Prep Batch	Date Prepared / Analyzed	Dil	Lab	Analyst
P:5030B	LCSD 280-27564/5		280-27564		08/18/2010 09:26	1	TAL DEN	GPM
A:8260B	LCSD 280-27564/5		280-27564		08/18/2010 09:26	1	TAL DEN	GPM

Lab References:
TAL DEN = TestAmerica Denver

Chain of Custody Record

Sampler ID: MAJ

Temperature on Receipt: 2.3 °C

Drinking Water? Yes ☐ No ☒

8/13/10

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TAL-4124-280 (0508)

Client	Project Manager	Date	Chain of Custody Number
EnviroGroup Limited (EGL)	M. Litasi	8/11/10	123534
Address	**Telephone Number (Area Code)/Fax Number**	**Lab Number**	**Page 1 of 1**
7009 S. Potomac St. #300	303-790-1340 / 303-790-1347		

City	State	Zip Code	Site Contact	Lab Contact
Centennial	CO	80112	MAJ	L. Parsons

Project Name and Location (State)	Carrier/Waybill Number
Casper Orphan PCE - WDEQ Casper, WY	

Contract/Purchase Order/Quote No.: WQ-0664 - GW Sampling

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	4°C	8260B	Special Instructions/ Conditions of Receipt
TB081110	8/11/10	1005		3						X			X	X	
EMW-11		1035		3						X			X	X	
EMW-12		1120		3						X			X	X	
EMW-13		1202		3						X			X	X	
EMW-14		1239		3						X			X	X	
EMW-10		1337		3						X			X	X	
EMW-08		1412		3						X			X	X	
EMW-08 DUP		1412		3						X			X	X	
EMW-09		1449		3						X			X	X	

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For ____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required: ☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☒ 14 Days ☐ 21 Days ☐ Other ____

QC Requirements (Specify)

	Date	Time		Date	Time
1. Relinquished By	8/11/10	0815	1. Received By	8/13/10	1060
2. Relinquished By			2. Received By		
3. Relinquished By			3. Received By		

Comments

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

Login Sample Receipt Check List

Client: EnviroGroup Limited

Job Number: 280-6340-1

Login Number: 6340

List Source: TestAmerica Denver

Creator: Swimmer, Gerald

List Number: 1

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	