



THE STATE OF WYOMING



JIM GERINGER  
GOVERNOR

## Department of Environmental Quality

Herschler Building • 122 West 25th Street • Cheyenne, Wyoming 82002

ADMINISTRATION (307) 777-7758 FAX 777-7682	ABANDONED MINES (307) 777-6145 FAX 634-0799	AIR QUALITY (307) 777-7391 FAX 777-5616	INDUSTRIAL SITING (307) 777-7368 FAX 777-6937	LAND QUALITY (307) 777-7756 FAX 634-0799	SOLID & HAZARDOUS WASTE (307) 777-7752 FAX 777-5973	WATER QUALITY (307) 777-7781 FAX 777-5973
--	---	---	---	--	---	---

April 8, 1998

Panhandle Concrete Products, Inc.  
Attn/Craig Hayward, Precast Manager  
P.O. Box 209  
1914 West Overland  
Scottsbluff, Nebraska 69363

RE: APPROVAL of 1000, 1250, 1500, and 2000 gallon Two Compartment Concrete Septic Tanks for use in Wyoming

Dear Mr. Hayward:

The Water Quality Division (WQD) of the Wyoming Department of Environmental Quality (DEQ) has received and reviewed the specifications for your 1000, 1250, 1500, and 2000 gallon two compartment concrete septic tanks. The WQD finds that these septic tank designs meet the minimum requirements as identified in Chapter 11, Section 39 of the Water Quality Rules and Regulations. Therefore, these products will be placed on our list of approved septic tanks for use in Wyoming.

Sincerely,

Ronald L. Ewald  
Engineering Evaluator  
SE District, Water Quality Division

RLE/bb/81178.ltr

cc: Septic Tank Status File  
Larry Robinson, SPO Program Manager, WQD  
Lou Harmon, SE District Engineering Supervisor, WQD  
Don McKenzie, NE District Engineering Supervisor, WQD  
Jeff Hermansky, NW District Engineering Supervisor, WQD  
Randy Taylor, SW District Engineering Supervisor, WQD




**PANHANDLE  
CONCRETE PRODUCTS**

P. O. Box 209  
1914 West Overland (308) 632-2161  
Scottsbluff, NE 69361 FAX (308) 632-2771



## SEPTIC TANK

STANDARD: INLET BAFFLE, OUTLET TEE; 2-COMPART. MID-DEPTH




NOTE: Also available in tapered wall !


DATA CHART

GALLONS	A	B	C	D	E	F	G	H	I	J	K	Conc Req'd. [Cu. Yds.]
500	40"	80"	67"	54"	48"	9"or 12"	3"	3"or 4"	3"or 4"	6" x 6"	20"dia.	1.56
700	48"	96"	"	"	"	"	"	"	"	"	"	1.99
900	53"	102"	"	"	"	"	"	"	"	"	"	2.19
1,000	58"	102"	"	"	"	"	"	"	"	"	"	2.28
1,000	62"	96"	"	"	"	"	"	"	"	"	"	2.33
1,250	60"	120"	"	"	"	"	"	"	"	"	"	2.65
1,500	68"	126"	"	"	"	"	"	"	"	"	"	2.97
2,000	78"	144"	"	"	"	"	"	"	"	"	"	3.59

NOTE: For IMP. Gallons multiply gallons X .80



TOP VIEW



ELEV. VIEW