

LAND APPLICATION PERMIT

New

PERMIT NO. 95-151

Renewal

(Reference permits 94-319, 94-137, 93-307, 93-146,
92-209, 90-435, 90-073, 89-511, 89-265, 88-021)

Modified

(SEE SPECIAL CONDITIONS)

U.S. Naval Petroleum Reserve No. 3 Road Application
(Name of Facility)

This permit hereby authorizes the applicants (name and address):

U.S. Department of Energy
907 N. Poplar, Suite 150
Casper, Wyoming 82601

to land apply crude oil sludge according to the procedures and conditions of the application No. 95-151. The application site is located in Sections 2, 3, 4, 9, 10, 11, 14, 22, 23, 26 Township 38 North, Range 78 West and Sections 33, 34, 35 Township 39 North, Range 78 West in the County of Natrona in the State of Wyoming. This permit shall be effective until November 1, 1995.

The issuance of this permit provides that the Department of Environmental Quality has evaluated and determined that the application meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the applicant's engineer's design are the responsibility of the applicant, owner, or operator. The authority to land apply granted by this permit does not mean or imply that the Wyoming Department of Environmental Quality guarantees or ensures that the disposal will meet applicable state requirements.

Nothing in this permit constitutes an endorsement of the disposal method described herein. This permit indicates only that standards required by the Environmental Quality Act have been met. The State assumes no liability for, and does not in any way guarantee the performance of, the permittee in the exercise of its activities allowed under this permit. The permittee understands that it is solely responsible to any third parties for any liability arising from the disposal method described herein. By the issuance of this permit, the state does not in any way waive its sovereign immunity.

The permittee shall allow authorized representatives from the Department of Environmental Quality, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the application site, at the above location, for the purpose of compliance with the provisions of this permit.

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties established pursuant to any applicable State law or regulation.

The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, or any infringement of Federal, State or local laws or regulations.

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-151
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. No.
- B. Chapter XII. No.
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
No.
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
No.
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
No.
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
There are no numeric standards or criteria in Chapter XI for road application. W.S. 35-11-301 (a) (iii) requires a permit to be issued when any disposal system capable of causing or contributing to pollution is constructed, installed, modified, or operated.
- B. Briefly state the basis for the deviation.
Road application is permitted when DEQ authorized disposal facilities are not readily available, a beneficial use of the waste to be applied is possible, and significant impact to waters of the State is minimized.
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
District Policy numbers 10.1 (4/9/91), 10.2 (10/17/86), 10.3 (8/1/91), 10.4 (10/24/91), and 10.6 (12/03/90) address the statutory authority to regulate the road application of waste, establish the criteria for characterizing the waste, and determine acceptable conditions for the application of the waste to roadbeds to minimize impact to waters of the State.

U.S. Naval Petroleum Reserve No. 3 Road Application
Permit #95-151

The applicant requests a permit without testing waste materials this year. During the past six (6) years eight (8) road application permits for crude oil sludge have been issued to the applicant. Each permit was supported by lab analyses indicating federal hazardous waste constituents were at acceptable levels in the waste stream or roadbed. The applicant has indicated that processes and chemicals used to treat crude oil or remove sediment and water have not changed significantly. The applicant has indicated that no purchases of any chemical products that could make their way into the process stream have been made. Processes used to treat crude oil sludges will be monitored.

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III. See footnote. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Applicable.

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

- A. Facility will not allow a discharge to groundwater. Briefly describe:

The opportunity for direct or indirect discharge, percolation, or filtration to groundwater is minimized by uniformly applying the oil contaminated material into the roadbed. Repeated applications of waste to the same sections of road will be monitored by roadbed analyses.

- VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review is performed by BRIAN D. MARK, P.E., Senior Environmental Analyst, and completed on April 27, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis".

Footnote: Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
Renewal
Modified

PERMIT NO. 95-152R
SPECIAL CONDITIONS

1995 Water Tank Repairs, Wamsutter, WY

This permit hereby authorizes the applicant:

Town of Wamsutter
P.O. Box 6
Wamsutter, WY 82336

to construct water tank repairs and improvements according to the procedures and conditions of the application number 95-152R. The facility is located in NE¼ S34 T20N R94W in the county of Sweetwater, in the State of Wyoming. This permit shall be effective for a period of two years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Lander Office, State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or au. that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply w all of the following permit conditions:

1. of 4 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to Lander Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Lander office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6/14/95

Date of Issuance

RRT/nc 52457.LTR

STATEMENT OF BASIS

General information.

A. Permit Number: 95-152R

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. No

B. Chapter XII. Yes

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

Not Applicable

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Not Applicable

VI. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Randall Taylor, Southwest District Engineer Supervisor, and completed on 08 June 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

RRT/nc 52457.LTR

PERMIT TO CONSTRUCT

X New
Renewal
Modified

PERMIT NO. 95-153
SPECIAL CONDITIONS

Webster Laplant Homestead Water and Sewer - Phase 1

This permit hereby authorizes the applicant:

Walt Thulin
RCG/E LLC
P.O. Box 2871
Jackson, WY 83001

to construct additions to the Town of Jackson's water and wastewater facilities according to the procedures and conditions of the application number 95-153. The facility is located in T41N, R116W, Section SE¼ 32 in the county of Teton, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Lander Office, State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to Lander Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Lander office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

9/26/95

Date of Issuance

JH/jyi /nc 54286.LTR

STATEMENT OF BASIS

General information.

A. Permit Number: 95-153

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

n/a

B. Briefly state the basis for the deviation.

n/a

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

n/a

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Not applicable

- VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Supervisor, and completed on May 25, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JH/jyi /nc 54286.LTR

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

LAND APPLICATION PERMIT

New
Renewal
Modified

PERMIT NO. 95-154
SPECIAL CONDITIONS
REF/PERMIT #88-345, 89-128,
90-161, 91-138, 92-110, 92-376, 93-158, 94-245

Four Horse Field Land Application 1995

This permit hereby authorizes the applicant:

Stewart Petroleum Corporation
14 Inverness Dr. East, H-240
Englewood, Colorado 80112

to land apply produced water according to the procedures and conditions of the application number 95-154. The facility is located in Sections 3, 5, 9 and 10, Township 47 North, Range 68 West in the county of Weston, in the State of Wyoming. This permit shall be effective until November 1, 1995.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 9. The permittee shall notify representatives from the Department of Environmental Quality, Water Quality Division (DEQ/WQD) of the anticipated project commencement and completion dates with the attached post card. At least 48 hours advance notice is required. The authorized representative in your area can be contacted at the following address: Department of Environmental Quality/Water Quality Division, NE District Office, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801, telephone number 307-672-6457, Fax number 307-674-6050.
- 2 of 9. The permittee shall provide immediate oral and/or written notice to the NE District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications to the approved permit package.
- 3 of 9. The permittee shall provide certification that the project was completed in accordance with the terms and conditions of the permit within sixty (60) days of the project completion to the NE District Office on the attached Certification of Completion form.
- 4 of 9. The permittee shall submit a contour map depicting only those sections of road that actually received produced water within sixty (60) days of the project completion to the NE District Office.
- 5 of 9. The review and approval of this permit is based upon the items identified in the attached Statement of Basis.
- 6 of 9. Produced water shall be applied uniformly. Application shall not be initiated during the spring runoff period or at times saturated soil conditions exist. Produced water shall not be applied during the period from November 1 to April 10.
- 7 of 9. The application site slope shall not exceed eight percent (8%) for vehicular application.
- 8 of 9. Produced water application shall be terminated within 300 feet of the definable high water mark of perennial and intermittent drainages, irrigation canals, lakes and reservoirs.
- 9 of 9. Any produced water application after November 1, 1995 must be re-permitted.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-12-95

Date of Issuance

BDM/pr:May 10, 1995 - 52035.LTR

STATEMENT OF BASIS

General information.

A. Permit Number: 95-154

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. no

B. Chapter XII. no

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

no

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

no

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

no

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

There are no numeric standards or criteria in Chapter XI for road application. W.S. 35-11-301 (a)(iii) requires a permit to be issued when any disposal system capable of causing or contributing to pollution is constructed, installed, modified, or operated.

B. Briefly state the basis for the deviation.

Road application is permitted when DEQ authorized disposal facilities are not readily available, a beneficial use of the waste to be applied is possible, and significant impact to waters of the State is minimized.

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

District Policy numbers 10.1 (4/9/91), 10.2 (10/17/86), 10.3 (8/91), 10.4 (10/24/91), and 10.6 (1/18/91) address the statutory authority to regulate the road application of waste, establish criteria for characterizing the waste, and determine acceptable conditions for the application of the waste to roadbeds to minimize impact to waters of the State.

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

applicable

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

- A. Facility will not allow a discharge to groundwater. Briefly describe:

The opportunity for direct or indirect discharge, percolation, or filtration to groundwater is minimized by uniformly applying the produced water onto the roadbed. Repeated applications of produced water on the same sections of road will be monitored by roadbed analyses.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Brian D. Mark, P.E., Senior Environmental Analyst and completed on May 10, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

42901.DOC

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

- New
 Renewal
 Modified

Permit No. 95-155
* **CONDITIONED** *

Daniel Kost Septic Tank/Leach Field
(Name of Facility)

This permit hereby authorizes the applicant (name and address):

Daniel Kost
P. O. Box 453
Basin, WY 82410

to construct a septic tank/leach field to serve a new 3 bedroom residence according to the procedures and conditions of the application No. 95-155. The facility is located in SW1/4 NE1/4 Sec. 3, T50N, R93W in the County of Big Horn, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit provides that the Department of Environmental Quality has evaluated and determined that the application meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the applicant's engineer's design are the responsibility of the applicant, owner, or operator.

The authority to construct granted by this permit does not mean or imply that the Wyoming Department of Environmental Quality guarantees or insures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements.

Nothing in this permit constitutes an endorsement of the construction or the design of the facility described herein. This permit indicates only that standards of design and construction required by the Environmental Quality Act have been met. The State assumes no liability for, and does not in any way guarantee the performance of, the permittee in the exercise of its activities allowed under this permit. The permittee understands that it is solely responsible to any third parties for any liability arising from the construction or operation of the facility described herein. By the issuance of this permit, the State does not in any way waive its sovereign immunity.

The permittee shall allow authorized representatives from the Department of Environmental Quality, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the Department of Environmental Quality, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: District Engineer, State of Wyoming, Department of Environmental Quality, Water Quality Division, 250 Lincoln, Lander, WY 82520; telephone, 332-3144.

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties established pursuant to any applicable State law or regulation.

The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Federal, State or local laws or regulations.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-2-95
Date of Issuance

This permit does not supersede the requirements for obtaining any permit from local agencies.

JH/jm - 51857.ltr

STANDARD CONDITIONS 1 through 5

1. of 5 The applicant will notify the appropriate district office of the Department of Environmental Quality, Water Quality Division, by the attached post card of the date construction will begin and the estimated completion date.
2. of 5 The applicant will provide immediate oral and/or written notice to Water Quality Division, 250 Lincoln, Lander, WY 82520, (307) 332-3144, in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 5 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Water Quality Division, 250 Lincoln, Lander, WY 82520, on the form provided (CERTIFICATION OF COMPLETION), the following information.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 5 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".
5. of 5 The Norwesco polyethylene septic tank specified must be installed in compliance with the manufacturers instructions as well as the DEQ/WQD regulations.

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-155
- II. Application reviewed for compliance with the following regulations.
- A. Chapter XI. Yes
- B. Chapter XII. No
- III. Basis for issuing permit.
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
No
- IV. Facilities not specifically covered by regulations.
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
N/A
- B. Briefly state the basis for the deviation.
N/A
- C. Permit based on general or statewide deviation contained in approved policy statement.
N/A
- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III.
Not applicable

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Supervisor, and completed on April 27, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

LAND APPLICATION PERMIT

New
 Renewal
 Modified

PERMIT NO. 95-156R
SPECIAL CONDITIONS
REF/PERMIT #87-042

HIGHLAND SECTION 16 AND 21 LAND APPLICATION FACILITY

This permit hereby authorizes the applicant:

Power Resources, Inc.
P.O. Box 1210
Glenrock, WY 82637

to land apply wastewater from in-situ mining of uranium according to the procedures and conditions of the application number 95-156 and 87-042. The facility is located in Sections 16 and 21, T36N, R73W in the county of Converse, in the State of Wyoming. This permit shall be effective until May 24, 2000.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 2 The permittee shall notify representatives from the Department of Environmental Quality, Water Quality Division (DEQ/WQD) of the anticipated project commencement and completion dates with the attached post card. At least 48 hours advance notice is required. The authorized representative in your area can be contacted at the following address: UIC Program Supervisor, Water Quality Division, 122 West 25th Street, Cheyenne, WY 82002.

2 of 2 The permittee shall provide immediate oral and/or written notice to UIC Program Supervisor,
Quality Division, 122 West 25th Street, Cheyenne, WY 82002. in accordance with the provisions
of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or
modifications to the approved permit package.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5/25/95

Date of Issuance

RFL/b/52205.ltr
cc: Bill Hogg, LQD

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-156R

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

NOT Applicable

B. Briefly state the basis for the deviation.

NOT Applicable

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

NOT Applicable

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III. Note that sediment ponds, public water supplies, sewerage systems, and small wastewater systems are exempt from the requirements of Section 15. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Applicable - review indicates minimal potential for groundwater impact.

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

- A. Facility will not allow a discharge to groundwater. Briefly describe:

Not Applicable

- B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:

Not Applicable

- C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

NOT Applicable

- D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

Applicable - If this wastewater were directly injected into groundwater, a groundwater standards violation would result in most aquifers. Experience has shown that contaminants in this wastewater are effectively tied up in soil horizons. Controls placed on the quality of effluent land applied are effective in insuring that groundwater contamination does not result.

- E. Discharge will result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

NOT Applicable

- F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

NOT Applicable

- G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

Applicable - There is a minimal amount of groundwater monitoring required, limited to two porous cup lysimeters installed at four feet of depth. Samples from these lysimeters will be analyzed for pH, Conductivity, Cl, SO₄, HCO₃, SE, B, U, and Ra²²⁶. Samples from the lysimeters will be taken in June. Wastewater itself will be analyzed at least every 30 days of operation for Na, Ca, Mg, Cl, SO₄, As, Se, U Ra²²⁶, HCO₃, TDS, K, Ba, B, SAR, and pH. In addition, soils will be analyzed in August of each year for Na, Ca, Mg, K, As, Se, U Ra²²⁶, Ba, B, SAR, Conductivity and pH. Vegetation will be analyzed in June of each year for As, Se, B, U Ra²²⁶, and Ba.

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Robert Lucht, Program Supervisor, UIC Program and completed May 24, 1995. Permit issuance is recommended based on the statements, representations, and procedures presented in the permit application, and supporting documents and the items identified in this "Statement of Basis."

RL/b/52205.ltr

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-157R
SPECIAL CONDITIONS

Fairway Estates - Phase I

This permit hereby authorizes the applicant:

Mesa Investments
1515 Ninth Street
P.O. Box 1664
Rock Springs, WY 82901

to construct water and sewer pipeline extensions according to the procedures and conditions of the application number 95-157R. The facility is located in NE¼ S9 T19N R105W in the county of Sweetwater, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the Lander District Office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to the Lander District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Lander District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6/2/95

Date of Issuance

RRT/nc 52324.LTR

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-157R
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. Yes
- B. Chapter XII. Yes
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- No
- IV. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)
- Not Applicable
- V. Documentation of Statement of Basis.
- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Randall Taylor, Southwest District Engineering Supervisor, and completed on 26 May 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

RRT/nc 52324.LTR

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

X New
Renewal
Modified

PERMIT NO. 95-158R
SPECIAL CONDITIONS

J Bar 9 Ranch

This permit hereby authorizes the applicant:

J Bar 9 Ranch, Inc.
P O. Box 1418
Cody, WY 82414

to construct a wastewater collection system, septic tanks and leach field according to the procedures and conditions of the application number 95-158R. The facility is located in Sec. 9, T46N, R105W in the county of Park, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Jeff Hermansky, State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4. The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4. The applicant will provide immediate oral and/or written notice to Lander in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4. Within sixty days of completion of construction of the authorized facility, the applicant will submit to Lander on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4. The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-12-95
Date of Issuance

JH/jm - 52037.ltr

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-158R
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. Yes
- B. Chapter XII. No
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- N/A
- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)
- Applicable
- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)
- A. Facility will not allow a discharge to groundwater. Briefly describe:
- Unknown

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

- B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:

Unknown

- C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

Unknown

- D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

Facility meets groundwater separation requirements.

- E. Discharge may result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

Upon abandonment of the disposal field, groundwater quality will return to back ground.

- F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

The disposal field meets the site separation distance requirements which are intended to protect aquifer users from impact.

- G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

None

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, NW District Supervisor, and completed on May 10, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-159
SPECIAL CONDITIONS

Day Care - Tract 74, Cowboy Country

This permit hereby authorizes the applicant:

Rob & Teresa Knight
8703 Cow Poke Road
Cheyenne, WY 82009

to modify an existing leachfield permitted by Laramie County Environmental Health for day care activities according to the procedures and conditions of the application number 95-159. The facility is located in NE 1/4 Section 7, T14N, R66W in the county of Laramie, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit provides that the Department of Environmental Quality has evaluated and determined that the application meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the applicant's engineer's design are the responsibility of the applicant, owner, or operator.

The authority to construct granted by this permit does not mean or imply that the Wyoming Department of Environmental Quality guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements.

Nothing in this permit constitutes an endorsement of the construction or the design of the facility described herein. This permit indicates only that standards of design and construction required by the Environmental Quality Act have been met. The state assumes no liability for, and does not in any way guarantee the performance of, the permittee in the exercise of its activities allowed under this permit. The permittee understands that it is solely responsible to any third parties for any liability arising from the construction or operation of the facility described herein. By the issuance of this permit, the state does not in any way waive its sovereign immunity.

The permittee shall allow authorized representatives from the Department of Environmental Quality, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the Department of Environmental Quality, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Southeast District Office, State of Wyoming, Department of Environmental Quality, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781.


Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties established pursuant to any applicable state law or regulation.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

4-27-95

Date of Issuance

This permit does not supersede the requirements for obtaining any permit from local agencies.

SPECIAL CONDITIONS

- 1 of 5 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 5 The applicant will provide immediate oral and/or written notice to Southeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 5 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Southeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 5 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".
- 5 of 5. The permittee shall notify the Laramie County Environmental Health Division at least (2) days prior to installation of this system to arrange for required inspections. Inspection of the installed system is required prior to backfilling. Laramie County Environmental Health charges a fee for these inspection services. Their offices are located at 100 Central Ave, Cheyenne, Wyoming 82007; or they can be reached by phone at (307) 633-4090

GLS/jn - 51789.ltr

cc: Laramie County Environmental Health

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-159

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

N/A

B. Briefly state the basis for the deviation.

N/A

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

N/A

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III. See footnote. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

N/A

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

N/A

- VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

Footnote: Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

33954.DOC

PERMIT TO CONSTRUCT

- New
 Renewal
 Modified

Permit No. 95-160
* **CONDITIONED** *
Reference Permit No. 73-78

Scoop Shovel Trailer Park
(Name of Facility)

This permit hereby authorizes the applicant (name and address):

B.M. Vukovich

#2 West Dry Creek Circle

Littleton, CO 80120

to construct a wastewater lagoon according to the procedures and conditions of the application No. 73-78. The facility is located in S36, T16N, R116W in the County of Uinta, in the State of Wyoming.

The compliance with construction standards and the operation and maintenance of the facility to meet the applicant's engineer's design are the responsibility of the applicant, owner, or operator.

The authority to construct granted by this permit does not mean or imply that the Wyoming Department of Environmental Quality guarantees or insures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements.

Nothing in this permit constitutes an endorsement of the construction or the design of the facility described herein. The State assumes no liability for, and does not in any way guarantee the performance of, the permittee in the exercise of its activities allowed under this permit. The permittee understands that it is solely responsible to any third parties for any liability arising from the construction or operation of the facility described herein. By the issuance of this permit, the State does not in any way waive its sovereign immunity.


The permittee shall allow authorized representatives from the Department of Environmental Quality, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The authorized DEQ/WQD representative in your area can be contacted at the following address: District Engineer, State of Wyoming, Department of Environmental Quality, Water Quality Division, 250 Lincoln, Lander, WY 82520; telephone, 332-3144.


Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties established pursuant to any applicable State law or regulation.

The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Federal, State or local laws or regulations.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Dept. of Environmental Quality

4-28-95

Date of Issuance

This permit does not supersede the requirements for obtaining any permit from local agencies.

RT/b/51829.ltr

CONDITION

1. of 1 The lagoon was originally permitted in 1973 and does not meet current standards. The owner can continue to operate the existing lagoon as long as violations to applicable regulations do not occur.

Any modifications to the lagoon will require a permit. Applications for modification of existing facilities permitted by the division to increase capability to treat, hold, or dispose of wastes may be approved requiring only the modification to meet minimum design standards if the existing facility is not in violation of applicable regulations - see DEQ, Water Quality Division Rules and Regulations Chapter III Section 7 (c).

RT/b/51829.ltr

PERMIT TRANSFER REQUEST

IPS

DATE: 4-17-95

Water Quality Division
Department of Environmental Quality
122 West 25th Street
Herschler Building
Cheyenne, Wyoming 82002

Confirm RRT
Permit App. for Transfer
of permit to new owner RRT

To Whom It Concerns:

(Original Owner) KILBURN PORTER intends to transfer ownership of the facility associated with Permit Number 73-78 to (New Owner) B. M. VUKOVICH on (Date) APRIL 17-1995. It is requested that the said permit be transferred to the new owner in accordance with Section 10 (c) and (d) of Chapter III, Wyoming Water Quality Rules and Regulations. The new owner agrees to accept and be bound by the provisions of the permit and any amendments, agrees to construct and operate the facility in accordance with the approved permit and agrees to accept responsibility for the facility's compliance with applicable standards and permit conditions, including the responsibility to perform any necessary corrective actions.

The original owner shall retain responsibility for the facility according to the terms of the original permit until the application for permit transfer is approved by the Administrator.

Please transfer the permit to the transferee's name and issue a modified permit reflecting the transfer of ownership. Terms and conditions of the original permit are transferred to and become the responsibility of the new owner.

DECEASED
Signature Original Owner
Name KILBURN PORTER
Address P.O. Box 547
EVANSTON - WY.
Telephone 1-307-789-2180

B. M. Vukovich
Signature New Owner
Name B. M. VUKOVICH
Address #2 WEST DRY CREEK CIRCLE
LITTLETON - CO. 80120
Telephone 1-303-730-2000

RECEIVED
APR 19 1995
95-160
WATER QUALITY DIVISION
WYOMING

PERMIT TO CONSTRUCT

New

Permit No. 95-161

Renewal

*** CONDITIONED ***

REF: 94-268

Modified - Change of Owner

Jackson - T.D.O. Development Water & Sewer
(Name of Facility)

This permit hereby authorizes the applicant (name and address):

William M. Thompson

Wyoming West Investment Properties

P.O. Box 4378

Jackson, WY 83001

to install approximately 390 lineal feet of sewer main, and approximately 105 lineal feet of four (4) inch diameter water line and appurtenances according to the procedures and conditions of the application No. 94-268. The facility is located in NE¼ Section 6, T40N, R116W in the County of Teton, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit provides that the Department of Environmental Quality has evaluated and determined that the application meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the applicant's engineer's design are the responsibility of the applicant, owner, or operator.

The authority to construct granted by this permit does not mean or imply that the Wyoming Department of Environmental Quality guarantees or insures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements.

Nothing in this permit constitutes an endorsement of the construction or the design of the facility described herein. This permit indicates only that standards of design and construction required

by the Environmental Quality Act have been met. The State assumes no liability for, and does not in any way guarantee the performance of, the permittee in the exercise of its activities allowed under this permit. The permittee understands that it is solely responsible to any third parties for any liability arising from the construction or operation of the facility described herein. By the issuance of this permit, the State does not in any way waive its sovereign immunity.

The permittee shall allow authorized representatives from the Department of Environmental Quality, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the Department of Environmental Quality, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: District Engineer, State of Wyoming, Department of Environmental Quality, Water Quality Division, 250 Lincoln, Lander, WY 82520; telephone, 332-3144.


Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties established pursuant to any applicable State law or regulation.

The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Federal, State or local laws or regulations.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

July 28, 1994
Date of Issuance

This permit does not supersede the requirements for obtaining any permit from local agencies.

STANDARD CONDITIONS 1 through 4

1. of 4 The applicant will notify the appropriate district office of the Department of Environmental Quality, Water Quality Division, by the attached post card of the date construction will begin and the estimated completion date.

Permit to Construct #95-161
Jackson - T.D.O. Development Water & Sewer

2. of 4 The applicant will provide immediate oral and/or written notice to Water Quality Division, 250 Lincoln, Lander, WY 82520, (307) 332-3144, in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Water Quality Division, 250 Lincoln, Lander, WY 82520, on the form provided (CERTIFICATION OF COMPLETION), the following information.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.

4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

JH/jyi/nc 51792.LTR

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-161

II. Application reviewed for compliance with the following regulations.

A. Chapter XI. Yes

B. Chapter XII. Yes

III. Basis for issuing permit.

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations.

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

N/A

B. Briefly state the basis for the deviation.

N/A

C. Permit based on general or statewide deviation contained in approved policy statement.

N/A

Statement of Basis
95-161

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III.

N/A

- VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Supervisor and completed on April 25, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."


JH/jyi/nc 51792.LTR

O.K. JCH

PERMIT TRANSFER REQUEST

Date: April 18, 1995

Water Quality Division
Department of Environmental Quality
122 West 25th Street
Herschler Building
Cheyenne, WY 82002



Confirm

To Whom It May Concern:

T.D.O. Partners intends to transfer ownership of the facility
(Original Owner)
associated with Permit Number 94-268 to Wyoming West Investment Properties
(New Owner)

on December 31, 1994. It is requested that the said permit be transferred to the new owner in
(Date)
accordance with section 10(c) and (d) of Chapter III, Wyoming Water Quality Rules and Regulations. The
new owner agrees to accept and be bound by the provisions of the permit and any amendments, agrees to
construct and operate the facility in accordance with the approved permit and agrees to accept responsibility
for the facility's compliance with applicable standards and permit conditions, including the responsibility to
perform any necessary corrective actions.

The original owner shall retain responsibility for the facility according to the terms of the original permit until
the application for permit transfer is approved by the Administrator.

Please transfer the permit to the transferee's name and issue a modified permit reflecting the transfer of
ownership. Terms and conditions of the original permit are transferred to and become the responsibility of
the new owner.

W M Thompson
Signature of Original Owner

W M Thompson
Signature of New Owner

Name William M. Thompson

Name William M. Thompson

Address T.D.O. Partners

Address Wyoming West Investment Properties

P.O. Box 27

P.O. Box 4378

Jackson, WY 83001

Jackson, WY 83001

Telephone (307) 739-9181

Telephone (307) 739-9181

REVIEW OF PLANS AND SPECIFICATIONS

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
Herschler Bldg., 4 West
Cheyenne, Wyoming 82002

PROJECT: Burns Brothers Travel Stop, Hillsdale, WY (Land Application System)

ENGINEER: William A. Simonds & Ted S. Sorenson
David J. Newton Assoc. Inc.
1201 SW 12th Avenue, Suite 400
Portland , OR 97205

APPLICANT: Burns Brothers, Inc.
516 SW Morrison, Suite 1200
Portland, OR 97214

WATER QUALITY REFERENCE NUMBER: 95-162

APPROVING ENGINEER: Gary Steele 

DATE OF REVIEW: May 8, 1995

ACTION: NOT AUTHORIZED FOR CONSTRUCTION

COMMENTS, PROBLEMS, INADEQUACIES, and QUESTIONS:

1 of 1 How will the permittee control the aerosol type emissions and or spray from the sprinkler system from blowing onto adjacent property. It appears that the sprinkler system is designed for minimal maintenance and the sprinkler heads are placed 3 feet above ground level. It appears that this type of system would not prevent the effluent from being blown onto adjacent lands. The adjacent land to the south will have tents and RV's placed along the property line during application season and this is of concern since it is not uncommon to have a northwesterly wind direction.

Since the land application area is not planned for crop growth are there other means in which the wastewater can be applied such as a drip system or some type of surface soaking devices. The plans do call for trees to be placed along the south side of the land application area however it does not appear that these trees will provide sufficient protection especially during the development period of the trees.

The 30 feet buffer zone along the property line does meet Chapter XI Rules however these rules are a minimum and it appears that design as proposed will not keep wastewater spray from blowing onto adjacent property thus creating a problem.

PERMIT TO CONSTRUCT

X New
Renewal
Modified

PERMIT NO. 95-162
SPECIAL CONDITIONS

Burns Brothers Travel Stop, Hillsdale, WY (Land Application System)

This permit hereby authorizes the applicant:

Burns Brothers, Inc
516 SW Morrison, Suite 1200
Portland, OR 97214

to install an irrigation system and to land apply treated effluent for supplemental wastewater disposal according to the procedures and conditions of the application number 95-162. The facility is located in SW 1/4 Section 23, T14N, R64W in the county of Laramie, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Southeast District Office, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 8 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 8 The applicant will provide immediate oral and/or written notice to Southeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 8 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Southeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 8 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".
- 5 of 8 The sprinkler heads are to be placed a maximum of 12 inches off the ground.
- 6 of 8 The permittee shall submit an Operation and Maintenance manual to this office for approval. The O&M manual shall address monitoring procedures, restrictions on operation of the sprinkler systems such as operations during windy conditions, as well as all appropriate provisions of Chapter XI Section 24 of the Wyoming Water Quality Rules and Regulations. **The O&M manual shall be approved by this office prior to discharging any wastewater from the sprinkler system.**
- 7 of 8 The permittee shall monitor the wastewater prior to discharging the wastewater to the sprinkler system. Monitoring shall include Total N as Nitrate, total N as Ammonia, TDS, Chlorine Residual, Fecal Coliform, and TDS.

The facility shall achieve a maximum fecal coliform level of 200/100 ml by positive disinfection. If the active fecal coliform limit is exceeded the permittee shall stop discharging from the sprinkler system and notify DEQ/WQD by letter immediately. The letter shall include corrective measures to be implemented to correct the situation. Upon review by DEQ/WQD the permittee will be given authorization to resume discharge if the corrective actions are approved.

The wastewater shall be monitored prior to discharge to the sprinkler system for Total N (ammonia + Nitrate as N). If the total N exceeds 10 mg/l the wastewater shall not be discharged until sufficient treatment lowers the total N below 10 mg/l.


If the sampling results indicate that the TDS levels exceed 1,500 mg/l the permittee shall include in the annual report additional groundwater studies and modeling that demonstrates groundwater violations have not occurred.

8 of 8 If it is determined that the permittee is not taking the operational measures presented in the application package to eliminate any spray from blowing onto adjacent property it will be a violation of this permit. The permittee will be required to significantly increase the buffer zones along the adjacent property until such time as it can be shown that the wastewater can be applied to all areas of without the spray affecting adjacent properties.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6-2-95

Date of Issuance

GLS/nc 52249.LTR

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-162
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. Yes
- B. Chapter XII. No
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
- N/A
- B. Briefly state the basis for the deviation.
- N/A
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
- N/A

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Applicable

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

- A. Facility will not allow a discharge to groundwater. Briefly describe:

N/A

- B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:

The application of wastewater is being permitted as a slow rate infiltration system and an agronomic rate of application will not be utilized. The permittee has submitted sample data which indicates that the total nitrate levels is less than the 10 mg/l required for groundwater. The permit application package indicates that TDS will be diluted and will not create a groundwater violation.

- C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

N/A

- D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

N/A

- E. Discharge will result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

N/A

- F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

N/A

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

- G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

The permittee will be required to monitor the wastewater prior to land application to verify that a chlorine residual exists and verify that groundwater is being protected. The permittee shall monitor for chlorine residual, fecal coliforms, total N as nitrate, total N as ammonia, and TDS. The monitoring results will be required on a monthly basis. The results from the monitoring are to be placed in an annual report and submitted to this office.

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Gary Steele, Southeast District Engineer, and completed on May 24, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

GLS/nc 52249.1TR

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-163R
SPECIAL CONDITIONS

Teton Science School Leachfield

This permit hereby authorizes the applicant:

Grand Teton National Park
P.O. Box 170
Moose, WY 83012

to construct septic tanks and leach field according to the procedures and conditions of the application number 95-163R. The facility is located in SW¼ SE¼ Section 24, T43N, R115W in the county of Teton, in the State of Wyoming. This permit shall be effective for a period of two (2) from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Lander Office, State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any violation of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to Lander Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Lander office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

7-20-95

Date of Issuance

JH/jyi/mad 53111.LTR

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-163R
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. Yes
- B. Chapter XII. No
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
- n/a
- B. Briefly state the basis for the deviation.
- n/a
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
- n/a

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Applicable

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

- A. Facility will not allow a discharge to groundwater. Briefly describe:

Unknown

- B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:

Unknown

- C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

Unknown

- D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

Facility meets groundwater separation requirements

- E. Discharge may result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

Upon abandonment of the disposal field, groundwater quality will return to background.

- F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

The disposal field meets the site separation distance requirements which are intended to protect aquifer users from impact.

- G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

None required since site is within Grand teton national Park and the Park has control over the entire area. Furthermore, no wells exist down gradient for at least a couple of miles.

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Supervisor, and completed on July 17, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

ROAD APPLICATION PERMIT

New
Renewal
Modified

PERMIT NO. 95-164R
SPECIAL CONDITIONS

Placer/Rathvon Road Application

This permit hereby authorizes the applicant:

Snyder Oil Corporation
P. O. Box 66
Hamilton Dome, WY 83427

to road apply treater pit sludge according to the procedures and conditions of application number 95-164R. The application site is located in Sec. 14 and 15, T44N, R98W in the county of Hot Springs in the State of Wyoming. This permit shall be effective until August 3, 1996.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable road application standards. Compliance with DEQ standards is the responsibility of the permittee, owner, and/or operator.

Nothing in this permit constitutes an endorsement by the DEQ of the disposal method described herein. This permit verifies only that the submitted application meets the standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance of the permitted activity. The permittee, owner and/or operator are solely responsible for any liability arising from the waste disposal permitted. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division (WQD), upon the presentation of credentials and during working hours, to have access to inspect the waste source and application site at the referenced location, for the purpose of verifying compliance with the provisions of this permit.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 7 The permittee shall notify representatives from the DEQ/WQD of the anticipated project commencement and completion dates with the attached post card. At least 48 hours advance notice is required. The authorized representative in your area can be contacted at the following address: Water Quality Division, 250 Lincoln Street, Lander, WY 82520. (307)332-3144.


2. of 7 The permittee will provide immediate oral and/or written notice to Water Quality Div. Lincoln, Lander, WY 82520, (307) 332-3144, in accordance with the provisions of Section Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications to approved permit package.
3. of 7 The permittee shall provide certification that the project was completed in accordance with the terms and conditions of the permit within sixty (60) days of the project completion to the Water Quality Division, 250 Lincoln, Lander, WY 82520, on the attached Certification of Completion form. The following information must be included:
 - a. Date that the road application was completed; and
 - b. Certification the road application was done in accordance with the terms and conditions of the permit; or
 - c. Certification the road application was completed with changes or modifications. Submit the information necessary to clearly indicate the road application as actually performed.
 - d. Provide a contour map depicting only those sections of road that actually received treater pit sludge.
4. of 7 Treater pit sludge shall be applied uniformly and incorporated into the roadbed. Application shall not be initiated during the spring runoff period or at times saturated soil conditions exist. Treater pit sludge shall not be applied during the period from November 1 to April 10.
5. of 7 The application site slope shall not exceed eight percent (8%) for vehicular application.
6. of 7 Treater pit sludge application shall be terminated within 300 feet of the definable high water mark of perennial and intermittent drainages, irrigation canals, lakes and reservoirs.
7. of 7 Only the roads designated in this permit are authorized for application of the treater pit sludge. Additional or alternate sections of road meeting the requirements of the application and this permit may be utilized if a written description and maps are received and approved by the WQD.

The review and approval of this permit is based upon the items identified in the attached Statement of Basis.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Dept. of Environmental Quality

8895

Date of Issuance

STATEMENT OF BASIS

- I. General information.
 - A. Permit Number: 95-164R
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
 - A. Chapter XI. Yes
 - B. Chapter XII. No
- III. Basis for issuing permit. (Indicate yes or no for each section.)
 - A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
Yes
 - B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
No
 - C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
 - A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

There are no numeric standards or criteria in Chapter XI for road application. W.S. 35-11-301 (a)(iii) requires a permit to be issued when any disposal system capable of causing or contributing to pollution is constructed, installed, modified or operated.
 - B. Briefly state the basis for the deviation.

Road application is permitted when DEQ authorized disposal facilities are not readily available, a beneficial use of the waste to be applied is possible, and significant impact to waters of the State is minimized.
 - C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

District Policy numbers 10.1 (4/9/91), 10.2 (10/17/86), 10.3 (8/91), 10.4 (10/24/91), 10.5 (10/24/91), and 10.6 (1/18/91) address the statutory authority to regulate the road application of waste, establish criteria for characterizing the waste, and determine acceptable conditions for the application of the waste to roadbeds to minimize impact to waters of the State.

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Applicable

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

- A. Facility will not allow a discharge to groundwater. Briefly describe:

The opportunity for direct or indirect discharge, percolation, or filtration to groundwater is minimized by uniformly applying the treater pit sludge onto the roadbed. Repeated applications of treater pit sludge on the same sections of road will be monitored by roadbed analyses.

- B. Quality of waste is such that it will not cause a violation of groundwater standards. Briefly describe:

N/A

- C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

N/A

- D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

N/A

- E. Discharge will result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

N/A

- F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

N/A

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

-
- G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

N/A

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Engineer, and completed on August 3, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JH/nc 53453.LTR

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-165
SPECIAL CONDITIONS

Chapel Wastewater Facility

This permit hereby authorizes the applicant:

Steven and Lois Chapel
1212 Johnson
Thermopolis, WY 82443

to construct a septic tank/leach field according to the procedures and conditions of the application number 95-165. The facility is located in Section 6, T43N, R94W in the county of Hot Springs, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the Lander District Office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to the Lander District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Lander District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5/26/95

Date of Issuance

JH/jyi
b/52213.ltr

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-165
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. yes
- B. Chapter XII. no
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- no
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- no
- IV. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)
- not
- V. Documentation of Statement of Basis.
- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Supervisor, and completed on May 24, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JH/b/52213.ltr

PERMIT TO CONSTRUCT

X New
Renewal
Modified

PERMIT NO. 95-166
SPECIAL CONDITIONS

Roosevelt Lodge Wastewater Treatment Facility

This permit hereby authorizes the applicant:

TW Recreational Services, Inc.
Yellowstone National Park
Mammoth Hot Springs, WY 82190-165

to construct a grease trap, septic tanks, recirculating sand filter, and leach field according to the procedures and conditions of the application number 95-166. The facility is located in 44°-55' N. Latitude, 110-25' W Longitude in Yellowstone National Park, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the Lander District Office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to the Lander District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Lander District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5/26/95
Date of Issuance

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-166
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. yes
- B. Chapter XII. no
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- no
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- no
- IV. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)
- applicable
- V. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)
- A. Facility will not allow a discharge to groundwater. Briefly describe:
- n/a

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

- B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:

unknown

- C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

n/a

- D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

Facility meets ground water separation requirements.

- E. Discharge may result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

Upon abandonment of the disposal field, groundwater quality will return to background.

- F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

The disposal field meets the site separation distance requirements which are intended to protect aquifer users from impact. There are no unprotected neighboring property owners that could be impacted.

- G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

none

VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Supervisor, and completed on May 24, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

PERMIT TO CONSTRUCT

New
 Renewal
Modified

PERMIT NO. 95-167
SPECIAL CONDITIONS

REF/PERMIT #93-116,91-114,89-135,87-319,85-514

Exxon Temporary Wastewater Disposal Facilities - Statewide

This permit hereby authorizes the applicant:

EXXON Corporation
Attn. Joe R. Glass
P.O. Box 1600, ML-14
Midland, Texas 79702

to construct, install or modify temporary sanitary wastewater disposal facilities at drilling locations and off-site associated construction camps according to the procedures and conditions of the application number 95-167. The facility is located Statewide, in the State of Wyoming. This permit shall be effective for a period of five (5) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with the following permit conditions:

- 1 of 5. The permittee shall notify the appropriate county or state agency prior to the installation, removal, or abandonment of any facility authorized by this permit. The appropriate agency for each county is indicated in the attached list. Notification shall be by phone with a follow-up written notice. Upon abandoning the site, the facility will be removed, disposed of, or left in place in a condition rendering the site safe for the public. Any waste from the facility shall be disposed of only in areas and in a manner approved of by the appropriate agency. Upon request, the permittee shall allow authorized representatives of the local agency or the state to have access to the authorized facility for the purpose of conducting an inspection to determine compliance with the provisions of this permit.
- 2 of 5. The applicant will provide immediate oral and/or written notice to the appropriate county or state agency in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 5. This permit is valid for temporary sanitary wastewater facilities only. Temporary being defined as one year or less. If the proposed facility is to be operated for more than one year, the permittee must obtain written authorization from the department and the appropriate county agency.
- 4 of 5. The details of the design and construction of these facilities are covered by the plans and specifications approved by permit # 85-514.
- 5 of 5. The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-22-95
Date of Issuance

RLE/b/52082.ltr

cc: Delegated Counties
District Offices

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-167

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

NOT Applicable

B. Briefly state the basis for the deviation.

NOT Applicable

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

NOT Applicable

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

NOT Applicable

VI. Deleted

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Ronald L. Ewald, Senior Analyst, and completed on May 12, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

RE/b/52082.ltr

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

**ATTACHMENT FOR STATEWIDE PERMIT
AGENCIES RESPONSIBLE FOR SMALL WASTEWATER PERMITS**

1. Albany County
City of Laramie/Albany Co. Sanitarian
P O Box C
Laramie, WY 82070
Phone: (307) 721-5283
2. Big Horn County
DEQ/WQD NW District Supervisor
Lander
3. Campbell County
Campbell County Engineer
500 South Gillette Ave.
Gillette, WY 82716
Phone: (307) 682-1970
4. Carbon County
DEQ/WQD SE District Supervisor
Cheyenne
5. Converse County
Converse County Planning Office
Converse County Courthouse
107 North 5th Street
Douglas, WY 82633
Phone: (307) 358-3827
6. Crook County
DEQ/WQD NE District Supervisor
Sheridan
7. Fremont County
Fremont County Planner
Room 200, County Courthouse
Lander, WY 82520
Phone: (307) 332-5371
8. Goshen County
Goshen County Planner
1833 East D
Torrington, WY 82240
Phone: (307) 532-2788
9. Hot Springs County
DEQ/WQD NW District Supervisor
Lander
10. Johnson County
Johnson County Sanitarian
76 North Main
Buffalo, WY 82834
Phone: (307) 684-7555
11. Laramie County
Cheyenne Laramie Co. Health Dept.
Division of Environmental Health
100 Central Ave.
Cheyenne, WY 82007
Phone: (307) 633-4090
12. Lincoln County
Lincoln County
Office of Planning & Development
P O Box 414
Afton, WY 83110
Phone: (307) 886-3825
13. Natrona County
Natrona County Health Dept.
1200 East 3rd
Casper, WY 82601-2990
Phone: (307) 235-9316
14. Niobrara County
DEQ/WQD SE District Supervisor
Cheyenne
15. Park County
Park County Planning Coordinator
1002 Sheridan Ave.
Cody, WY 82414
Phone: (307) 587-2204
16. Platte County
DEQ/WQD SE District Supervisor
Cheyenne

- | | |
|--|---|
| <p>17. <u>Sheridan County</u>
 Sheridan County Engineer
 224 South Main Suite B8E
 Sheridan, WY 82801
 Phone: (307) 672-3426</p> <p>18. <u>Sublette County</u>
 Sublette County Planner
 P O Box 506
 Pinedale, WY 82941
 Phone: (307) 367-4375</p> <p>19. <u>Sweetwater County</u>
 Sweetwater County Sanitarian
 205 East Railroad Ave.
 Green River, WY 82935
 Phone: (307) 875-2611 ext. 278</p> | <p>20. <u>Teton County</u>
 Teton County Sanitarian
 P O Box 1727
 Jackson, WY 83001
 Phone: (307) 733-3959</p> <p>21. <u>Uinta County</u>
 Uinta County Engineer
 225 9th Street
 Evanston, WY 82930
 Phone: (307) 789-1780 ext. 318</p> <p>22. <u>Washakie County</u>
 Washakie County Planner
 County Courthouse
 Worland, WY 82401
 Phone: (307) 347-2741</p> <p>23. <u>Weston County</u>
 DEQ/WQD NE District Supervisor
 Sheridan</p> |
|--|---|

DEQ/WQD District Offices

Northwest District

Big Horn
 Fremont
 Hot Springs
 Park
 Teton
 Washakie
 Yellowstone

210 Lincoln Street
 Lander, WY 82520
 Phone: (307) 332-3144

Southwest District

Lincoln
 Sublette
 Sweetwater
 Uinta

Northeast District

2161 Coffeen Avenue
 Sheridan, WY 82802
 Phone: (307) 672-6457

Campbell
 Crook
 Johnson
 Natrona
 Sheridan
 Weston

Southeast District

Herschler Bldg., 4 West
 122 West 25th Street
 Cheyenne, WY 82002
 Phone: (307) 777-7781

Albany
 Carbon
 Converse
 Goshen
 Laramie
 Niobrara
 Platte

THE STATE



OF WYOMING



JIM GERINGER
GOVERNOR

Department of Environmental Quality

Herschler Building ● 122 West 25th Street ● Cheyenne, Wyoming 82002

ADMINISTRATION (307) 777-7758 FAX 777-7682	ABANDONED MINES (307) 777-6145 FAX 634-0799	AIR QUALITY (307) 777-7391 FAX 777-7682	INDUSTRIAL SITING (307) 777-7368 FAX 777-6937	LAND QUALITY (307) 777-7756 FAX 634-0799	SOLID & HAZARDOUS WASTE (307) 777-7752 FAX 777-5973	WATER QUALITY (307) 777-7781 FAX 777-5973
--	---	---	---	--	---	---

May 23, 1995

Ms. Carol Mahaffey
314 South Grant
Casper, WY 82601

RE: As-Built Permit To Construct For Collection System
DEQ/WQD Application 95-168


Dear Ms. Mahaffey:

The Department of Environmental Quality, Water Quality Division (DEQ/WQD) has reviewed the referenced as-built application for the construction of a collection system submitted by your engineer, Mr. John Hibsman. Our review of the information and as-constructed plans submitted to this office indicates that the application meets DEQ/WQD regulations and the enclosed As-Built Permit To Construct is hereby issued.

Please be advised that the collection system must be constructed, installed, and operated in accordance with the statements, representations, and procedures presented in the applications and all supporting documentation, as well as the terms and conditions of the as-built permit. You are urged to be familiar with all aspects of the permit applications, permits, and permit conditions.

Any person objecting to an action by the DEQ\WQD and desiring affirmative relief may request a hearing before the Environmental Quality Council in accordance with the procedures in the enclosed Rules of Practice and Procedure and the Wyoming Administrative Procedures Act.

Yours truly,


Dennis Hemmer
Director
Department of Environmental Quality

DRM/pr - 52173.ltr

Enclosures: As-Built Permit 95-168
Rules of Practice and Procedure

xc: John Hibsman, 135 North Ash, Casper, WY 82601
Mike Jennings, Casper-Natrona Co. Health Dept., Casper
Tom Keller, Natrona County Planning Dept., Casper
Sheridan District File 95-168
DEQ/WQD Archives

AS-BUILT
PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-168
SPECIAL CONDITIONS

Mahaffey Collection System #1

This permit hereby authorizes the applicant:

Carol Mahaffey
314 South Grant
Casper, WY 82601

to have constructed, installed or modified a collection system according to the procedures and conditions of the application number 95-168. The facility is located in the SE/4 of the NW/4 of Section 13 of T33N R80W in the county of Natrona, in the State of Wyoming.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, meets applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee has constructed and shall operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1 of 1 The DEQ review and approval of this as-built permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5/25/95

Date of Issuance

DRM:pr - 52173.ltr

cc: John Hibsman, 135 N. Ash, Casper, 82601
Mike Jennings, Casper-Natrona Co. Health Dept., Casper
Tom Keller, Natrona County Planning Dept., Casper
Sheridan District File 95-168
DEQ Archives

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-168

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

Not Applicable (N/A)

B. Briefly state the basis for the deviation.

N/A

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

N/A

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

N/A. This is a simple hydrologic system.

- VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Donald R. McKenzie, NE District Engineering Supervisor, and completed on May 18, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

51933.DOC

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-169
SPECIAL CONDITIONS

MAHAFFEY COLLECTION SYSTEM II

This permit hereby authorizes the applicant:

Carol Mahaffey
314 South Grant
Casper, WY 82601

to construct, install or modify a collection system according to the procedures and conditions of the application numbers 95-169. The facility is located in the SE/4 of the NW/4 of Section 13 of T33N R80W in the county of Natrona, in the State of Wyoming. This permit shall be effective for a period of one (1) year from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northeast District Office, State of Wyoming, DEQ, Water Quality Division, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801; telephone (307) 672-6457; FAX (307) 674-6050.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will notify the Northeast District office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4 The applicant will provide immediate oral and/or written notice to the Northeast District office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northeast District office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

11-9-95

Date of Issuance

DRM/pr:mad 55067.LTR

Enclosures: Notification Post Card, Certificate of Completion, Statement of Basis

xc: John Hibsman, 135 N. Ash St., Ste 100, Casper, 82601
Casper-Natrona County Health Department
Casper & Natrona County Planning Departments
NE DEQ/WQD District File 95-169

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-169

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

Not Applicable (N/A)

B. Briefly state the basis for the deviation.

N/A

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

N/A

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

N/A. The existing septic tank and leachfield plus the proposed addition to the leachfield will operate as a simple hydrologic system.

VI. N/A

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Donald R. McKenzie, NE District Engineering Supervisor, and completed on November 3, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

51933.DOC

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

X New
Renewal
Modified

PERMIT NO. 95-170
SPECIAL CONDITIONS

This permit hereby authorizes the applicant:

Coastal Mart, Inc.
303 Keosauqua Way, P.O. Box 10006
Des Moines, Iowa 50306-0006

to construct, install or modify groundwater monitoring system at an underground storage tank facility according to the procedures and conditions of the application number 95-170. The facility is located in SW¼ Section 32, T14N, R66W (UST ID #0500, at 600 East 16th Street, Cheyenne) in the county of Laramie, in the State of Wyoming. This permit shall be effective for a period of two (2) years (renewable every two years) from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: SE District Supervisor, AUST/LAUST Program, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 16. The groundwater monitoring wells/piezometers shall be installed in accordance with the conditions of this permit and the plans and specifications submitted in Permit to Construct application number 95-170. Additional wells meeting the requirements of this permit may be installed if prior approval is received from the Water Quality Division (WQD).
- 2 of 16. Monitoring well/piezometer construction must meet the requirements of Chapter XI Wyoming Water Quality Rules and Regulations. Monitoring well/piezometer casings shall meet the conditions provided in Chapter XI, Section 67. All monitoring wells/piezometers must be constructed from materials free of material having the potential to contaminate groundwater samples.
- 3 of 16. All downhole equipment shall be decontaminated between wells (borings) to minimize the potential for cross-contamination.
- 4 of 16. Borehole cuttings must be screened and disposed of properly. Contaminated cuttings must be disposed of at a site approved by the DEQ's Solid and Hazardous Waste Management Division.
- 5 of 16. Pursuant to Wyoming Water Quality Rules and Regulations, Chapter XI, Section 63(A), a deviation is hereby granted for those wells/piezometers prevented by physical limitations to adherence to the requirements on minimum depths of seal below the ground surface as detailed in Chapter XI, Part G. However, a sufficient seal shall be installed according to normal engineering practice.
- 6 of 16. After the monitoring wells/piezometers have fulfilled their useful purpose, they shall be abandoned according to procedures specified in Chapter XI, Part G, Section 70 of Wyoming Water Quality Rules and Regulations. In addition, borings in public use areas, particularly paved streets and alleys, shall be abandoned in accordance with city and/or highway department requirements. No monitoring well/piezometer shall be abandoned without prior approval from the Water Quality Division.
- 7 of 16. Well caps shall be kept locked at all times other than for monitoring purposes. Any tampering with the monitor wells/piezometers shall be reported immediately to the division. The wells shall be clearly numbered using either a stamp to permanently engrave the number into the steel top or by writing the number in the wet concrete of the base.
- 8 of 16. The applicant is responsible for obtaining any permits required by the State Engineer's Office (307-777-7354).
- 9 of 16. The issuance of this permit does not relieve the permittee from obligations to complete an extent of contamination study and any further remedial work which may be required. Depending on the results of a subsurface investigation, additional site investigations of remedial actions may be required by the WQD.

- 10 of 16. In addition to the well/piezometer construction information submitted with the permit application, the following items relating to well/piezometer construction shall be implemented when the wells/piezometers are constructed, installed and developed:
- a. The borehole diameter shall be at least four (4) inches larger in diameter than the casing diameter;
 - b. For water table (unconfined) aquifers, the screened interval shall extend at least two (2) feet above the highest expected groundwater level. Monitoring wells/piezometers installed in confined and semi-confined aquifers shall be constructed in accordance with Chapter XI, Section 68 of Water Quality Division Rules and Regulations. Factory screen or slotted casing is recommended for the perforated interval;
 - c. When PVC casing is used, the casing shall be installed using threaded joints, couplings, or mechanical connectors without the use of solvents or glues to hold the casing sections together;
 - d. To minimize the entrance of fine grained material into the well/piezometer, the filter pack shall be designed to be compatible with the perforation size and the geologic materials encountered within the perforated interval. The filter pack shall extend to a minimum of one (1) foot above the screened interval;
 - e. Filter pack, annular seal, and surface seal material shall be entered into the well/piezometer in a manner such that no voids or bridging occur;
 - f. A minimum two (2) foot thickness of bentonite or bentonite grout is required at the top of the filter pack to serve as an annular seal. After the bentonite has been placed in the annular space, it shall be hydrated to insure a proper seal;
 - g. The annular space above the bentonite seal to within one (1) of the surface will be sealed with Portland cement, sand-cement grout, or bentonite grout;
 - h. A protective casing shall be cemented into place when the upper one (1) foot of the annular space is completed with cement, forming a concrete apron sloping away from the well/piezometer;
 - i. A top and bottom cap of the same material as the well/piezometer casing shall be installed to prevent sediment and surface water from entering the well/piezometer; and
 - j. The monitoring well/piezometer shall be developed by the use of a pump or bailer so that representative groundwater samples can be collected.
- 11 of 16. DEQ/WQD personnel shall be given at least two (2) weeks notice prior to the installation of monitor wells/piezometers and sample collection so that DEQ/WQD personnel may be on site if deemed necessary.
- 12 of 16. Within ninety (90) days of the issuance of this permit, a report of investigation shall be submitted to WQD. This report shall contain at a minimum:
- a. A chronology of events leading up to the investigation;

- b. A site map showing the physical features, monitoring well/piezometer/borehole locations, and mean sea level elevations of the top of casing/measuring point;
- c. The permittee shall provide the exact latitude and longitude for each of the monitor wells/piezometers being constructed under this permit. These figures shall be accurate to the nearest one (1) second of latitude and longitude;
- d. Final location, construction details and lithologic logs of monitor wells/piezometers/boreholes;
- e. Geohydrologic maps and/or cross sections that clearly describe the subsurface distribution of geologic materials and groundwater occurrence;
- f. Depth to water and product thickness measurements;
- g. Sample collection procedures;
- h. Sampling analytical results;
- i. A map delineating the extent of the subsurface contamination including LNAPL (free product), soil and dissolved groundwater contamination and concentrations;
- j. A potentiometric surface map showing the direction and gradient of groundwater flow; and
- k. Interpretation of the data and conclusions of the investigation, including additional recommended investigation and remedial measures, and a schedule for implementation of these measures.

13 of 16. Proper monitoring well/piezometer evacuation shall include removal of a minimum of three (3) casing volumes prior to sampling or pumping the well/piezometer dry once, whichever occurs first. Sample collection, preservation, transportation and chemical analytical procedures shall be completed in accordance with WQD and EPA standard procedures.

14 of 16. All monitor wells/piezometers associated with this facility shall be sampled and the groundwater analyzed quarterly for the following listed parameters according to the EPA Method stated:

<u>Parameter</u>	<u>Matrix</u>	<u>EPA Method</u>
BTEX	Soil/Water	8260
Total TPH	Soil/Water	8015 Modified
Total Lead	Soil/Water	239.2/6010


- a. Sampling and analysis of soil will occur only during the monitoring well installation event.
- b. After the second monitoring event, the WQD may substitute a shorter list for the above parameters, depending on the results of the second monitoring event. WQD may substitute less expensive methods for the above listed methods depending on the results of the first monitoring.

c. The results of these analyses shall be submitted to the Cheyenne office by the last day of the month following the end of each quarter. The first set of results are due July 31, 1995.

15 of 16. Water which is collected during monitoring well/piezometer development or sampling must be disposed of properly. The applicant must contact the city for authorization to dispose into the local storm sewer, sanitary sewer, wastewater treatment plant, or other facility.

16 of 16. The results of any analyses conducted on soil or water removed from these wells/piezometers or boreholes shall be provided to the department as soon as they are available.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6-2-95

Date of Issuance

CR/jn - 52229.ltr

cc: UST Notification File, Facility ID #0-000500

STATEMENT OF BASIS

GROUNDWATER MONITOR WELLS (SITE INVESTIGATION)

This statement of basis for Permit Number 95-170 is for the purpose of constructing 6 (six) groundwater monitor wells for site investigation at UST Facility ID #0500, Coastal Mart #1357, 600 East 16th Street, Cheyenne, Wyoming. The UST facility is a gas station/convenience store with three USTs; 10,000, 8,000, and 4,000 gallons in size, and all contain gasoline for retail sale. The review of the application indicates that the proposed facility will be in compliance with applicable regulations identified in Chapter XI, Part G (Well Construction Standards). Groundwater monitor wells for site investigation require that depth to groundwater be less than twenty (20) feet below ground surface. Therefore, regulations in Chapter XI, Part G, Section 63, stipulate that deviation to adherence of the requirements on minimum depths of seal below the ground surface is granted for wells prevented by physical limitations (shallow depths) from meeting those requirements. Location of the monitor well is required to be in the original UST installation excavation and downgradient from all potential UST releases. A well completion submittal report is required within 90 days of well completion.

Review of the application to determine groundwater impacts in accordance with Chapter III, Section 15, requires that the construction adhere to the standard conditions for groundwater monitor wells in the permit to construct. Furthermore, the monitor well is required to have a locked cap marked "monitor well" and "no fill" to prevent accidental contaminant discharge through the wellbore.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Clay Rowley, P.G., Southeast District Supervisor, AUST/LAUST Program, and completed on May 25, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

CC: UST Notification File, Facility ID #0-000500

Pat



THE STATE OF WYOMING



JIM GERINGER
GOVERNOR

Department of Environmental Quality

Herschler Building ● 122 West 25th Street ● Cheyenne, Wyoming 82002

ADMINISTRATION (307) 777-7758 FAX 777-7682	ABANDONED MINES (307) 777-6145 FAX 634-0799	AIR QUALITY (307) 777-7391 FAX 777-7682	INDUSTRIAL SITING (307) 777-7368 FAX 777-6937	LAND QUALITY (307) 777-7756 FAX 634-0799	SOLID & HAZARDOUS WASTE (307) 777-7752 FAX 777-5973	WATER QUALITY (307) 777-7781 FAX 777-5973
--	---	---	---	--	---	---

June 1, 1995

Mr. William G. Frantz
Manager, Construction
Coastal Mart, Inc.
P. O. Box 10006
Des Moines, Iowa 50306

RE: Groundwater Monitoring Wells, Permit to Construct No. 95-170, Owner/Operator Site Investigation, Coastal Mart #1357, 600 East 16th Street, Cheyenne, Wyoming (UST Facility ID #0-000500)

Dear Mr. Frantz:

Enclosed is the Permit to Construct for the underground storage tank (UST) facility referenced above. The permit application for the six planned groundwater monitoring wells was submitted by Environmental Science and Engineering (ESE) on behalf of Coastal Mart Inc.

The Water Quality Division (WQD) wishes to point out that the monitoring wells to be installed relative to the referenced permit are not to be utilized for release detection or leak detection for the USTs presently in use at the facility. The wells are permitted for site investigation.

The permit application submitted by ESE provides for ongoing quarterly submittal of groundwater monitoring laboratory reports. The quarterly reports would be in addition to those included in the "report of investigation" that is to be submitted to the WQD within 90 days from issuance of the permit. The requirement for submittal of ongoing quarterly laboratory reports has been eliminated from the permit. If, however, Coastal Mart, Inc. wishes to voluntarily submit quarterly groundwater monitoring laboratory reports to the WQD, the reports will be graciously accepted.

June 1, 1995
Page 2

The WQD is looking forward to receiving two (2) weeks notice prior to installation of the monitoring wells at your facility.

Sincerely,

Handwritten signature of Clay Rowley in cursive script.

Clay Rowley, P.G.
Southeast District Supervisor, AUST/LAUST Program
Water Quality Division

CR/mad 52282.LTR

Enclosure: Permit to Construct, Permit No. 95-170

cc: Steven W. Billiott, P.E., ESE, Englewood, Colorado
File, Permit to Construct, Permit No. 95-170
Patti Burns/UST Notification File, Facility ID #0-000500
Pat Jordan, AUST Program Principal, Cheyenne
Roland Peterson, Senior Analyst, AUST/LAUST Program, Cheyenne

REVIEW OF PLANS AND SPECIFICATIONS

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION -- AUST/LAUST SECTION

Herschler Building, 4 West
Cheyenne, Wyoming 82002

PROJECT: Coastal Mart #1357, Groundwater Monitoring Well Installations,
UST Facility ID #0500

GEOLOGIST: Glenn S. Garlington
Environmental Science & Engineering, Inc.
2 Inverness Drive East, Suite 201
Englewood, Colorado 80112

APPLICANT: Coastal Mart, Inc.
303 Keosauqua Way, P. O. Box 10006
Des Moines, Iowa 50306-0006

WATER QUALITY REFERENCE NUMBER: 95-170

REVIEWING GEOLOGIST: Clay Rowley



DATE OF REVIEW: May 4, 1995

ACTION: NOT AUTHORIZED FOR CONSTRUCTION

COMMENTS, PROBLEMS, INADEQUACIES, and QUESTIONS:

1. A Design Report has not been provided. An introductory description is needed to state the purpose of the groundwater monitoring wells and to describe the type of information that is sought from their use.
 - a. Location Description. The underground storage tank (UST) facility address, UST facility ID number, and type of facility at the project location needs to be provided.
 - b. Known Conditions. A brief history of the location including past releases of petroleum hydrocarbons, piping leaks, known soil or groundwater contamination from underground storage tanks (USTs), and any abatement actions taken needs to be provided.
 - c. Relationship of Known Conditions and Planned Project. How do the groundwater monitoring well locations and planned actions relate to known conditions?

2. Description of Actions to be Taken to Meet Permit Conditions. The application presented a "Sampling Plan/Reporting Schedule." The applicant needs to present a point by point description of how the applicant will meet the "Standard UST/LUST Monitoring Well (Subsurface Investigation) Conditions" listed in GROUNDWATER MONITORING WELL PERMIT REQUIREMENTS that was submitted to the ESE geologist by the Water Quality Division. The sampling plan as presented is of interest to the applicant/client but does not address the standard conditions of the permit. The Water Quality Division's listing of standard conditions was prepared to assist applicants in preparing the specifications of the groundwater monitoring wells, and the preferred sampling and analysis actions to be taken at an underground storage tank facility. If there is a good reason for not meeting a standard condition that reason needs to be discussed.

3. Additional Information Needs to Be Added to the Well Diagrams. In general, the monitoring well installation diagrams presented in the application are nearly complete. Specifications given in the standard conditions need to be shown in the well installation diagrams. For instance, Condition 7.g. states that a two foot thickness of bentonite is required at the top of the filter pack. The well installation diagram needs to give the thickness also. Revised diagrams are needed.

4. Additions to the Site Map. The site map is adequate except that it lacks a north arrow and an actual or approximate map scale.

/jn - 51949.ltr

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-171
SPECIAL CONDITIONS

North Forty Lounge

This permit hereby authorizes the applicant:

Mick Irvine
P.O. Box 9796
Casper, WY 82609

to construct, install or modify a collection system according to the procedures and conditions of the application number 95-171. The facility is located in the SW/4 of the SW/4 of Section 21 of T35N R79W in the county of Natrona, in the State of Wyoming. This permit shall be effective for a period of one year from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northeast District, State of Wyoming, DEQ, Water Quality Division, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801; telephone (307) 672-6457; FAX (307) 674-6050.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with all representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4 The applicant will provide immediate oral and/or written notice to the Northeast District office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northeast District office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-15-95

Date of Issuance

DRM:pr/5/10/95/nc 52044.LTR

cc: Northeast District File & Archives

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-171
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. Yes
- B. Chapter XII. No
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
Not Applicable (N/A)
- B. Briefly state the basis for the deviation.
N/A
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
N/A

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

N/A. This is a simple hydrologic septic system with a design flow of 700 gpd.

- VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Donald R. McKenzie, Northeast District Engineering Supervisor, and completed on May 10, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

DRM:pr/5/10/95/nc 52044.LTR

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
- Renewal
- Modified

PERMIT NO. 95-172
SPECIAL CONDITIONS

Trumpeter Swan Apartments

This permit hereby authorizes the applicant:

Trumpeter Swan LLC
P O Box 3199
Jackson, WY 83001

to construct 380 L.F. water main and 400 L.F. sewer main according to the procedures and conditions of the application number 95-172. The facility is located in NE1/4 Sec. 28, T41N, R116W in the county of Teton, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the state... representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the Lander District Office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to the Lander District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Lander District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6-16-95
Date of Issuance

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-172

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. Yes

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

N/A

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Not applicable

VI. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Engineer, and completed on May 31, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-173
SPECIAL CONDITIONS

City of Casper Recreation Center

This permit hereby authorizes the applicant:

City of Casper
200 North David
Casper, WY 82601

to construct, install or modify monitor wells according to the procedures and conditions of the application number 95-173. The facility is located in NE 1/4 Sec 10, Township 33N, Range 79W in the county of Natrona, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the applicant's engineer's design are the responsibility of the permittee, owner, and/or operator.

The authority to construct granted by this permit does not mean or imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northeast District, State of Wyoming, Department of Environmental Quality, Water Quality Division, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801; telephone (307) 672-6457; FAX (307) 674-6050.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4. Additional wells meeting the requirements of this permit may be installed if prior approval is received from the Water Quality Division.
- 2 of 4. Pursuant to Wyoming Water Quality Rules and Regulations, Chapter XI, Section 63(A), a deviation is hereby granted for those wells prevented by physical limitations to adherence to the requirements on minimum depths of seal below the ground surface as detailed in Chapter XI, Part G. However, a sufficient seal shall be installed according to normal engineering practice.
- 3 of 4. After the monitoring wells have fulfilled their useful purpose, they shall be abandoned according to procedures specified in Chapter XI, Part G, Section 70 of Wyoming Water Quality Rules and Regulations. No monitoring well shall be abandoned without prior approval from the Water Quality Division (WQD).
- 4 of 4. The issuance of this permit does not relieve the permittee from obligations to complete the extent of contamination study and any further remedial work which may be required. Depending on the results of the subsurface investigation, additional site investigations or remedial actions may be required by the WQD. An adequate number of wells shall be installed to define the nature and extent of the contamination.

AUTHORIZED BY:


Administrator
Water Quality Division


Director
Department of Environmental Quality

5-22-95
Date of Issuance

WDF/pr:05/17/95

b/52149.ltr

cc: City of Casper File
IPS
Western Water Consultants

GROUNDWATER POLLUTION CONTROL PROGRAM
REVIEW COMMENTS:
PLANS/SPECIFICATIONS/PROPOSALS/REPORTS

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
1043 COFFEEN AVENUE, SUITE D
SHERIDAN, WYOMING 82801

PROJECT: SITE CHARACTERIZATION

FACILITY: City of Casper Recreation Center (Ice Arena)

APPLICANT: City of Casper
200 North David
Casper, WY 82601
attn: Richard Gasowski

CONSULTANT: Western Water Consultants
701 Antler Drive, Suite 233
Casper, WY 82601
Attn: Robert Doctor

WATER QUALITY DIVISION REFERENCE (PERMIT) NUMBER: 95-173

EXISTING NEW AS BUILT

TITLE: Site Investigation For City of Casper Ice Arena

PLANS SPECS PROPOSAL REPORT

DATE ON PROPOSAL/PLANS/REPORT: May 17, 1995

IS THIS PROPOSAL SUBMITTED PURSUANT TO:

'CONDITIONS' TO ANY WQD PERMIT? NO YES

AN LOV, NOV OR OTHER ENFORCEMENT? NO YES

REVIEWING GEOLOGIST: _____

DATE OF THIS REVIEW: 5/18/95

ACTION: Permit to Construct no. 95-173 Authorized For Construction

COMMENTS: GROUNDWATER SECTION

I. SUMMARY OF EXISTING CONTAMINATION:

1. In March, 1995, the City of Casper reported to DEQ/WQD that approximately 55 gallons of ethylene glycol had leaked from the piping system beneath the Casper Ice Arena. Water samples were extracted from an existing sump and submitted for analyses. Initial analyses revealed concentrations of 55 and 206 milligrams/liter of ethylene glycol, respectively, for the two sampling events.
2. On April 19, 1995, the City of Casper informed WQD that Energy Laboratories, Inc., concluded that the two initial sampling results were not valid. WQD personnel contacted Energy Labs for further clarification. The lab manager was convinced that the initial analytical results were "false positives" that were caused by inorganic interference (probable salts) and the ethylene glycol levels were actually below detection level. The lab confirmed the results were below detection limits by comparing it to another laboratory testing method.

II. CONCLUSION OF ADEQUACY OF WORK COMPLETED TO DATE:

1. The City of Casper continues to sample the sump monthly for ethylene glycol. According to City of Casper personnel, any contamination beneath the arena will probably drain into the sump area. The analyses continue to reveal that water from the sump has not been contaminated with ethylene glycol at this time.
2. The Wastewater Treatment Plant has given permission to discharge any ethylene glycol contaminated water directly into the city sewerage system. The sump has been continually pumped into the city sewerage system since mid-April, 1995, as a precautionary measure.

III. REQUESTS/REQUIREMENTS/RECOMMENDATIONS:

1. After further discussion with the City of Casper, it was decided to proceed with the installation of the monitor well(s) downgradient of the Ice Arena to ensure that the ethylene glycol had not migrated from the site. The gradient is well-established from previous groundwater investigations in the area.
2. The City will investigate the area beneath the Ice Arena in early June, after the "field season" has been concluded. The ice will be removed and the underlying soils will be inspected for contamination. A layer of sand exists immediately below the ice. Beneath the sand is a layer of impermeable clay that should prevent the ethylene glycol from further vertical migration. The monitor well(s) will delineate the horizontal extent of migration, if the contamination has left or does leave the area immediately beneath the arena.

Permit to Construct number 95-173 is authorized under the following permit conditions:

1. The groundwater monitoring wells shall be installed in accordance with the conditions of this permit and the plans and specifications submitted in Permit to Construct application number 95-173. Additional wells meeting the requirements of this permit may be installed if prior approval is received from the Water Quality Division.

2. Pursuant to Wyoming Water Quality Rules and Regulations, Chapter XI, Section 63(A), a deviation is hereby granted for those wells prevented by physical limitations to adherence to the requirements on minimum depths of seal below the ground surface as detailed in Chapter XI, Part G. However, a sufficient seal shall be installed according to normal engineering practice.
3. After the monitoring wells have fulfilled their useful purpose, they shall be abandoned according to procedures specified in Chapter XI, Part G, Section 70 of Wyoming Water Quality Rules and Regulations. No monitoring well shall be abandoned without prior approval from the Water Quality Division (WQD).
4. The issuance of this permit does not relieve the permittee from obligations to complete the extent of contamination study and any further remedial work which may be required. Depending on the results of the subsurface investigation, additional site investigations or remedial actions may be required by the WQD. An adequate number of wells shall be installed to define the nature and extent of the contamination.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Don Fischer, Northeast District Environmental Senior Analyst and completed on May 17, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

END OF REVIEW

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-174
SPECIAL CONDITIONS

PLATTE PIPE LINE COMPANY-CASPER MONITORING WELLS

This permit hereby authorizes the applicant:

PLATTE PIPE LINE COMPANY
ATTN/GRADEN E BETZ, PE
P O BOX 3128
HOUSTON, TX 77253-3128

to construct, install or modify a system of environmental monitoring wells according to the procedures and conditions of the application number 95-174. The facility is located in SW ¼, Section 35, T34N, R80W, 6th P.M. in the county of Natrona, in the State of Wyoming. This permit shall be effective for a period of five (5) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Program Supervisor, UIC Section, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 5. The groundwater monitoring wells shall be installed in accordance with the conditions of this permit and the plans and specifications submitted in permit to construct application number 95-174. Additional wells meeting the requirements of this permit may be installed if prior approval is received from the Water Quality Division (WQD).
- 2 of 5. Pursuant to Wyoming Water Quality Rules and Regulations, Chapter XI, Section 63(A), a deviation is hereby granted for those wells prevented by physical limitations, to adherence to the requirements on minimum depths of seal below the ground surface as detailed in Chapter XI, Part G. However, a sufficient seal shall be installed according to normal engineering practice.
- 3 of 5. The issuance of this permit does not relieve the permittee from obligations to complete the extent of contamination study and any further remedial work which may be required. Depending on the results of the subsurface investigation, additional site investigations or remedial actions may be required by the WQD. An adequate number of wells shall be installed to define the extent of the contamination.
- 4 of 5. Within 180 days of the issuance of this permit, a report of investigation shall be submitted to WQD.
- 5 of 5. All monitor wells associated with this facility shall be sampled and the groundwater analyzed quarterly for the following listed parameters:
 - a. Purgeable Aromatic and Halogenated Hydrocarbons using EPA Method 624;
 - b. After the first monitoring event, the WQD may substitute a shorter list for the above parameters, depending on the results of the first monitoring event. WQD may substitute less expensive methods for the above listed methods depending on the results of the first monitoring; and
 - c. The results of these analyses shall be submitted to DEQ/WQD, Herschler Building, 4W, Cheyenne, WY 82002 by the last day of the month following the end of each quarter. The first set of results are due by the last day of July, 1995.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-18-95
Date of Issuance

RL/b/51955.ltr

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-174

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

Yes, approvable deviation from depth of seal in shallow monitor wells.

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

Yes

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

NOT Applicable

B. Briefly state the basis for the deviation.

NOT Applicable

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

NOT Applicable

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III. Note that sediment ponds, public water supplies, sewerage systems, and small wastewater systems are exempt from the requirements of Section 15. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

NOT Applicable

VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

A. Facility will not allow a discharge to groundwater. Briefly describe:

NOT Applicable

B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:

NOT Applicable

C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

NOT Applicable

D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

NOT Applicable

E. Discharge will result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

NOT Applicable

F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

NOT Applicable

G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

NOT Applicable

VII. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Robert Lucht, Program Supervisor, UIC Section and completed on May 1, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



JIM GERINGER
GOVERNOR

Department of Environmental Quality

Herschler Building ● 122 West 25th Street ● Cheyenne, Wyoming 82002

ADMINISTRATION (307) 777-7758 FAX 777-7682	ABANDONED MINES (307) 777-6145 FAX 634-0799	AIR QUALITY (307) 777-7391 FAX 777-7682	INDUSTRIAL SITING (307) 777-7368 FAX 777-6937	LAND QUALITY (307) 777-7756 FAX 634-0799	SOLID & HAZARDOUS WASTE (307) 777-7752 FAX 777-5973	WATER QUALITY (307) 777-7781 FAX 777-5973
--	---	---	---	--	---	---

December 9, 1996

Ms. Sharon Parrill
P.O. Box 5676
Cheyenne, Wyoming 82003

RE: **Changes to Permit Number 95-175 Approved, with Provisions.**

Dear Ms. Parrill:

The Wyoming Department of Environmental Quality (DEQ)/Water Quality Division (WQD) has received and reviewed your revised plans for the facility previously referred to as the Can Am Kitchen, and which you now call the "Borderline Coffee House." The revised plans indicate that the project has been scaled down from the original plans for two separate buildings with a full restaurant in the second building; to only a single building with a small limited deli in it. This being the case; the design loads, septic tanks, and leach field approved by the original permit are still adequate for the scaled down revised project. Therefore, the changes are approved under the original permit provided that the following additional provisions are complied with:


- A. The Water Quality Rules and Regulations require that wastewater from fixtures not producing grease shall bypass the grease interceptor. Therefore, the construction must be such that the bathroom wastes do not flow through the grease trap tank; but rather, must bypass the grease trap and flow directly into the first septic tank.

Ms. Parrill
December 9, 1996
Page 2

- B. The construction required by item A must be verified by an inspection from the Laramie County Environmental Health Division (LCEHD). The LCEHD can be contacted at 100 Central Avenue in Cheyenne, or by phone at (307) 633-4090.
- C. All other conditions of the original permit (number 95-175) must be adhered to, including the submission of the required "CERTIFICATION OF COMPLETION" form within 60 days of completion of the project.

If you have any questions, please call me at 777-6183.

Sincerely,



Ronald L. Ewald
Engineering Evaluator
SE District, Water Quality Division

RLE/bb/64601.ltr

cc: Permit to Construct File number 95-175
Laramie County Environmental Health Division

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-175
SPECIAL CONDITIONS
REF/PERMIT #

Can Am Kitchen Commercial Septic System

This permit hereby authorizes the applicant:

Sharon Parrill
P.O. Box 5676
Cheyenne, Wyoming 82003

to construct, install or modify a commercial septic system and leach field according to the procedures and conditions of the application number 95-175. The facility is located in the NE1/4 of Section 21, T12N, R66W in the county of Laramie, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: SE District Supervisor, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 6. The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 6. The applicant will provide immediate oral and/or written notice to the SE District office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 6. Within sixty days of completion of construction of the authorized facility, the applicant will submit to the SE District office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 6. Septic Tank Configuration - The first septic tank in series must be a single compartment 1500 gallon tank. Also, each compartment on each Vaughn Concrete septic tank must have either a 6" diameter cleanout or the manway extended to the ground surface.
- 5 of 6. The permittee shall notify the Laramie County Environmental Health Division at least two (2) days prior to installation of this system to arrange for required inspections. Inspection of the installed system is required prior to backfilling. Laramie County Environmental Health charges a fee for these inspection services. Their offices are located at 100 Central Avenue, Cheyenne, Wyoming 82007; or they can be reached by phone at (307) 633-4090.
- 6 of 6. The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6/9/95

Date of Issuance

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-175
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. Yes
- B. Chapter XII. No
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
- NOT Applicable
- B. Briefly state the basis for the deviation.
- NOT Applicable
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
- NOT Applicable

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

NOT Applicable

VI. Deleted

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Ronald L. Ewald, Senior Analyst, and completed on June 6, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

51931.DOC

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

REVIEW OF PLANS AND SPECIFICATIONS

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
Herschler Bldg., 4 West
Cheyenne, Wyoming 82002

PROJECT: Can Am Kitchen Commercial Septic System

ENGINEER: James K. Murphy
AVI p.c.
2035 Westland Road
Cheyenne, Wyoming 82001

APPLICANT: Sharon Parrill
P.O. Box 5676
Cheyenne, Wyoming 82003

WATER QUALITY REFERENCE NUMBER: 95-175

REVIEWING ENGINEER: Ronald L. Ewald *RLE*

DATE OF REVIEW: May 12, 1995

ACTION: NOT AUTHORIZED FOR CONSTRUCTION

COMMENTS, PROBLEMS, INADEQUACIES, and QUESTIONS:

1. Septic Tank - The Septic Tank make and manufacturer are not specified. Also, the first inline tank shall not be partitioned - it shall be a single compartment tank.
2. Distribution Box - No make, model, or other details of the distribution box, or how it will actually be installed, are provided.
3. Percolation Test Data - No percolation test data, or the number and locations of the percolation test holes is provided.
4. Crushed Stone Not Allowed, and Depth of Stone - Chapter XI, Section 41. (a) (iv) requires that the, "Soil absorption system stone shall be sized between 1/2-inch and 2 1/2-inches." This section also requires that, "At least two inches of stone shall be placed over the distribution pipe, . . . "

Review Plans/Specs

Permit #95-175

Page 2

5. Groundwater and Bedrock Depths - No information about the depths of the seasonal high groundwater or the depth to bedrock or nearest impermeable soil is provided. Also, how are these determined?
6. Replacement Leachfield Area - Chapter XI, Section 41.(a)(i) requires that a replacement leachfield area be designated and shown on the plans.
7. P.E. Stamp Required on Plans - There is no P.E. Stamp on the plan drawings themselves.

RE/b/52059.ltr

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-176R
SPECIAL CONDITIONS

(Rock Springs) Industrial Pump Station/Disinfection Facilities Modification

This permit hereby authorizes the applicant:

Green River - Rock Springs - Sweetwater Co. Joint powers Water Board
P.O. Box 1299
Green River, WY 82935

to construct modification and replacement of disinfection equipment and piping according to the procedures and conditions of the application number 95-176R. The facility is located in Section 2, T18N, R105W in the county of Sweetwater, in the State of Wyoming. This permit shall be effective for a period of two years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Lander Office, State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any violation of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to Lander Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Lander office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of a constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

8-15-95

Date of Issuance

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-176R
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. No
- B. Chapter XII. Yes
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
Not Applicable
- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)
Not Applicable

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

Not Applicable

- VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Randall Taylor, S.W. District Supervisor, and completed on 08 August 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

RRT/b/53517.ltr

PERMIT TO CONSTRUCT

New
Renewal
Modified

PERMIT NO. 95-177
SPECIAL CONDITIONS
REF/PERMIT #92-250

R/B Wooten Property Septic System Modification

This permit hereby authorizes the applicant:

Richard S. Wooten
P.O. Box 471
Hulett, Wyoming 82720

to construct, install or modify a septic system according to the procedures and conditions of the application number 95-177. The facility is located in SE/4 of the SE/4 of Section 12, Township 54 North, Range 65 West in the county of Crook, in the State of Wyoming. This permit shall be effective for a period of one year from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northeast District Office, State of Wyoming, DEQ, Water Quality Division, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801; telephone (307) 672-6457; FAX (307) 674-6050.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statement representations, procedures, terms and conditions of the permit application, supporting documents - permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4. The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4. The applicant will provide immediate oral and/or written notice to the Northeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4. Within sixty days of completion of construction of the authorized facility, the applicant will submit to Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4. The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-22-95
Date of Issuance

BDM/pr: May 17, 1995 /nc 52126.LTR

STATEMENT OF BASIS

General information.

A. Permit Number: 95-177

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

No

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

Chapter XI Section 39.(a)(iii)(A) requires septic tanks to have a length to width ratio of at least 2:1.

B. Briefly state the basis for the deviation.

The septic system was previously permitted under AS-BUILT permit 92-250. The tank volume was determined to be adequate relative to State standards. Based on 25 years of operation without a documented failure, it is recommended the tank remain as part of the system although it does not meet the length to width ratio. This permit deals with the installation of a new leachfield.

C. Permit based on general or statewide deviation contained in approved policy statement (include policy number and briefly summarize the nature of the deviation).

Not applicable

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from Statement of Basis.)

Not applicable

VI. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Brian D. Mark, P.E., Senior Environmental Analyst, and completed on May 17, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

BDM/pr: May 17, 1995 /nc 52126.LTR

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

From: DON MCKENZIE (DMCKENZI)
To: PBurns, LRobinso
Date: Monday, May 22, 1995 8:34 am
Subject: Permit Transfer Request - 95-185

*Converse
CO*

Triton Coal Company requested a permit transfer for their Sedimentation #6 Reservoir. WQD permit number 95-185 was assigned for this application. Recent changes in WQD policy for mine impoundments (3.3.1) requires that I now give this request to LQD for processing. Please close out permit 95-185. Thanks!

CC: PRobinso

Ref. No. 89-410

Permit # 95-185 not issued

No copy of transfer ~~request~~ request under either #.

*Mark card, etc. as (transferred to LQD)
AW and close out ~~to~~*

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-178
SPECIAL CONDITIONS
REF/PERMIT #90-195 & 93-117

LaPrele RV Campground

This permit hereby authorizes the applicant:

K.E. Taylor
P.O. Box 78
Douglas, WY 82633

to install a water and sewer system for an RV Campground according to the procedures and conditions of the application number 95-178. The facility is located in Lot 6, T32N, R72W in the county of Converse, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Southeast District Office, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the state representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 5 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 5 The applicant will provide immediate oral and/or written notice to Southeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 5 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Southeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 5 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".
- 5 of 5 This permit is a renewal of permit No. 90-195 which was renewed by permit No. 93-117. The effective date of the construction permit is being extended for a period of two (2) years in order to allow for completion of the construction authorized by the original permit (90-195). The application, supporting materials and conditions on the original permit are applicable to and the basis of the permit renewal.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-18-95
Date of Issuance

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-178
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. Yes
- B. Chapter XII. Yes
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
N/A
- B. Briefly state the basis for the deviation.
N/A
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
N/A

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

N/A

VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

N/A

VII. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Gary Steele, Southeast District Engineer, and completed on May 12, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

51931.DOC

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

X New
Renewal
Modified

PERMIT NO. 95-179
SPECIAL CONDITIONS

Blackburn Summer Residence

This permit hereby authorizes the applicant:

Ruth Blackburn
253 Hwy 20 North
Thermopolis, WY 82443

to construct, install or modify a septic tank/leachfield to serve a one bedroom 5th wheel trailer according to the procedures and conditions of the application number 95-179. The facility is located in Section 24, T43N, R95W in the county of Hot Springs, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northwest District Engineer, State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will notify the appropriate district office of the Department of Environmental Quality, Water Quality Division, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4 The applicant will provide immediate oral and/or written notice to Water Quality Division, 250 Lincoln, Lander, WY 82520, (307) 332-3144, in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Water Quality Division, 250 Lincoln, Lander, WY 82520, on the form provided (CERTIFICATION OF COMPLETION), the following information.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-9-95

Date of Issuance

JH/jyi/nc 51970.LTR

STATEMENT OF BASIS

- I. General information.
 - A. Permit Number: 95-179
- II. Application reviewed for compliance with the following regulations.
 - A. Chapter XI. YES
 - B. Chapter XII. NO
- III. Basis for issuing permit.
 - A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
YES
 - B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
NO
 - C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
NO
- IV. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III.
NOT
- V. Documentation of Statement of Basis.
 - A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Supervisor and completed on May 5, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-180
SPECIAL CONDITIONS

Gooseberry Creek Highway Rest Area

This permit hereby authorizes the applicant:

Wyoming Department of Transportation
P. O. Box 461
Basin, WY 82410

to construct a replacement disposal field, septic tanks, dosing vault and flow splitter according to the procedures and conditions of the application number 95-180. The facility is located in NW1/4 SW1/4 Sec. 30, T47N, R98W in the county of Hot Springs, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the Lander District Office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to the Lander District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Lander District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6-7-95

Date of Issuance

JH/jm - 52314.ltr

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-180
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. Yes
- B. Chapter XII. No
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
N/A
- V. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)
- A. Facility will not allow a discharge to groundwater. Briefly describe:
Unknown
- B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:
Unknown

C. 1. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

Unknown

D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

Facility meets groundwater separation requirements.

E. Discharge may result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

Upon abandonment of the disposal field, groundwater quality will return to background.

F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

The disposal field meets the site separation distance requirements which are intended to protect aquifer users from impact. There are no wells in the area that could be threatened.

G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

None

VI. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Engineer, and completed on June 2, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-181
SPECIAL CONDITIONS

Leithead Septic Tank / Leach Field

This permit hereby authorizes the applicant:

Vance Leithead
P. O. Box 565
Lovell, WY 82431

to construct a septic tank/leach field to serve a 3 bedroom home according to the procedures and conditions of the application number 95-181. The facility is located in Lot 39-B Resurvey, Sec. 24, T56N, R96W in the county of Big Horn, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the Lander District Office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to the Lander District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Lander District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6-2-95

Date of Issuance

JH/jm/nc 52273.LTR

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-181

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

N/A

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Not Applicable

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Supervisor, and completed on May 25, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JH/jm/nc 52273.LTR

PERMIT TO CONSTRUCT

New
Renewal
Modified

PERMIT NO. 95-182RR
SPECIAL CONDITIONS

Town of Superior Water Distribution Improvements - 1995

This permit hereby authorizes the applicant:

Town of Superior
P.O. Box 40
Superior, WY 82945

to construct a water distribution system according to the procedures and conditions of the application number 95-182RR. The facility is located in S26 T21N R102W in the county of Sweetwater, in the State of Wyoming. This permit shall be effective for a period of two from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Lander Office, State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any violation of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to Lander Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Lander office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


Administrator
Water Quality Division


Director
Department of Environmental Quality

7-12-95
Date of Issuance

RRT/nc 52832.LTR

STATEMENT OF BASIS

General information.

A. Permit Number: 95-182RR

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. No

B. Chapter XII. Yes

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

Not Applicable

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Not Applicable

VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

Not Applicable

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Randall Taylor, Southwest District Engineering Supervisor, and completed on 30 June 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

RRT/nc 52832.LTR

PERMIT TO CONSTRUCT

X New
Renewal
Modified

PERMIT NO. 95-183
SPECIAL CONDITIONS

Water Line Relocation - Super 8 Motel

This permit hereby authorizes the applicant:

Cheyenne Board of Public Utilities
2406 Snyder Ave.
Cheyenne, WY 82001

to modify the existing distribution system for an expansion of the Super 8 Motel according to the procedures and conditions of the application number 95-183. The facility is located in NE 1/4 Section 1, T13N, R67W in the county of Laramie, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Southeast District Office, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4 The applicant will provide immediate oral and/or written notice to Southeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Southeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-15-95

Date of Issuance

GLS/nc 52048.LTR

cc:

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-183
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. No
- B. Chapter XII. Yes
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- No
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- Yes
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
- Section 7 of Chapter XII requires that a plan and profile be provided for the proposed water mains.
- B. Briefly state the basis for the deviation.
- The proposed modification for the water system requires that approximately 64 feet of new water main be installed. Due to the short distance of water main to be installed and that no sewer lines exist in the area of the modification a profile view was not provided.
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
- N/A

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

N/A

VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Gary Steele, Southeast District Engineer, and completed on May 10, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

GLS/nc 52048.LTR

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

REVIEW OF PLANS AND SPECIFICATIONS
WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
Herschler Bldg., 4 West
Cheyenne, Wyoming 82002

PROJECT: Dry Creek Storm Water Control

ENGINEER: Herman Noe
Cheyenne Board of Public Utilities
P.O. Box 1469
Cheyenne, WY 82009

APPLICANT: Cheyenne Board of Public Utilities
P.O. Box 1469
Cheyenne, WY 82009

WATER QUALITY REFERENCE NUMBER: 95-184

APPROVING ENGINEER: Gary Steele 

DATE OF REVIEW: May 11, 1995

ACTION: NOT AUTHORIZED FOR CONSTRUCTION

COMMENTS, PROBLEMS, INADEQUACIES, and QUESTIONS:

1 of 1 The wastewater line as proposed has a 90 degree bend and a section of line which flows uphill. This type of design would collect sediment and sludge and ultimately clog up. The wastewater line needs to be designed such that scouring felocities will be maintained under all flows throughout the length of the line.

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-184
SPECIAL CONDITIONS
REF/PERMIT #

Dry Creek Plant Storm Water Control

This permit hereby authorizes the applicant:

Cheyenne Board of Public Utilities
P.O. Box 1469
Cheyenne, WY 82003

to install a stormwater collection system and discharge piping to an existing lined lagoon according to the procedures and conditions of the application number 95-184. The facility is located in NW 1/4 Section 6, T13N, R65W in the county of Laramie, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Southeast District Office, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4 The applicant will provide immediate oral and/or written notice to Southeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Southeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6-7-95

Date of Issuance

GLS/jn - 52312.ltr

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-184
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. Yes
- B. Chapter XII. No
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- Yes - Water Quality Rules and Regulations do not cover stormwater facilities. This permit is being issued under Section 5 of Chapter XI. The storm water control facility is to control runoff from the area where sludge handling equipment travels and is stored. The stormwater is discharged to a lined lagoon which was permitted with the WWTP. The WWTP operator has the ability to direct water from the lagoon to the plant head works.
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
- N/A
- B. Briefly state the basis for the deviation.
- N/A

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

N/A

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

N/A

VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

N/A

VII. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Gary Steele, Southeast District Engineer, and completed on June 2, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

51931.DOC

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
Renewal
 Modified - Permit Transfer

PERMIT NO. 95-186
SPECIAL CONDITIONS
REF/PERMIT #84-484

North Rochelle Mine Wastewater Reservoir #1

This permit hereby authorizes the applicant:

Triton Coal Company
P.O. Box 3027
Gillette, WY 82716

to construct, install or modify a wastewater facility according to the procedures and conditions of the application number 95-186 and 84-484. The facility is located in the NE/4 of Section 9 of T42N R70W in the county of Campbell, in the State of Wyoming. This permit shall be effective for a period of one year from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northeast District Office, State of Wyoming, DEQ, Water Quality Division, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801; telephone (307) 672-6457; FAX (307) 674-6050.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5/25/95

Date of Issuance

DRM/pr:05/23/95

cc: NE District File & Archives

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-187
SPECIAL CONDITIONS

Tenboer Leach Field

This permit hereby authorizes the applicant:

Terry Tenboer
P.O. Box 748
Thermopolis, WY 82443

to construct a replacement leach field according to the procedures and conditions of the application number 95-187. The facility is located in SE¼ SW¼ Section 24, T43N, R95W in the county of Hot Springs, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will notify the Lander District Office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4 The applicant will provide immediate oral and/or written notice to the Lander District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Lander District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5/25/95
Date of Issuance

JH/jyi
b/52198.ltr

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-187
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. YES
- B. Chapter XII. NO
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- YES
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- NO
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- NO
- IV. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)
- NOT
- V. Documentation of Statement of Basis.
- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Supervisor, and completed on May 23, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JH/b/52198.ltr

PERMIT TO CONSTRUCT

New
Renewal
Modified

PERMIT NO. 95-188
SPECIAL CONDITIONS

Philip's Welding Service Wash Facility

This permit hereby authorizes the applicant:

Philip's Welding Service
P.O. Box 1656
Gillette, WY 82717

to construct, install or modify a wastewater facility according to the procedures and conditions of the application number 95-188. The facility is located in the center of the W/2 of Section 4 of T50N R72W in the county of Campbell, in the State of Wyoming. This permit shall be effective for a period of one year from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northeast District, State of Wyoming, DEQ, Water Quality Division, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801; telephone (307) 672-6457; FAX (307) 672-6050.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4 The applicant will provide immediate oral and/or written notice to Northeast District office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Northeast District office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-12-95
Date of Issuance

DRM/pr:5/09/95 - 52036.ltr

cc: NE District File & Archives

STATEMENT OF BASIS

General information.

A. Permit Number: 95-188

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

Yes

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

Not Applicable (N/A)

B. Briefly state the basis for the deviation.

There are no existing water quality regulations governing the construction of a wash facility, although the system is capable of causing or contributing to pollution of waters of the state. Section 5 of Chapter XI allows the construction of facilities not specifically covered by the standards. The proposed wash facility is designed as a contained system and meets the intent of the regulations.

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

N/A

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Yes

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

- A. Facility will not allow a discharge to groundwater. Briefly describe:

The facility design provides for closed metal vessels in addition to secondary containment. The tanker wash pad will be constructed of reinforced concrete as well as the secondary containment for the wastewater storage tanks, the waste oil storage tanks and the hydrocarbon/water separation equipment. Visual monitoring is adequate to determine the integrity of the facility vessels and secondary containment. In the event of a vessel release, the secondary containment capacity is sized to accommodate the volume of the largest tank plus twenty percent. Please note precipitation will be pumped through the separation equipment located in the secondary containment area. A building is proposed to cover the facility in the near future.

- VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Donald R. McKenzie, NE District Supervisor, and completed on May 9, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

51933.DOC

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-189
SPECIAL CONDITIONS

Natrona County Detention Facility Site Improvements

This permit hereby authorizes the applicant:

Natrona County Commissioners
200 North Center
Casper, Wyoming 82601

to construct, install or modify a water distribution system, sewage collection system and sewage pump station according to the procedures and conditions of the application number 95-189. The facility is located in NE/4 of Section 5, Township 33 North, Range 79 West in the county of Natrona, in the State of Wyoming. This permit shall be effective for a period of one year from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northeast District Office, State of Wyoming, DEQ, Water Quality Division, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801; telephone (307) 672-6457; FAX (307) 674-6050.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4. The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4. The applicant will provide immediate oral and/or written notice to the Northeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4. Within sixty days of completion of construction of the authorized facility, the applicant will submit to Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4. The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6/16/95

Date of Issuance

BDM/pr: May 31, 1995 /nc 52580.LTR

cc: CEPI, Casper

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-189

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. yes

B. Chapter XII. yes

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

no

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

no

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

not applicable

B. Briefly state the basis for the deviation.

not applicable

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

not applicable

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

not applicable

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Brian D. Mark, P.E., Senior Environmental Analyst, and completed on May 31, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

BDM/pr: May 31, 1995 /nc 52580.LTR

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exem, from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
Renewal
Modified

PERMIT NO. 95-190
SPECIAL CONDITIONS

Hudson 1995 Water System Improvements

This permit hereby authorizes the applicant:

Town of Hudson
P.O. Box 56
Hudson, WY 82515

to construct about 1420 L.F. of 6 inch PVC water main and appurtenances according to the procedures and conditions of the application number 95-190. The facility is located in NW¼ Section 21, T34N, R98W in the county of Fremont, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the Lander District Office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to the Lander District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Lander District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6/14/95

Date of Issuance

JH/jyi/nc 52464.LTR

STATEMENT OF BASIS

General information.

A. Permit Number: 95-190

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. No

B. Chapter XII. Yes

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

Not applicable

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Not applicable

VI. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Supervisor, and completed on June 9, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JH/jyi/nc 52464.LTR

PERMIT TO CONSTRUCT

New
Renewal
 Modified

PERMIT NO. 95-191
SPECIAL CONDITIONS
REF/PERMIT #94-532

Pershing Blvd. Phase II

This permit hereby authorizes the applicant:

Cheyenne Board of Public Utilities
2406 Snyder Ave.
Cheyenne, WY 82001

to modify the proposed vertical alignment of water line in Pershing Blvd to accommodate a new storm sewer line according to the procedures and conditions of the application number 95-191. The facility is located in SW 1/4 Section 30, T14N, R66W in the county of Laramie, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Southeast District Office, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4 The applicant will provide immediate oral and/or written notice to Southeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Southeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-22-95

Date of Issuance

GLS/nc 52115.LTR

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-191
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. No
- B. Chapter XII. Yes
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
- N/A
- B. Briefly state the basis for the deviation.
- N/A
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
- N/A

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

N/A

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

N/A

- VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Gary Steele, Southeast District Engineer, and completed on May 17, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

GS/nc 52115.LTR

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-192
SPECIAL CONDITIONS
REF/PERMIT #

Fuel America Truck Stop (Cheyenne) - Sewer Main

This permit hereby authorizes the applicant:

Cheyenne Board of Public Utilities
2100 Pioneer Ave.
Cheyenne, Wyoming 82001

to construct, install or modify a sewer main according to the procedures and conditions of the application number 95-192. The facility is located in the NE 1/4 of Section 14, T13N, R67W in the county of Laramie, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: SE District Supervisor, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or a. invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4. The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4. The applicant will provide immediate oral and/or written notice to the SE District office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4. Within sixty days of completion of construction of the authorized facility, the applicant will submit to the SE District office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4. The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6-16-95
Date of Issuance

RLE/mad 52509.LTR

cc: Total Petroleum Corporation (Cover letter included)

STATEMENT OF BASIS

General information.

A. Permit Number: 95-192

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. NO

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

NO

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

NO

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

NOT Applicable

B. Briefly state the basis for the deviation.

NOT Applicable

- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

NOT Applicable

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

NOT Applicable

- VI. Deleted

- VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Ronald L. Ewald, Senior Analyst, and completed on June 13, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

51931.DOC

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.



THE STATE OF WYOMING



JIM GERINGER
GOVERNOR

Department of Environmental Quality

Herschler Building ● 122 West 25th Street ● Cheyenne, Wyoming 82002

ADMINISTRATION (307) 777-7758 FAX 777-7682	ABANDONED MINES (307) 777-6145 FAX 634-0799	AIR QUALITY (307) 777-7391 FAX 777-7682	INDUSTRIAL SITING (307) 777-7368 FAX 777-6937	LAND QUALITY (307) 777-7756 FAX 634-0799	SOLID & HAZARDOUS WASTE (307) 777-7752 FAX 777-5973	WATER QUALITY (307) 777-7781 FAX 777-5973
--	---	---	---	--	---	---

June 14, 1995

Total Petroleum Corporation
ATTN: Wayne Bishop, Division Construction Manager
5590 Havana Street
Denver, Colorado 80239-2005

Dear Mr. Bishop:

Enclosed with this letter is a copy of Permit To Construct # ~~95-192~~ issued to the Cheyenne Board of Public Utilities for a sewer main extension. The primary purpose of this sewer main extension is to service the old "Fuel America" truck stop, which Total now owns, so that the existing lagoon and septic system can be shut down and abandoned.

As you are probably aware, this lagoon and septic system was previously issued a Permit To Construct (# 90-319) in September of 1990. One of the conditions of this permit was that within a year after a public sewer became available the lagoon and septic system must be "properly abandoned" (see condition #1 of enclosed permit).

The Water Quality Division (WQD) is not aware of the details of any arrangements that Total Corporation made with the Fuel America company concerning the abandonment and closing down of these facilities. However, as the current operator, Total Corporation must ensure that the proper abandonment of the lagoon and other septic system components does occur within a year of the sewer becoming available. Depending on the method of closing and abandonment chosen for the lagoon, various types of permits may or may not be required. Therefore, plans for closing the lagoon should be submitted to the WQD for review to determine what kind, if any, of permits are required; and to ensure that this lagoon is "properly" closed and abandoned.


In addition, the DEQ has issued Fuel America an administrative order requiring an extent of contamination study downgradient of the lagoon. The objective of the order is to determine whether operation of the lagoon has caused a violation of Wyoming groundwater standards. To

Total Petroleum Corporation
June 15, 1995
Page 2

date, the order has not been complied with. The DEQ will, of course, keep Total informed regarding the status of this order.

If you, or Fuel America, or your engineers, should have any questions, please call me at (307) 777-6183.

Sincerely,



Ronald L. Ewald
Engineering Evaluator
SE District, Water Quality Division

RLE/nc 52556.LTR

Enclosures: Copy of Permit To Construct # 95-192
Copy of Permit To Construct # 90-319

cc: Don Fischer, WQD - Sheridan
Keith Burron, WQD Attorney
Permit To Construct File # 95-192
Permit To Construct File # 90 319

REVIEW OF PLANS AND SPECIFICATIONS
WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION

Herschler Bldg., 4 West
Cheyenne, Wyoming 82002

PROJECT: Fuel America Truck Stop Sewer Main Extension

ENGINEER: Bruce H. Perryman
AVI p.c.
2035 Westland Road
Cheyenne, Wyoming 82001

APPLICANT: Cheyenne BOPU
2100 Pioneer Ave.
Cheyenne, Wyoming 82001

WATER QUALITY REFERENCE NUMBER: 95-192

REVIEWING ENGINEER: Ronald L. Ewald RLE

DATE OF REVIEW: May 25, 1995

ACTION: NOT AUTHORIZED FOR CONSTRUCTION

COMMENTS, PROBLEMS, INADEQUACIES, and QUESTIONS:

1. Engineering Design Report (EDR) Missing - No EDR was included with the application. Chapter XI, Section 6 requires that the scope and purpose of the project be explained in an EDR which describes existing conditions, problems, and the proposed solution. This section requires specific information on such things as the design flows and how they were determined, as well as other items. Also, the EDR needs to include details on how the septic system and lagoon will be abandoned and closed and/or reclaimed. A more detailed and complete review of this proposed project cannot be accomplished until the EDR is received.

RLE/nc 52225.LTR

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-193
SPECIAL CONDITIONS

Wilson Septic System

This permit hereby authorizes the applicant:

Gilbert H. & Delores I. Wilson
P.O. Box 1261
Sundance, Wyoming 82729

to construct, install or modify a septic system according to the procedures and conditions of the application number 95-193. The facility is located in SE/4 of Section 18, Township 52 North, Range 62 West in the county of Crook, in the State of Wyoming. This permit shall be effective for a period of one year from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northeast District Office, State of Wyoming, DEQ, Water Quality Division, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801; telephone (307) 672-6457; FAX (307) 674-6050.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the state representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1 of 4. The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.

2 of 4. The applicant will provide immediate oral and/or written notice to the Northeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

3 of 4. Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:


- a. Date that construction of the facility was completed; and
- b. Date that the facility was placed in operation; and
- c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
- d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.

4 of 4. The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-15-95
Date of Issuance

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-193
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. yes
- B. Chapter XII. no
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
no
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
no
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
not applicable
- B. Briefly state the basis for the deviation.
not applicable
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
not applicable

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

not applicable

- VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Brian D. Mark, P.E., Senior Environmental Analyst, and completed on May 10, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

BDM/pr: May 10, 1995 /nc 52045.LTR

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-194
SPECIAL CONDITIONS

Dale Schonenbach Residence Septic System

This permit hereby authorizes the applicant:

Dale Schonenbach
P.O. Box 826
Sundance, Wyoming 82729

to construct, install or modify a septic system according to the procedures and conditions of the application number 95-194. The facility is located in SE/4 of the NW/4 of Section 6, Township 51 North, Range 62 West in the county of Crook, in the State of Wyoming. This permit shall be effective for a period of one year from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northeast District Office, State of Wyoming, DEQ, Water Quality Division, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801; telephone (307) 672-6457; FAX (307) 674-6050.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4. The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4. The applicant will provide immediate oral and/or written notice to the Northeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4. Within sixty days of completion of construction of the authorized facility, the applicant will submit to Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4. The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-18-95
Date of Issuance

BDM/pr: May 15, 1995 - 52092.ltr

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-194
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. yes
- B. Chapter XII. no
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
no
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
no
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
not applicable²
- B. Briefly state the basis for the deviation.
not applicable
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
not applicable

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

not applicable

VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Brian D. Mark, P.E., Senior Environmental Analyst, and completed on May 15, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

51933.DOC

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

file

X New
Renewal
Modified

PERMIT NO. 95-195
SPECIAL CONDITIONS
REF/PERMIT #

Ellis Cabin

This permit hereby authorizes the applicant:

John F. & Shelly S. Ellis
P.O. Box 742
Encampment, WY 82325

to install a residential septic system for a 2 bedroom cabin according to the procedures and conditions of the application number 95-195. The facility is located in NE 1/4, Section 30, T14N, R80W in the county of Carbon, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Southeast District Office, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 5 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 5 The applicant will provide immediate oral and/or written notice to Southeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 5 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Southeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 5 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".
- 5 of 5 The manufacturer recommends that the tank be filled with water during burial and immediately after pumping. The permittee shall follow these recommendations and any other manufactures recommendations for installation and operation.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-15-95
Date of Issuance

GLS/b/52053.ltr

cc: Nina Adams, Carbon County Planning Office, P.O. Box 487, Rawlins, WY 82301

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-195

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

N/A

B. Briefly state the basis for the deviation.

N/A

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

N/A

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

N/A

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

N/A

- VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Gary Steele, Southeast District Engineer, and completed on May 11, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

GS/b/52053.ltr

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-196
SPECIAL CONDITIONS

Antelope Valley Water System Storage Tank

This permit hereby authorizes the applicant:

Antelope Valley Improvement and Service District
P.O. Box 2787
Gillette, Wyoming 82717

to construct, install or modify a water storage tank and meter pit according to the procedures and conditions of the application number 95-196. The facility is located in Sections 13 and 24, Township 49 North, Range 72 West in the county of Campbell, in the State of Wyoming. This permit shall be effective for a period of one year from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Northeast District Office, State of Wyoming, DEQ, Water Quality Division, 1043 Coffeen Avenue, Suite D, Sheridan, Wyoming 82801; telephone (307) 672-6457; FAX (307) 674-6050.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4. The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 4. The applicant will provide immediate oral and/or written notice to the Northeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4. Within sixty days of completion of construction of the authorized facility, the applicant will submit to Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 4. The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6-7-95

Date of Issuance

BDM/pr: June 2, 1995 /nc 52331.LTR

cc: Steve Bruce, Bruce Engineering, P.O. Box 194, Gillette, Wyoming 82717

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-196
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. no
- B. Chapter XII. yes
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
no
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
no
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
no
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
Chapter XII Section 13.(a)(vi)(B) requires a water storage tank overflow pipe to be directed downward and to be provided with a screen in the pipe.
- B. Briefly state the basis for the deviation.
A flap gate will be provided on the overflow pipe. The flap gate will be restricted to open 25% (90° full open) directing the discharge downward. The flap gate will be normally closed.
- C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).
not applicable

- V. Application requires review to determine groundwater impacts in accordance with Section 10, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

not applicable

- VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Brian D. Mark, P.E., Senior Environmental Analyst, and completed on June 2, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

BDM/pr: June 2, 1995 /nc 52331.LTR

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

PERMIT TO CONSTRUCT

New
Renewal
 Modified

PERMIT NO. 95-197
SPECIAL CONDITIONS
REF/PERMIT # 90-102

Amoco Production Company, Statewide Anodes

This permit hereby authorizes the applicant:

Amoco Production Company
P.O. Box 800
Denver, CO 80201

to construct, install or modify Deep Bed Anodes according to the procedures and conditions of the application number 95-197 and 90-102. The facility is located Statewide, in the State of Wyoming. This permit shall be effective for a period of five years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: UIC Program Supervisor, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 1. An unlimited number of similar anodes may be installed under this permit. This authorization applies to Amoco Production Company and all subsidiary companies operating in Wyoming.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-18-95

Date of Issuance

RFL/jn - 52099.ltr

LAND APPLICATION PERMIT

New
 Renewal
 Modified

PERMIT NO. 95-198
SPECIAL CONDITIONS
REF/PERMIT #

South of Laramie Water Supply Project (Land Application)

This permit hereby authorizes the applicant:

South of Laramie Water & Sewer District
304 S. 3rd Street
Laramie, WY 82070

to land apply contaminated soil removed from trench during installation of water main according to the procedures and conditions of the application number 95-198. The facility is located in SE 1/4 Section 5, T15N, R73W in the county of Albany, in the State of Wyoming. This permit shall be effective until November 1, 1995.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1 of 9. The permittee shall notify representatives from the Department of Environmental Quality, Water Quality Division (DEQ/WQD) of the anticipated project commencement and completion dates with the attached post card. At least 48 hours advance notice is required. The


authorized representative in your area can be contacted at the following address: Southeast District Office, Herschler Bldg., 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002.

- 2 of 9. The permittee shall provide immediate oral and/or written notice to Southeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications to the approved permit package.
- 3 of 9. The permittee shall provide certification that the project was completed in accordance with the terms and conditions of the permit within sixty (60) days of the project completion to the Southeast District Office on the attached Certification of Completion form.
- 4 of 9. The permittee shall submit map depicting only those sections of road that actually received contaminated soil within sixty (60) days of the project completion to the Southeast District Office.
- 5 of 9. The review and approval of this permit is based upon the items identified in the attached Statement of Basis.
- 6 of 9. Contaminated Soil shall be applied uniformly and incorporated into the top 6 inches of the roadbed. Application shall not be initiated during the spring runoff period or at times saturated soil conditions exist. Contaminated Soil shall not be applied during the period from November 1 to April 10.
- 7 of 9. The application site slope shall not exceed eight percent (8%) for vehicular application.
- 8 of 9. Contaminated soil application shall be terminated within 300 feet of the definable high water mark of perennial and intermittent drainages, irrigation canals, lakes and reservoirs.
- 9 of 9. Any contaminated soil application after November 1 must be re-permitted.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-22-95

Date of Issuance

GLS/nc 52123.LTR

STATEMENT OF BASIS

I. General information.

A. Permit Number: 95-198

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. No

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

No

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

There are no numeric standards or criteria in Chapter XI for road application. W.S. 35-11-301 (a)(iii) requires a permit to be issued when any disposal system capable of causing or contributing to pollution is constructed, installed, modified, or operated.

B. Briefly state the basis for the deviation.

Road application is permitted when DEQ authorized disposal facilities are not readily available, a beneficial use of the waste to be applied is possible, and significant impact to waters of the State is minimized.

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

District Policy numbers 10.1 (4/9/91), 10.2 (10/17/86), 10.3 (8/91), 10.4 (10/24/91), and 10.6 (1/18/91) address the statutory authority to regulate the road application of waste, establish criteria for characterizing the waste, and determine acceptable conditions for the application of the waste to roadbeds to minimize impact to waters of the State.

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Applicable

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

- A. Facility will not allow a discharge to groundwater. Briefly describe:

The opportunity for direct or indirect discharge, percolation, or filtration to groundwater is minimized by uniformly applying the contaminated soil onto the roadbed. Repeated applications of contaminated soil on the same sections of road will be monitored by roadbed analyses.

- B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:

N/A

- C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

N/A

- D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

N/A

- E. Discharge will result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

N/A

- F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

N/A

- G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

N/A

- VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Gary Steele, Southeast District Engineer and completed on May 17, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

GS/nc 52123.LTR

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 95-199
SPECIAL CONDITIONS

Jackson Business Park

This permit hereby authorizes the applicant:

Cheetah LLC and Bath Industries
P. O. Box 287
Wilson, WY 83014

to construct a water distribution system, sewage collection system and lift station according to the procedures and conditions of the application number 95-199. The facility is located in NE1/4 Sec. 6, T40 N, R116W in the county of Teton, in the State of Wyoming. This permit shall be effective for a period of two (2) years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 4 The applicant will notify the Lander District Office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
2. of 4 The applicant will provide immediate oral and/or written notice to the Lander District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
3. of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Lander District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
4. of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

6-16-95

Date of Issuance

JH/jm - 52512.ltr

STATEMENT OF BASIS

- I. General information.
- A. Permit Number: 95-199
- II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)
- A. Chapter XI. Yes
- B. Chapter XII. Yes
- III. Basis for issuing permit. (Indicate yes or no for each section.)
- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
- Yes
- B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.
- No
- C. Permit based on deviation from applicable regulations in accordance with approved policy statement.
- No
- IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)
- N/A
- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)
- Not applicable
- VI. Documentation of Statement of Basis.
- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Engineer, and completed on June 12, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

PERMIT TO CONSTRUCT

X New
Renewal
Modified

PERMIT NO. 95-200
SPECIAL CONDITIONS

John & Linda Anderson Residential Septic System

This permit hereby authorizes the applicant:

John & Linda Anderson
P.O. Box 1016
Saratoga, WY 82331

to install a residential septic system according to the procedures and conditions of the application number 95-200. The facility is located in NE 1/4 Section 29, T17N, R83W in the county of Carbon, in the State of Wyoming. This permit shall be effective for a period of 2 years from the date of issuance of this permit.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Southeast District Office, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 5 The applicant will notify the appropriate district office of the Water Quality Division, Department of Environmental Quality, by the attached post card of the date construction will begin and the estimated completion date.
- 2 of 5 The applicant will provide immediate oral and/or written notice to Southeast District Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 5 Within sixty days of completion of construction of the authorized facility, the applicant will submit to Southeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate.
- 4 of 5 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".
- 5 of 5 The Permittee shall install 12 inches of rock under the leachfield drain pipe. The 12 inches of rock is required to meet the loading requirements for 150 lineal feet of leachfield.

AUTHORIZED BY:



Administrator
Water Quality Division



Director
Department of Environmental Quality

5-18-95
Date of Issuance

GLS/mad 52090.LTR

cc: Nina Adams, Carbon County Planning & Development, P.O. Box 487, Rawlins, WY 82301

STATEMENT OF BASIS

General information.

A. Permit Number: 95-200

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. Yes

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

N/A

B. Briefly state the basis for the deviation.

N/A

C. Permit based on general or statewide deviation contained in approved policy statement. (Indicate the policy number and briefly summarize the nature of the deviation).

N/A

- V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

N/A

- VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

N/A

- VII. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Gary Steele, Southeast District Engineer, and completed on May 15, 1995. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

51931.DOC

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.