



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

Herschler Building • 122 West 25th Street • Cheyenne, Wyoming 82002

ADMIN/OUTREACH (307)777-7758 FAX 777-3610	ABANDONED MINES (307)777-6145 FAX 777-6462	AIR QUALITY (307)777-7391 FAX 777-5616	INDUSTRIAL SITING (307)777-7369 FAX 777-6937	LAND QUALITY (307)777-7756 FAX 777-5864	SOLID & HAZ. WASTE (307)777-7752 FAX 777-5973	WATER QUALITY (307)777-7781 FAX 777-5973
---	--	--	--	---	---	--

NOTIFICATION OF COVERAGE

April 7, 2004

F.E. Warren Air Force Base
Attn. Robert H. Farwell, Deputy Base Civil Engineer
300 Vesle Drive, Suite 600
F.E. Warren AFB, Wyoming 82005-2793

RE: Maintenance Modifications to Project GHLN 98-9099: Water & Sewer Replacements, Application No. 04-101

Dear Mr. Farwell:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and Existing Sewage Collection Systems in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permits, and the materials submitted in your application package. All water service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permits which the Base already has copies of.

The approval granted under this Notification Of Coverage and the General Permit shall expire on April 7, 2006. Please reference Application Number 04-101 in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/bb/4-0359.ltr

Enclosures: GENERAL PERMIT - Extensions/Modifications of Existing Public Water Supply Distribution Systems
GENERAL PERMIT - Extensions/Modifications of Existing Sewage Collection Systems
Certificate of Completion form

cc: IPS, Cheyenne
Rodney G. Trees, FE Warren AFB, 300 Vesle Drive, Suite 600, F.E. Warren AFB, Wyoming 82005-2793



The State
of Wyoming

Department of Environmental Quality

Dave Freudenthal, Governor

3030 Energy Lane • Suite 200 • Casper, Wyoming 82604



SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

ABANDONED MINES
(307) 473-3460
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

March 24, 2004

Mike and Judy Hladky
609 Ross Avenue
Gillette, WY 82716

RE: Hladky Construction Existing Shop Small Wastewater Facility, Permit # 04-102

Dear Mr. & Mrs. Hladky:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility in accordance with Chapter 3 and Chapter 11, Part D, of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit.

If you have any questions please contact Dennis Lamb at 3030 Energy Lane, Casper, WY, 82604, (307) 473-3452. Thank you.

Sincerely,

Dennis Lamb
NE District Supervisor
DEQ/WQD

cc: IPS, Cheyenne



The State
of Wyoming

Department of Environmental Quality

Dave Freudenthal, Governor

3030 Energy Lane • Suite 200 • Casper, Wyoming 82604



SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

ABANDONED MINES
(307) 473-3460
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

March 24, 2004

Mike and Judy Hladky
609 Ross Avenue
Gillette, WY 82716

RE: Hladky Construction Pole Barn # 3 Small Wastewater Facility, Permit # 04-103

Dear Mr. & Mrs. Hladky:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility in accordance with Chapter 3 and Chapter 11, Part D, of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit.

If you have any questions please contact Dennis Lamb at 3030 Energy Lane, Casper, WY, 82604, (307) 473-3452. Thank you.

Sincerely,

Dennis Lamb
NE District Supervisor
DEQ/WQD

cc: IPS, Cheyenne

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-104

Sheridan School District #2 Elementary Schools Water Service
PWS: 5600052

This permit hereby authorizes the applicant:

Sheridan County School District #2
1470 Sugarland Dr. Suite #3
Sheridan, WY, 82801

to construct, install or modify water services to the elementary schools for potable and irrigation according to the procedures and conditions of the application number 04-104. The facility is located in portions of Sections 14, 21, 28, 34, & 35 in Townships 55 and 56 North Range 84 West in the county of Sheridan, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by September 1, 2004.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the WDEQ located at 1866 S. Sheridan Avenue, Sheridan, Wyoming 82801; telephone (307) 673-9330; FAX (307) 673-2213, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the WDEQ located at 1866 S. Sheridan Avenue, Sheridan, Wyoming 82801; telephone (307) 673-9330; FAX (307) 673-2213 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:

for Laurence Robinson
John F. Wagner
Administrator
Water Quality Division

John V. Corra
John V. Corra
Director
Department of Environmental Quality

6-10-04
Date of Issuance

RJE/bb/4-0568.ltr

STATEMENT OF BASIS

1. Permit Number: 04-104
2. Application reviewed for compliance with the following applicable regulations :
Chapter 12 of the Wyoming Water Quality Rules and Regulations
3. The permit approval is based up on a deviation from applicable regulations in accordance with Section 5. of Chapter 12.
4. Facilities include components not specifically covered or differing from applicable regulations and approval is based upon a deviation in accordance with Section 5.
 - a. The permit includes approval to deviate from the following regulatory requirements:
Section 12 (o) (i) "Booster pumps shall not produce a pressure less than 5 psi in suction lines. Where the suction line has service connections, booster pump intake pressure shall be at least 35 psi when the pump is in normal operation and shall be provided with a low pressure cutoff switch if the suction line pressure is a minimum of 20 psi.
 - b. Briefly state the basis for the deviation.
The service lines serving the Meadowlark School and the Sagebrush school have pumps installed that are required to supply the irrigation systems.
Meadowlark school shall have the pressure switch set to shut off the irrigation pump if the suction pressure falls to 45 psi for an time longer than 1-minute.
The pressure switch in the Sagebrush School shall be set to 35 psi.
The hydraulic analysis shows that if the pressure in the Meadowlark School service line drops below the 45 psi required set point other areas in the water system pressure zone could fall below the 35 psi minimum residual pressure.
5. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.
6. Documentation of Statement of Basis: The archives file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION


The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Rick J. Estes, PE, restes1@state.wy.us, Northeast District Senior Environmental Analyst, and completed on June 4, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

RJE/bb/4-0568.ltr



Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.



Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

July 13, 2004

Gene Kilpatrick
TLH, LLC
c/o 237 N. Main St.
Sheridan, WY 82801

RE: Holloway Sanitary Sewer Pipe Extension , Permit # 04-105

Dear Gene:

The above application for coverage under General Permit to Construct, Install, Modify or Operate an extension to the Downder Neighborhood Improvement and Service District Sewer Collection System which is connected to the City of Sheridan system in accordance with Chapter 3 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. All construction, installation, or modification allowed by this Notice of Coverage shall be completed by August 1, 2005.

If you have any questions please contact me at 1866 S. Sheridan Avenue or 673-9337.

Thank you.

Sincerely,

Rick J. Estes, P.E.
DEQ/WQD NE District Senior Environmental Analyst

cc: ~~IPS~~-Cheyenne
Mike Cole, PE -Assistant Public Works Director, City of Sheridan
Mike Johnston, Downer Neighborhood Improvement and Service District, P.O. Box
6541, Sheridan, WY 82801





The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

Herschler Building • 122 West 25th Street • Cheyenne, Wyoming 82002

ADMIN/OUTREACH (307)777-7758 FAX 777-3610	ABANDONED MINES (307)777-6145 FAX 777-6462	AIR QUALITY (307)777-7391 FAX 777-5616	INDUSTRIAL SITING (307)777-7369 FAX 777-6937	LAND QUALITY (307)777-7756 FAX 777-5864	SOLID & HAZ. WASTE (307)777-7752 FAX 777-5973	WATER QUALITY (307)777-7781 FAX 777-5973
---	--	--	--	---	---	--

NOTIFICATION OF COVERAGE

April 6, 2004

Town of Guernsey
P.O. Box 667
Guernsey WY 82214

RE: Small Wastewater Holding Tank for Gulf Course
Location: SE 1/4 Section 2 T26N R66W

Application No.04-106
County Platte

Dear Mayor Anderson:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the conditions listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

The approval granted under this Notification Of Coverage and the General Permit shall expire on August 11, 2006. Please reference Application Number 04-106 in any future correspondence.

If you have any questions, please contact me at (307) 777-7088

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

LBH/pf/4-0356-ltr

cc: IPS, Cheyenne
Suzanne Bassinger
30852 Jenkins Road
Minatare NE 69356

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

June 4, 2004

Craig R. Larsen, Facility Construction Coordinator
Wyoming Department of Transportation
P.O. Box 1260
Rock Springs, Wyoming 82902

RE: Wyoming Department of Transportation Patrick Draw Maintenance Shop - Sewage
Collection System - Permit Number: 04-107R, SW 1/4 Section 8, T19N, R98W, Sweetwater
County

Dear Mr. Larson:

The above application for coverage under General Permit to Construct a sewage and washwater collection system consisting of 6-inch PVC sewer mains and appurtenances in accordance with Chapter 3, Section 7 and Chapter 11, Section of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Mark Baron, P.E.
Environmental Senior Analyst
Water Quality Division

cc: IPS, Cheyenne
encl: General Permit For a Sewage Collection System

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-108

WDOT Powder River Rest Area Water System
PWS# WY 5600949

This permit hereby authorizes the applicant:

Wyoming Department of Transportation
P.O. Box 668
Sheridan, Wyoming 82801

to construct, install or modify a water supply storage tank and treatment equipment according to the procedures and conditions of the application number 04-108. The facility is located in SW/4 of Section 17, Township 49 North, Range 77 West in the county of Sheridan, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by November 1, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, or any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the DEQ/WQD Northeast District Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the DEQ/WQD Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division

10/28/04
Date of Issuance


John V. Corra
Director
Department of Environmental Quality

JDL/bb/4-1081.ltr
cc: WDEQ Casper Field Office

STATEMENT OF BASIS

1. Permit Number: 04-108
2. Application reviewed for compliance with the following applicable regulations :
 - a. Chapter 12.
3. Does the permit comply with all applicable regulations identified above?
 - a. Yes
4. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

Not Required

5. Documentation of Statement of Basis.

The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Dennis Lamb, Northeast District Supervisor, and completed on October 27, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JDL/bb/4-1081.ltr



The State
of Wyoming



Department of Environmental Quality
1043 Coffeen Avenue, Suite D • Sheridan, Wyoming 82801

Dave Freudenthal, Governor

AIR QUALITY
(307) 672-6457
Fax (307) 674-6050

LAND QUALITY
(307) 672-6488
Fax (307) 672-2213

WATER QUALITY
(307) 672-6457
Fax (307) 674-6050

NOTIFICATION OF COVERAGE

April 9, 2004

Mr. Richard Milanowski
659 HWY 116
Sundance, WY 82729

RE: Richard Milanowski Septic, Permit # 04-109

Dear Richard:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. All construction, installation, or modification allowed by this permit shall be completed by April 1, 2005.

If you have any questions please contact me at 1043 Coffeen Avenue, Suite D, Sheridan, WY, 82801, (307) 672-6457.

Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Neil Stodolski, PE, NJS Engineering, 123 E. Jackson Blvd #1, Spearfish, SD 57783



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

June 22, 2004

Ms. Myrlene Wallander
MDU
P.O. Box 5600
Bismarck, ND 58506-5600

RE: MDU Sewer Line Extension , Permit # 04-110

Dear Ms. Wallander:

The above application for coverage under General Permit to Construct, Install, Modify or Operate an extension to the City of Sheridan Sewer Collection System in accordance with Chapter 3 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. All construction, installation, or modification allowed by this Notice of Coverage shall be completed by July 1, 2005.

Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQD NE District Senior Environmental Analyst

cc: ~~IPS~~ IPS-Cheyenne

Jim Willey, JSW Inc., 13 Buffalo Run Drive, Sheridan, WY 82832
w/attachments

Mike Cole, PE -Assistant Public Works Director, City of Sheridan
Bruce Yates, PE, Assistant County Engineer, Sheridan, WY 82801

Page 1 of 1



WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-111

Dayton Well
PWS# WY5600202

This permit hereby authorizes the applicant:

Wyoming Water Development Commission
6920 Yellowtail Road
Cheyenne, Wyoming 82009

to construct, install or modify a water supply well according to the procedures and conditions of the application number 04-111. The facility is located in SW/SW/4 of Section 1, Township 56 North, Range 87 West in the county of Sheridan, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by August 1, 2005.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the DEQ/WQD Northeast District Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the DEQ/WQD Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis."

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

8/11/04
Date of Issuance

JDL/bb/4-0809.ltr
cc: WDEQ Casper Field Office

STATEMENT OF BASIS

1. Permit Number: 04-111
2. Application reviewed for compliance with the following applicable regulations :
 - a. Chapter 11, Section G
 - b. Chapter 12
3. Does the permit comply with all applicable regulations identified above?
 - a. Yes
4. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

N/A
5. Documentation of Statement of Basis.

The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Dennis Lamb, Northeast District Supervisor, and completed on July 20, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JDL/bb/4-0809.ltr

26 numbers

From: Kim Goodmay
To: Barb Barnes
Date: 4/9/2004 3:03:38 PM
Subject: a task

Miss Barb will you please delete permit 04-111 - Dayton Well #1? I would appreciate it since it is a duplicate permit. Thanks a bunch!! kg

PS After completed will you let me know how you did this?

I made this one an Auto get it out of the system. Too far down the list to use the # again.

*Barb
4/12/03*



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

April 15, 2004

Mr. Justin Herring
P.O. Box 1083
Thermopolis, WY 82443

RE: Herring Small Wastewater Facility, Permit Number 04-112
Hot Springs County

Dear Mr. Herring:

The above application for coverage under General Permit to Construct a septic tank / leach field to serve a four (4) bedroom residence in accordance with Chapter 3, Section 7 and Chapter 11, Part D, of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O, of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Jeff Hermansky
Northwest District Supervising Engineer
Water Quality Division

cc: IPS, Cheyenne

encl: GENERAL PERMIT to Construct a Small Wastewater Facility



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

Herschler Building • 122 West 25th Street • Cheyenne, Wyoming 82002

ADMIN/OUTREACH (307)777-7758 FAX 777-3610	ABANDONED MINES (307)777-6145 FAX 777-6462	AIR QUALITY (307)777-7391 FAX 777-5616	INDUSTRIAL SITING (307)777-7369 FAX 777-6937	LAND QUALITY (307)777-7756 FAX 777-5864	SOLID & HAZ. WASTE (307)777-7752 FAX 777-5973	WATER QUALITY (307)777-7781 FAX 777-5973
---	--	--	--	---	---	--

NOTIFICATION OF COVERAGE

April 19, 2004

David O'Dell, Owner
1167 North 4th Street
Laramie, WY 82072

RE: O'Dell Apartments, City of Laramie, Application No.04-113,Albany County

Dear Mr. O'Dell:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and of Existing Sewage Collection Systems described as extensions to water line and sewer lines in North 5th Street, Section 28 T16N R73W; Albany County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permit and the materials submitted in your application package. All service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. All construction, installation, or modification allowed by this notification of coverage shall be completed by August 11, 2006.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 04-113 in any future correspondence.

If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

cc: IPS, Cheyenne


Bob Juve, City Engineer, City of Laramie, PO Box C, Laramie, WY 82073

James Johnson, Johnson Engineering Associates
110 Superior Court
Laramie WY 82072

LBH/pf/4-0397-ltr



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

May 24, 2004

Mr. Nathaniel Cross, Owner
Builders of Dreams
1319 Mill Street
Laramie, Wyoming 82072

RE: City of Laramie Montevue Addition, Application No.04-114, Albany County

Dear Mr. Cross:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and of Existing Sewage Collection Systems described as extensions to water and sewer lines, NE 1/4 Section 28 T16N R73W; Albany County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permit and the materials submitted in your application package. All service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. All construction, installation, or modification allowed by this notification of coverage shall be completed by August 11, 2006.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 04-114 in any future correspondence.

If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

LBH/bb/4-0517.ltr

cc: IPS, Cheyenne

City of Laramie Engineering, P.O. Box C, Laramie WY 82073

James Johnson, Johnson Engineering Associations
110 Superior Court
Laramie WY 82072

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616


INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973





The State
of Wyoming



Department of Environmental Quality

1043 Coffeen Avenue, Suite D • Sheridan, Wyoming 82801

Dave Freudenthal, Governor

AIR QUALITY
(307) 672-6457
Fax (307) 674-6050

LAND QUALITY
(307) 672-6488
Fax (307) 672-2213

WATER QUALITY
(307) 672-6457
Fax (307) 674-6050

NOTIFICATION OF COVERAGE

April 8, 2004

Mr. Phillip Sieler
Box 7013
Pierre, SD 57501

RE: Phillip Sieler Residential Septic System, Permit # 04-115

Dear Phillip:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. All construction, installation, or modification allowed by this permit shall be completed by April 1, 2005.

If you have any questions please contact me at 1043 Coffeen Avenue, Suite D, Sheridan, WY, 82801, (307) 672-6457.

Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Allan Schreier, PE, 11160 Snoma Road, Belle Fourche, SD 57717



The State
of Wyoming

Department of Environmental Quality



Dave Freudenthal, Governor

3030 Energy Lane • Suite 200 • Casper, Wyoming 82604

SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

ABANDONED MINES
(307) 473-3460
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

March 26, 2004

William W. DeLapp, Manager
JM Huber, Corporation
P.O. Box 6850
Sheridan, WY 82801

RE: Aqua Envirotech Mfg. Inc. POD-B Reverse Osmosis CBM Water Treatment Pilot
Plant, Permit # 04-116

Dear Mr. DeLapp:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Pilot Plant in accordance with Section 5, Chapter 11, of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit.

If you have any questions please contact Dennis Lamb at 3030 Energy Lane, Casper, WY, 82604, (307) 473-3452. Thank you.

Sincerely,

Dennis Lamb
NE District Supervisor
DEQ/WQD

cc: IPS, Cheyenne



The State
of Wyoming

Department of Environmental Quality

Dave Freudenthal, Governor

3030 Energy Lane • Suite 200 • Casper, Wyoming 82604



SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

ABANDONED MINES
(307) 473-3460
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

April 8, 2004

William W. DeLapp, Manager
JM Huber, Corporation
P.O. Box 6850
Sheridan, WY 82801

RE: Harmon Sulphur Burner CBM Water Treatment Pilot Plant, Permit # 04-117

Dear Mr. DeLapp:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Pilot Plant in accordance with Section 5, Chapter 11, of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit.

If you have any questions please contact Dennis Lamb at 3030 Energy Lane, Casper, WY, 82604, (307) 473-3452. Thank you.

Sincerely,

Dennis Lamb
NE District Supervisor
DEQ/WQD

cc: IPS, Cheyenne



April 1, 2008

Dennis Lamb, NE District Supervisor
Wyoming Department of Environmental Quality
Water Quality Division
152 N. Durbin, Suite 100
Casper, WY 82601

Received
APR 02 2008
Casper DEQ

RE: J.M. Huber Corporation
Water Treatment Pilot Plant, Permit # 04-117 (Sulfur Burner)


Dear Mr. Lamb:

J.M. Huber Corporation hereby requests that the above referenced permit be terminated, as we have no plans to use sulfur burners in the future.

I have attached a copy of the 2006 Pit Treatment Report submitted to your office on 1-24-2007, by John Vasehn of Baker Energy. This report covers that last use of sulfur burners for the approved permit.

Please contact me at 673-8800 (ext. 246) if you have any questions or concerns.

Thank You,


Sean Mulfett
Director of Environmental Operations

From: Jackie Martin
To: Martinez, Rebecca
Date: 4/14/2008 3:17 PM
Subject: Re:
Attachments: JM Huber Termination Letter - 04-117.pdf; Drane Septic System.pdf

I've scanned the letter from JM Huber -04-117. It gives an explanation. The other one needs a tracking number for Karen. And we think Karen might have transposed the numbers on 08-048. It should be 08-084. We are still wrestling with this. I will get back to you as soon as we are sure.

>>> Rebecca Martinez 4/14/2008 2:18 PM >>>

Jackie, for this 04-117, I need to know why they don't want to operate it anymore, is someone else taking over or what? Barb wants a good reason why they are terminating it.

This is all the info I have for 08-048

Guernsey Rest Area (UIC) - Platte County
UR1 1-28-08
RS1 2-11-08
EA 3-17-08
Auth 3-17-08

Engineer's Name: Larry Lijewski
900 Bryan Stock Trail
Casper, WY

>>> Jackie Martin 4/14/2008 2:03 PM >>>
Hi Rebecca,

04-117 is one of Kim's permits. It was given an Noc and now they want to terminate the the permit. This is a Water Treatment Pilot Plant. They don't want to operate this plant anymore. I'm still working on the 08-048. It's turning into quite the mystery. Can you tell me who the applicant is on this one It's not listed in our tracking database.

Thanks

>>> Rebecca Martinez 4/14/2008 11:07 AM >>>

Hi Jackie, updating my database and on 04-117 there was an NOC issued 4-8-08 and for number 08-048, it was AUTH on 3-17-08 (this is a UIC permit for John Passehl).

Please check on these for me when you have some free time. No hurry at all.

Thank you very much. Have a good day!!



The State
of Wyoming

Department of Environmental Quality

Dave Freudenthal, Governor

3030 Energy Lane • Suite 200 • Casper, Wyoming 82604



SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

ABANDONED MINES
(307) 473-3460
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

April 16, 2004

James Evans
200 North David
Casper, WY 82601


RE: 2004 Sanitary Sewer Main Improvements Project Permit # 04-118

Dear Mr. Evans;

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of existing sewage collection systems in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) have been reviewed and are hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit.

If you have any questions please contact Dennis Lamb at 3030 Energy Lane, Casper, WY, 82604, (307) 473-3452. Thank you.

Sincerely,


Dennis Lamb
NE District Supervisor
DEQ/WQD

cc: IPS, Cheyenne

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-119

Town of Thermopolis - Main Pump Station Wastewater Treatment Facility

This permit hereby authorizes the applicant:

Steve Shay, Mayor
Town of Thermopolis
P.O. Box 603
Thermopolis, WY 82443

to construct a wastewater pump station with stand-by power, a septic dump station, sewer mains, and demolition of the existing sewage treatment plant, according to the procedures and conditions of the application number 04-119. The facility is located at Latitude N 43° 39.03' and Longitude W 108° 12.05' in the county of Hot Springs, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by May 25, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality, Water Quality Division (WQD), Northwest District Engineer, 250 Lincoln Street, Lander, WY 82520, 307-332-3144, FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
- a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

6/1/04
Date of Issuance
MDB/mdb

bb/4-0526.ltr

STATEMENT OF BASIS

1. Permit Number: 04-119
2. Application reviewed for compliance with the following regulations:
Chapters 3, 11 and 12 of the Wyoming Water Quality Rules and Regulations.
3. Does the permit comply with all applicable regulations identified above?
Yes
4. If Section 17 of Chapter 3 review is required indicate the basis for determining groundwater will be protected.

Not required. Public Water Supplies and Sewerage Systems are exempted from review by Chapter 3, Section 17.
5. Documentation of Statement of Basis: The archives file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Mark D. Baron, mbaron@state.wy.us, Environmental Senior Analyst and completed on May 25, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

MDB/bb/4-0526.ltr



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

April 30, 2004

Mr. Jerry Linquist, President
Chaparral Broadcasting, Inc.
C/O Rendezvous Engineering
P. O. Box 4858
Jackson, WY 83001

RE: Irish Pub, Permit Number 04-120R
Teton County

Dear Mr. Linquist:

The above application for coverage under General Permit to Construct water and sewer lines and backflow protection devices in accordance with Chapter 3, Section 7; Chapter 11, Part D and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facility(ies) in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section 0, of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Jeff Hermansky
Northwest District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne

**DEPARTMENT OF ENVIRONMENTAL QUALITY
STATE OF WYOMING
UNDERGROUND INJECTION CONTROL PERMIT
AUTHORIZATION TO DISCHARGE INTO UNDERGROUND RECEIVERS
ISSUED UNDER CHAPTER 16, WATER QUALITY RULES AND REGULATIONS**

(X) New
() Modified


Permit Number: UIC 04-121
Subclass Number: 5E3

In compliance with the Wyoming Environmental Quality Act (W.S. 35-11-101 through 1104, specifically 301(a)(i) through (iv), Laws 1973, Ch. 250, Section 1) and Water Quality Rules and Regulations, Chapter 3 (2000), and Chapter 16 (2001),

Applicant: U.S. Forest Service, Bridger-Teton National Forest
P.O. Box 1888
Jackson, WY 83001
(307) 739-5500


is authorized to operate the U.S. Forest Service, Bridger-Teton National Forest Cottonwood Work Center Large Capacity Septic System in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 31, Township 39 North, Range 116 West, of the 6th Principal Meridian; according to the procedures and conditions of application # UIC 04-121 and other conditions of this permit.

This permit shall become effective on date of issuance.



Administrator
Water Quality Division
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002
Phone: (307) 777-7781

6/3/04
Date



Director
Department of Environmental Quality
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002

6/7/04
Date

TABLE OF CONTENTS

A.	DISCHARGE ZONE AND AREA OF REVIEW	2
1.	Discharge Zone:	
2.	Area of Review	2
B.	GROUNDWATER CLASSIFICATION	2
C.	AUTHORIZED OPERATIONS	3
D.	ENVIRONMENTAL MONITORING PROGRAM FOR GROUND WATERS OF THE STATE	3
E.	REQUIREMENTS FOR MONITORING THE DISCHARGE	4
F.	RECORDS AND REPORTS	4
G.	GENERAL CONDITIONS	6
H.	DUTIES OF BRIDGER - TETON NATIONAL FOREST	6
I.	SPECIAL MEASURES THE DIRECTOR FINDS NECESSARY:	7
J.	SIGNATORIES REQUIREMENT	7

A. DISCHARGE ZONE AND AREA OF REVIEW

1. Discharge Zone:
This injection facility (sanitary leachfield) is authorized to inject into the Alluvial Aquifer along the Snake River which is found at this location from zero to 50 feet below the ground surface.
2. Area of Review
The facility authorized by this permit is located in:
Township 39 North, Range 116 West, 6th Principal Meridian
Section 31: SE $\frac{1}{4}$ SE $\frac{1}{4}$

The Area of Review around this facility is legally described as:
Township 39 North, Range 116 West, 6th Principal Meridian
Section 31: SE $\frac{1}{4}$ SE $\frac{1}{4}$
Township 38 North, Range 116 West, 6th Principal Meridian
Section 5: NW $\frac{1}{4}$ NW $\frac{1}{4}$
Section 6: NE $\frac{1}{4}$ NE $\frac{1}{4}$

B. GROUNDWATER CLASSIFICATION

1. The groundwater in the alluvial aquifer along the Snake River is classified as class I (Domestic) under Chapter 8 of Wyoming Water Quality Rules and Regulations (March 11, 1993). This classification was made because: The groundwater in this formation is currently being used for domestic purposes at several points of withdrawal.
2. Groundwater of class I shall not be degraded so as to make it unusable as a source of water for this purpose. Any parameters which do not meet the class of use standard shall not be degraded whatsoever.

C. AUTHORIZED OPERATIONS

Bridger-Teton National Forest is authorized to inject 79 barrels per day, (3,350 gallons per day) through a new septic system. The wastewater is described as sanitary waste only from residential sources. Bridger-Teton National Forest is authorized to inject at a pressure of no more than 10 psi as measured at the leachfield. This pressure is controlled by gravity drainage and is not required to be monitored.

Hazardous Waste This permit does not allow for the injection of any hazardous waste as defined by 40 CFR 261. Injection of any substance defined as hazardous waste, whether hazardous by listing or by characteristic is a violation of this permit.

In the event that any septic system covered by this permit is converted at any time to any other use, additional capacity may be required for the septic system. Any such conversion shall be reported to the DEQ in the form of a modified permit application showing that all required capacity exists for the newly converted system.

D. ENVIRONMENTAL MONITORING PROGRAM FOR GROUND WATERS OF THE STATE

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
2. Bridger-Teton National Forest shall prepare records of all monitoring information to be retained for a period of at least 3 years after closure of the facility.
3. Records of monitoring information shall include:
 - a. The date, exact place, and time of sampling or measurements;
 - b. The name(s) of individual(s) who performed the sampling or measurements;
 - c. The date(s) analyses were performed;
 - d. Names of individuals who performed the analyses;
 - e. The analytical techniques or methods used; and
 - f. The results of such analyses.
4. The groundwater in the receiving formation shall be sampled and the following parameters analyzed according to the following schedule and reported annually by December 1 of each year.

WELL NAME OR NUMBER	SAMPLING SCHEDULE	ANALYTICAL METHOD	PARAMETER ANALYZED	PERMIT LIMIT (UCL)*
Two Monitor Wells down gradient from the leachfield	Annually in the Fall	EPA Method 350.3	Ammonia as N	.500
		EPA Method 353.2	Nitrate as N	10.0
		any method	Fecal Coliform	1/100 ml
			Water Elevation	no limit

*All chemical concentrations in this permit are expressed in mg/l unless otherwise noted.

The above Upper Control Limit (UCL) is not to be exceeded in any sample. Exceedance of this value is a violation of this permit and shall require corrective action. In the event that any of the

above UCL's are exceeded, the Bridger-Teton National Forest shall immediately sample all domestic use wells on their property for Total Coliform Bacteria.

After the first two years of operation, the Water Quality Division may, without reissuing this permit, waive further monitoring of any parameter from the above list or may require additional monitoring based on new information about the nature of the waste. The Bridger-Teton National Forest shall report the results of all analysis done, regardless of whether those analysis were required by this permit. The Water Quality Division may also, after the first two years of operation, approve a more or less stringent monitoring schedule.

E. REQUIREMENTS FOR MONITORING THE DISCHARGE

Bridger-Teton National Forest shall monitor the quality of the injected fluid on the following schedule. The following parameters shall be analyzed by the listed methods and reported annually:

SAMPLING SCHEDULE	ANALYTICAL METHOD	PARAMETER ANALYZED	PERMIT LIMIT (UCL) *
Annually in the Fall	EPA Method 350.3	Ammonia as N	150.0

*All chemical concentrations in this permit are expressed in mg/l unless otherwise noted. The above Upper Control Limit (UCL) is not to be exceeded in any sample. Exceedance of this value is a violation of this permit and shall require corrective action. In the event that any contaminant is found to exceed the above UCL's the Bridger-Teton National Forest shall undertake a study to determine and eliminate the source of that contaminant from the waste stream. Any parameter found to be exceeding the above UCL shall be sampled for in the down gradient wells if not already sampled for. Bridger-Teton National Forest shall sample the down gradient well within 30 days of the date that it becomes aware of any exceedance of the above UCL's. After the first year of operation, the Water Quality Division may, without reissuing this permit, waive further monitoring of any parameter from the above list or may require additional monitoring based on new information about the nature of the waste. The Water Quality Division may also, after the first year of operation, approve a more or less stringent monitoring schedule.

F. RECORDS AND REPORTS

1. Bridger-Teton National Forest shall retain copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least 3 years from the date of the report or application.
2. Bridger-Teton National Forest shall give notice to the administrator as soon as possible of any planned physical alterations or additions to the permitted facility.
3. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 30 days following each schedule date.
4. Bridger-Teton National Forest shall report any noncompliance which may endanger health or the environment, orally within 24 hours from the time Bridger-Teton National Forest becomes aware of the circumstances. The report should include:
 - a. Any monitoring or other information which indicates that any contaminant may cause an endangerment to a usable groundwater of the state.

- b. Any noncompliance with a permit condition or malfunction of the discharge (injection) system which may cause fluid migration into or between usable ground waters of the state.

A written submission shall be provided within 5 days of the time Bridger-Teton National Forest becomes aware of the circumstances. This written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.

5. Bridger-Teton National Forest shall report all instances of noncompliance not reported otherwise, at the time monitoring reports are submitted; such reports shall contain the information listed in 4. above.
6. When Bridger-Teton National Forest becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the administrator, it shall promptly submit such facts or information.
7. Bridger-Teton National Forest shall retain all records concerning the nature and composition of injected fluids until 5 years after completion of any specified plugging and abandonment procedures. The administrator may require the owner/operator to deliver the records to the administrator at the conclusion of the retention period.
8. A subsurface discharge (injection) well may not commence subsurface discharge (injection) until, following public notice and an opportunity for hearing, a groundwater pollution control permit has been issued by the department for the proposed operation, and:
 - a. Well construction is complete and Bridger-Teton National Forest has submitted notice of completion of construction to the administrator,
 - b. The administrator has inspected or otherwise reviewed the subsurface discharge (injection) well and finds it in compliance with the conditions of the permit; or Bridger-Teton National Forest has not received notice from the administrator of intent to inspect or otherwise review the facility within 13 days of the notice of a. above, in which case prior inspection or review is waived, and
 - c. Bridger-Teton National Forest has submitted, and the Water Quality Division has approved, an Operation and Maintenance Manual for both the septic system and the public water system.
9. The annual report of operations for this facility shall be submitted on forms provided by the department and shall include the following information:
 - a. Any permit exceedances within the previous year.
 - b. The analytical results for sampling for the injected water and any groundwater sampling results required under Section D or E of this permit.
 - c. Annual reports are due in the Cheyenne office of the Water Quality Division no later than December 1 of each year.
10. A comprehensive report for an aborted or curtailed operation authorized by this permit shall be submitted to the administrator within 30 days of complete termination of the injection (discharge) or associated activity, in lieu of an annual report.

G. GENERAL CONDITIONS

1. After notice and opportunity for a hearing, a permit may be modified, suspended or revoked in whole or part during its term for cause which includes, but is not limited to, any of the following:
 - a. Violation of the permit;
 - b. Obtaining a permit by misrepresentation or failure of the discharge well or system.
2. Each permit is reviewed at least once every 5 years, and may be reviewed more frequently.
3. A permit may be modified at any time as may be required, including for conformity with changes in regulations or standards which occur after the permit is issued. A permit may be modified in whole or part in order to apply more, or less, stringent standards; or prohibitions for a toxic or other substance present in Bridger-Teton National Forest's discharge, as may be ordered by the council. This permit can be terminated by authority of the administrator for one or more permit violations.
4. Public notice of the permit review and request for public comment will be made every 10 years by the administrator.
5. Any permit noncompliance constitutes a violation of the permit.
6. The filing of a request by Bridger-Teton National Forest for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
7. The owner/operator of record (permittee) is always responsible for permit compliance. A permit holder cannot transfer his permit without approval of the department director.
8. Nothing in this permit shall be construed to preclude the institution of any legal action or relieve Bridger-Teton National Forest from any responsibilities, liabilities or penalties established pursuant to any applicable state law or regulation.
9. The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.
10. The provisions of this permit are severable, and if any provision of the permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.
11. Pollution or waste which migrates into an aquifer containing a usable groundwater of the state is a violation of the permit.

H. DUTIES OF BRIDGER - TETON NATIONAL FOREST

It is a duty of Bridger-Teton National Forest to:

1. Comply with all permit conditions;
2. Halt or reduce activity -- it shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce Bridger-Teton National Forest activity in order to maintain compliance with the permit conditions;

3. Take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit; and
4. Furnish to the administrator within a reasonable time, any information which the administrator may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit; and furnish to the administrator, upon request, copies of records required to be kept by this permit.

I. SPECIAL MEASURES THE DIRECTOR FINDS NECESSARY:

1. In the event that sewage is found to be surfacing from the leachfield covered by this permit, this is a violation of this permit and shall be reported immediately as required by Section F of this permit. In the event that the leachfield covered by this permit should fail, it is not necessary to modify this permit to allow for the replacement leachfield to be installed, so long as the construction specifications remain the same. Bridger-Teton National Forest shall notify the department that the replacement leachfield is to be installed within 90 days of determining that the primary leachfield has failed.
2. Bridger-Teton National Forest shall notify the Ray Shriver, Teton County Engineering Department, P.O. Box 3594, Jackson, WY 83001, (307) 733-3317 at least five days prior to installing the septic system to arrange for an on-site inspection of the facility.

J. SIGNATORIES REQUIREMENT

1. All reports required by this permit and other requested information shall be signed as follows:
For a corporation -- by a principal executive officer of at least the level of vice-president;
For a partnership or sole proprietorship -- by a general partner or the proprietor, respectively;
For a municipality, state, federal, or other public agency -- by either the principal executive officer or ranking elected official.
By a duly authorized representative for any of the above. A person is a duly authorized representative only if:
 - a. The authorization is made in writing by one of the described principals;
 - b. The authorization specifies either an individual or position having responsibility for the overall operation of the regulated facility or activity; and
 - c. The written authorization is submitted to the administrator.
2. If an authorization is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization must be submitted to the administrator prior to or together with any reports or information, to be signed by an authorized representative.
3. Any person signing a report or other requested information shall make the following certification:
"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

STATEMENT OF BASIS FOR A UIC PERMIT

I. General information.

A. Permit Number: UIC 04-121

B. Facilities Covered: The Cottonwood Work Center Septic System. Covers a new large scale sanitary septic system with a capacity of 3,350 gallons per day, a sewer line to serve that facility, and a new leachfield to reach that capacity.

C. Class of Facility: 5E3 (Under Chapter 16)

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter 8 Yes

D. Chapter 12 No

B. Chapter 9 No

E. Chapter 13 No

C. Chapter 11 Yes

F. Chapter 16 Yes

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

B. Permit based on deviation from applicable regulations in accordance with approved policy statement.

Yes: System uses "Infiltrators" and is designed in accord with policy 13.41.2

IV. Facilities not specifically covered by regulations. NOT Applicable

- V. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3. Note that sediment ponds, public water supplies, sewerage systems, and small wastewater systems are exempt from the requirements of Section 17. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Applicable. This is a modification to an existing system with a new leachfield. A groundwater review has been completed in accordance with Section 17. This modification provides for a flow capacity to 3,350 gallons per day.

VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

VII. Applicant and Public Participation

- A. The applicant has been provided with a draft permit prior to the permit being issued.
- B. A Public Notice has been issued with a public notice period starting April 30, 2004 and ending on June 1, 2004 (30 day notice as required by Chapter 16.) This notice was published in the Jackson Hole News on or before the start of the public comment period.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 5, Chapter 16, Wyoming Water Quality Rules and Regulations. This review was performed by Robert F. Lucht, P.E. and P.G., UIC Program Supervisor, and completed on April 23, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."


RFL/pf/4-0444-ltr



Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.



John Corra, Director

NOTIFICATION OF COVERAGE

October 18, 2004

Ken Hardesty
1318 Gvmt Valley Rd.
Sundance, WY 82729

RE: Ken Hardesty Septic, Permit # 04-122

Dear Ken:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of small wastewater septic in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. Our review of the information and as-constructed plan submitted to this office indicates that the application meets WDEQ/WQD regulations and this **As-Built Notice of Coverage is hereby issued**. Please be advised that the system must be operated in accordance with the statements, representations and procedures presented in the application and all supporting documentation as well as the terms and conditions of the permit. You are urged to be familiar with all aspects of the permit application, permit and permit conditions.

Crook County now requires all systems permitted after September 1 of this year to be inspected by John Williams (283-2870 ext 117). John is employed by the Crook County Natural Resource District and can be contacted at 117 S. 21st Street in Sundance. It is advised that you contact John and discuss any further requirements of Crook County.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
John Williams, Crook County Septic Inspector, 117 S. 21st Street, Sundance, WY 82729





The State
of Wyoming

ARCHIVES



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

Robert M. Miller, President
Miller Land & Livestock
P.O. Box 67
Big Piney, Wyoming 83113

RE: Big Piney - Meadowlark Additions Water and Sewer Main Extensions,
Permit Number: 04-123RR, Section 36, T30N, R111W, Sublette County

Dear Mr. Miller:

The above application for coverage under General Permits to Construct water and sewer main extensions consisting of 855 linear feet (LF) of 6-inch and 1650 LF of 8-inch PVC water main and 3005 LF of 8-inch PVC sewer main in accordance with Chapter 3, Section 7 and Chapter 12, Section 14 and Chapter 11, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, the facilities in accordance with the general permits and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Mark Baron, P.E.
Environmental Senior Analyst
Water Quality Division

cc: IPS, Cheyenne

encl: General Permit For a Public Water Supply Distribution System,
General Permit For a Sewage Collection System



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

June 23, 2004

Joe Moreno
2115 Vista Dr.
Laramie, Wyoming 82070

RE: Wyoming 11th Addition, City of Laramie - Water Main Extension, Application No. **04-124**

Dear Mr. Moreno:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the general permit, and the materials submitted in your application package. All water service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

The approval granted under this Notification Of Coverage and the General Permit shall expire on June 30, 2006. Please reference Application Number **04-124** in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/bb/4-0622.ltr

Enclosures: GENERAL PERMIT - Extensions/Modifications of Existing Public
Water Supply Distribution Systems
Certificate of Completion Form

cc: IPS, Cheyenne
Lloyd H. Baker, Gertsch/Baker & Assoc., 215 S. 3rd St., Suite 110, Laramie, WY 82070

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH (307) 777-7758 FAX 777-3610	ABANDONED MINES (307) 777-6145 FAX 777-6462	AIR QUALITY (307) 777-7391 FAX 777-5616	INDUSTRIAL SITING (307) 777-7369 FAX 777-6937	LAND QUALITY (307) 777-7756 FAX 777-5864	SOLID & HAZ. WASTE (307) 777-7752 FAX 777-5973	WATER QUALITY (307) 777-7781 FAX 777-5973
--	---	---	---	--	--	---





The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

Herschler Building • 122 West 25th Street • Cheyenne, Wyoming 82002

ADMIN/OUTREACH (307)777-7758 FAX 777-3610	ABANDONED MINES (307)777-6145 FAX 777-6462	AIR QUALITY (307)777-7391 FAX 777-5616	INDUSTRIAL SITING (307)777-7369 FAX 777-6937	LAND QUALITY (307)777-7756 FAX 777-5864	SOLID & HAZ. WASTE (307)777-7752 FAX 777-5973	WATER QUALITY (307)777-7781 FAX 777-5973
---	--	--	--	---	---	--

NOTIFICATION OF COVERAGE

April 2, 2004

Mr. Russell Schamel, Town Engineer
Town of Wheatland
600 9th Street
Wheatland, WY 82201

RE: Wheatland Super 8 Motel Water and Sewer Line Extensions, Application No.04-125,Platte County

Dear Mr. Schamel:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and of Existing Sewage Collection Systems described as a 271 ft sanitary sewer extension, fire hydrant installation and fire line , NW 1/4 NW 1/4 Section 12 T24N R68W; Platte County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permit and the materials submitted in your application package. All service connections shall be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. If the 6" diameter sewer service line is less than 18" below the 10" dia. water line at the point of crossing, the sewer line shall be encased as required by regulations. All construction, installation, or modification allowed by this notification of coverage shall be completed by August 11, 2006.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 04-125 in any future correspondence.

If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

LBH/bb/4-0339.ltr

cc: IPS, Cheyenne
Brian Shear, Shear Engineering
4836 So. College Avenue
Fort Collins CO 80525

DEPARTMENT OF ENVIRONMENTAL QUALITY
STATE OF WYOMING
UNDERGROUND INJECTION CONTROL PERMIT
AUTHORIZATION TO DISCHARGE INTO UNDERGROUND RECEIVERS
ISSUED UNDER CHAPTER 16, WATER QUALITY RULES AND REGULATIONS

(X) New
() Modified

Permit Number: 04-126R
UIC Subclass Number: 5E3


In compliance with the Wyoming Environmental Quality Act (W.S. 35-11-101 through 1104, specifically 301(a)(I) through (iv), Laws 1973, Ch. 250, Section 1) and Water Quality Rules and Regulations, Chapter 3 (2000), and Chapter 16 (1998),

Applicant: Half Moon Lake Resort
ATTN: Aaron Gesch, Manager
P.O. Box 983
Pinedale, Wyoming 82941


(307)-543-2477

is authorized to operate the Half Moon Lake Resort Wastewater Facility (UIC facility #04-126R), located on a 22 Acre Parcel in SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 9 and SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 10, Township 34 North, Range 108 West, Sixth Principal Meridian, Sublette County, according to the procedures and conditions of application #04-126R and other conditions of this permit as contained on pages 1 through 9.


This permit shall become effective on date of issuance.




John F. Wagner
Administrator
Water Quality Division
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002
Phone: (307) 777-7781



Date



John V. Corra
Director
Department of Environmental Quality
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002



Date

Keith Raney; Sublette County Sanitarian; P.O. Box 722; Pinedale, WY 82941
USDA, Forest Service; Pinedale Ranger District; P.O. Box 220; Pinedale, WY 82941

TABLE OF CONTENTS

A. DISCHARGE ZONE AND AREA OF REVIEW	3
Discharge Zone:	3
Area of Review:	3
B. GROUNDWATER CLASSIFICATION	4
C. AUTHORIZED OPERATIONS	4
D. ENVIRONMENTAL MONITORING PROGRAM FOR GROUNDWATERS OF THE STATE	4
Samples and measurements	4
records of all monitoring information	4
information shall include	4
groundwater in the receiving formation	5
waive further monitoring	5
E. REQUIREMENTS FOR MONITORING THE DISCHARGE	5
F. RECORDS AND REPORTS	5
retain copies of all reports	6
planned physical alterations or additions	6
submitted no later than 30 days	6
report any noncompliance	6
other information	6
noncompliance with a permit condition or malfunction	6
written submission shall be provided within 5 days	6
noncompliance not reported otherwise	6
failed to submit any relevant facts	6
retain all records concerning the nature and composition	6
public notice and an opportunity for hearing	6
annual report of operations	6
report for an aborted or curtailed operation	7
G. GENERAL PERMIT CONDITIONS	7
permit may be modified, suspended or revoked	7
reviewed at least once every 5 years	7
modified at any time as may be required	7
Public notice of the permit review	7
Any permit noncompliance constitutes a violation	7
filing of a request	7
(permittee) is always responsible for permit compliance	7
legal action	7
does not convey any property rights	7
provisions of this permit are severable	7
waste which migrates into an aquifer	7
permit is for a term of ten years	7
modification which may result in a violation	7
construction requirements	8
notify the administrator	8
construction is complete	8
H. DUTIES OF THE PERMITTEE	8
Comply with all permit conditions	8
Halt or reduce activity	8

Take all reasonable steps	8
Furnish to the administrator	8
Operate and maintain all facilities	8
enter the premises where a regulated facility	8
I. SPECIAL MEASURES THE DIRECTOR FINDS NECESSARY:	8
sewage is found to be surfacing	8
Sublette County Sanitarian	8
construction must commence	8
J. SIGNATORIES REQUIREMENT	9
For a corporation	9
For a partnership or sole proprietorship	9
By a duly authorized representative	9
authorization is no longer accurate	9
certification	9

A. DISCHARGE ZONE AND AREA OF REVIEW

1. Discharge Zone:

This injection facility (sanitary leachfields) is authorized to inject into the Alluvial Aquifer along the north slope of Half Moon Lake, which is found at this location from 6 to 35 feet below the ground surface.

2. Area of Review:

The facility authorized by this permit is located in:
Township 34 North, Range 108 West, 6th P.M.

- Section 9: NE¹/₄ NE¹/₄ SE¹/₄
SE¹/₄ SE¹/₄ NE¹/₄
- Section 10: N¹/₂ NW¹/₄ SW¹/₄
SW¹/₄ NW¹/₄

The Area of Review around this facility is legally described as:
Township 34 North, Range 108 West, 6th P.M.

- Section 9: E¹/₂ SE¹/₄ NW¹/₄ NE¹/₄
- Section 9: S¹/₂ SE¹/₄ NE¹/₄ NW¹/₄ NE¹/₄
- Section 9: S¹/₂ NE¹/₄ NE¹/₄
- Section 9: S¹/₂ S¹/₂ N¹/₂ NE¹/₄ NE¹/₄
- Section 9: SE¹/₄ NE¹/₄
- Section 9: E¹/₄ SW¹/₄ NE¹/₄
- Section 9: E¹/₄ NW¹/₄ SE¹/₄
- Section 9: NE¹/₄ SE¹/₄
- Section 9: N³/₄ N¹/₂ SE¹/₄ SE¹/₄
- Section 9: N³/₄ E¹/₂ NE¹/₄ SW¹/₄ SE¹/₄
- Section 10: S¹/₂ NW¹/₄ NW¹/₄
- Section 10: S¹/₂ S¹/₂ N¹/₂ NW¹/₄ NW¹/₄
- Section 10: SW¹/₄ NW¹/₄
- Section 10: W³/₄ SE¹/₄ NW¹/₄
- Section 10: W³/₄ S¹/₂ NE¹/₄ NW¹/₄
- Section 10: S¹/₂ S¹/₂ NW¹/₄ NE¹/₄ NW¹/₄

Section 10: S $\frac{1}{2}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$
Section 10: NW $\frac{1}{4}$ SW $\frac{1}{4}$
Section 10: W $\frac{3}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$
Section 10: N $\frac{3}{4}$ N $\frac{1}{2}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$
Section 10: N $\frac{3}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$
Section 10: N $\frac{3}{4}$ W $\frac{1}{2}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$

B. GROUNDWATER CLASSIFICATION

1. The groundwater in the Alluvial Aquifer along the north slope of Half Moon Lake is classified as class I (Domestic) under Chapter 8 of Wyoming Water Quality Rules and Regulations (March 11, 1993). This classification was made because:
 - a. The groundwater in this formation meets all of the quality standards set forth in Chapter 8 for class I water; and
 - b. The groundwater in this formation is currently being used for domestic purposes at several points of withdrawal.
2. Groundwater of class I shall not be degraded so as to make it unusable as a source of water for this purpose. Any parameters which do not meet the class of use standard shall not be degraded whatsoever.

C. AUTHORIZED OPERATIONS

1. The Half Moon Lake Resort is authorized to inject 151 barrels per day (6,340 gallons per day) of wastewater as described: Domestic and commercial septic system effluent from a lodge/restaurant, cabins, a shop/bunkhouse and a laundry/bathhouse, utilizing a total of nine (9) leachfields. A grease removal system will be installed in the sewage line from the restaurant. Waste from all of the buildings that is to be disposed of is to be treated in septic tanks before being injected via leachfields. A pump station will lift the septic tank effluent from the lodge/restaurant to a leachfield. The operator is authorized to inject at a pressure of no more than atmospheric pressure as measured at the leachfields. This pressure is controlled by gravity drainage and is not required to be monitored.
3. **Hazardous Waste** This permit does not allow for the injection of any hazardous waste as defined by 40 CFR 261. Injection of any substance defined as hazardous waste, whether hazardous by listing or by characteristic is a violation of this permit.

D. ENVIRONMENTAL MONITORING PROGRAM FOR GROUNDWATERS OF THE STATE

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
2. The Half Moon Lake Resort shall prepare records of all monitoring information to be retained for a period of at least 3 years after closure of the facility.
3. Records of monitoring information shall include:
 - a. The date, exact place, and time of sampling or measurements;
 - b. The name(s) of individual(s) who performed the sampling or measurements;
 - c. The date(s) analyses were performed;
 - d. Names of individuals who performed the analyses;
 - e. The analytical techniques or methods used; and
 - f. The results of such analyses.

4. The groundwater in the receiving formation shall be sampled and the following parameters analyzed on the following schedule and from the following wells:

WELL NAME OR NUMBER	SAMPLING SCHEDULE	ANALYTICAL METHOD	PERMIT LIMIT (UCL)*	PARAMETER ANALYZED
Monitoring wells #1, #2, #3 and #4 shown on Figure 9 of the plans.	Twice a year in the spring and fall	EPA Method 350.3	.500	Ammonia as N
		EPA Method 353.2	10.0	Nitrate as N
		EPA Method 604	.001	Phenol

*All chemical concentrations in this permit are expressed in mg/l unless otherwise noted.

5. After the first two years of operation, the Water Quality Division may, without reissuing this permit, waive further monitoring of any parameter from the above list or may require additional monitoring based on new information about the nature of the waste. The Water Quality Division may also, after the first two years of operation, approve a more or less stringent monitoring schedule.

E. REQUIREMENTS FOR MONITORING THE DISCHARGE

The Half Moon Lake Resort shall monitor the quality of the effluent in the pumping chamber for the lodge/restaurant on the following schedule. The following parameters shall be analyzed by the listed methods and reported annually:

SAMPLING SCHEDULE	ANALYTICAL METHOD	PARAMETER ANALYZED	PERMIT LIMIT (UCL) *
Twice a year in the spring and fall	EPA Method 420.1	Total Phenols	0.25
	EPA Method 353.2	Nitrate as N	15
	EPA Method 350.3	Ammonia as N	150

*All chemical concentrations in this permit are expressed in mg/l unless otherwise noted. The above Upper Control Limit (UCL) is not to be exceeded in any sample. Exceedance of this value is a violation of this permit and shall require corrective action. In the event that any contaminant is found to exceed the above UCL's, Half Moon Lake Resort shall undertake a study to determine and eliminate the source of that contaminant from the waste stream. Any parameter found to be exceeding the above UCL shall be sampled for in the down gradient wells if not already sampled for. After the first two years of operation, the Water Quality Division may, without reissuing this permit, waive further monitoring of any parameter from the above list or may require additional monitoring based on new information about the nature of the waste. The Water Quality Division may also, after the first two years of operation, approve a more or less stringent monitoring schedule.

F. RECORDS AND REPORTS

1. Half Moon Lake Resort shall retain copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least 3 years from the date of the report or application.

2. The Half Moon Lake Resort shall give notice to the administrator as soon as possible of any planned physical alterations or additions, other than authorized operation and maintenance, to the permitted facility and receive authorization prior to implementing the proposed alteration or addition.
3. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 30 days following each schedule date.
4. Half Moon Lake Resort shall report any noncompliance which may endanger health or the environment, orally within 24 hours from the time the operator becomes aware of the circumstances. The report should include:
 - a. Any monitoring or other information which indicates that any contaminant may cause an endangerment to a usable groundwater of the state.
 - b. Any noncompliance with a permit condition or malfunction of the discharge (injection) system which may cause fluid migration into or between usable groundwaters of the state.
 - c. A written submission shall be provided within 5 days of the time the operator becomes aware of the circumstances. This written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.
5. Half Moon Lake Resort shall report all instances of noncompliance not reported otherwise, at the time monitoring reports are submitted; such reports shall contain the information listed in 4. above.
6. When the Half Moon Lake Resort becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the administrator, it shall promptly submit such facts or information.
7. Half Moon Lake Resort shall retain all records concerning the nature and composition of injected fluids until 5 years after completion of any specified plugging and abandonment procedures. The administrator may require the owner/operator to deliver the records to the administrator at the conclusion of the retention period.
8. A subsurface discharge (injection) facility may not commence subsurface discharge (injection) until, following public notice and an opportunity for hearing, an underground injection control permit has been issued by the department for the proposed operation.
9. The annual report of operations for this facility shall be submitted on forms provided by the department and shall include the following information:
 - a. Any permit exceedances within the previous year.
 - b. The analytical results for sampling for the injected water and any groundwater sampling results required under Section D or E of this permit.
 - c. Annual reports are due in the Lander office of the Water Quality Division no later than December 1 of each year.
10. A comprehensive report for an aborted or curtailed operation authorized by this permit shall be submitted to the administrator within 30 days of complete termination of the injection (discharge) or associated activity, in lieu of an annual report.

G. GENERAL PERMIT CONDITIONS

1. After notice and opportunity for a hearing, a permit may be modified, suspended, or revoked in whole or part during its term for cause which includes, but is not limited to, any of the following:
 - a. Violation of the permit;
 - b. Obtaining a permit by misrepresentation or failure of the discharge well or system.
2. Each permit is reviewed at least once every 5 years, and may be reviewed more frequently.
3. A permit may be modified at any time as may be required, including for conformity with changes in regulations or standards which occur after the permit is issued. A permit may be modified in whole or part in order to apply more, or less, stringent standards; or prohibitions for a toxic or other substance present in the Half Moon Lake Resort discharge, as may be ordered by the council. This permit can be terminated by authority of the administrator for one or more permit violations.
4. Public notice of the permit review and request for public comment will be made every 10 years by the administrator.
5. Any permit noncompliance constitutes a violation of the permit and is grounds for enforcement action, permit termination, revocation, or modification.
6. The filing of a request by Half Moon Lake Resort for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
7. The owner/operator of record (permittee) is always responsible for permit compliance. A permit holder cannot transfer his permit without approval of the department director, and no such transfer will be approved if the facility is not in compliance with the existing permit unless the proposed permittee agrees to bring the facility into compliance.
8. Nothing in this permit shall be construed to preclude the institution of any legal action or relieve Half Moon Lake Resort from any responsibilities, liabilities, or penalties established pursuant to any applicable state law or regulation.
9. The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.
10. The provisions of this permit are severable, and if any provision of the permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.
11. Pollution or waste which migrates into an aquifer containing a usable groundwater of the state is a violation of the permit.
12. This permit is for a term of ten years. If Half Moon Lake Resort wishes to continue injection after the expiration date of this permit, they will be required to apply to the Administrator for, and obtain, a new permit.
13. Any modification which may result in a violation of a permit condition shall be reported to the administrator, and any modification that will result in a violation of a permit condition shall be reported to the administrator through the submission of a new or amended permit application.

14. The injection facility covered by this permit shall meet the construction requirements found in Section 10 of Chapter 16, and Part D of Chapter 11, Water Quality Rules and Regulations. The permittee shall submit notice of completion or construction to the administrator and allow for inspection of the facility upon completion of construction prior to commencing any injection activity.
15. The permittee shall notify the administrator seven (7) days prior to conversion of this facility to any other use, or final abandonment of the facility.
16. Injection shall not commence until all construction is complete.

H. DUTIES OF THE PERMITTEE

It is a duty of the permittee to:

1. Comply with all permit conditions;
2. Halt or reduce activity -- it shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce activity at Half Moon Lake Lodge in order to maintain compliance with the permit conditions;
3. Take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit; and
4. Furnish to the administrator within a reasonable time, any information which the administrator may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit; and furnish to the administrator, upon request, copies of records required to be kept by this permit.
5. Operate and maintain all facilities and systems of treatment and control which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance includes effective performance, adequate funding and operator staffing and training, and adequate laboratory and process controls including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of the permit.
6. Allow the administrator, or an authorized representative of the administrator, upon the presentation of credentials, during normal working hours, to enter the premises where a regulated facility is located, or where records are kept under conditions of this permit, and inspect the discharge and related facilities, review and copy reports and records required by the permit, collect fluid samples for analysis, measure and record water levels, and perform any other function authorized by law or regulation.

I. SPECIAL MEASURES THE DIRECTOR FINDS NECESSARY:

1. In the event that sewage is found to be surfacing from any of the leachfields covered by this permit, this is a violation of this permit and shall be reported immediately as required by Section F of this permit. Half Moon Lake Resort shall submit a modified application showing plans for a replacement leachfield (or other type of waste disposal method) within 30 days of determining that the original leachfield has failed.
2. Half Moon Lake Lodge must notify Keith Raney, Sublette County Sanitarian, P.O. Box 722, Pinedale, WY 82941 (307)367-2754 at least three days prior to installation to arrange for an inspection of a replacement leachfield system.
3. Construction of the replacement system must commence within 30 days of receipt of the permit by Half Moon Lake Lodge, unless the county sanitarian delays construction due to winter conditions.

J. SIGNATORIES REQUIREMENT

1. All reports required by this permit and other requested information shall be signed as follows:
 - a. For a corporation -- by a principal executive officer of at least the level of vice-president;
 - b. For a partnership or sole proprietorship -- by a general partner or the proprietor, respectively;
 - c. By a duly authorized representative for any of the above. A person is a duly authorized representative only if:
 1. The authorization is made in writing by one of the described principals;
 2. The authorization specifies either an individual or position having responsibility for the overall operation of the regulated facility or activity; and
 3. The written authorization is submitted to the administrator.
2. If an authorization is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization must be submitted to the administrator prior to or together with any reports or information, to be signed by an authorized representative.
3. Any person signing a report or other requested information shall make the following certification:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

DHC/dc
bb/4-0899.ltr

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 04-134R
SPECIAL CONDITIONS
REF/PERMIT #

Colter Bay Wastewater Treatment Lagoon Improvements

This permit hereby authorizes the applicant:

Thayne O'Brien, Contracting Officer
Grant Teton National Park
P. O. Box 170
Moose, WY 83012

to construct and install new liners and aerators; and distribution piping and manholes, septage receiving station fencing, remove sludge according to the procedures and conditions of the application number 04-134R. The facility is located in NE1/4 Section2, T45N, R115W in the county of Teton, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by November 15, 2009.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

The permittee shall notify representatives from the DEQ, Water Quality Division the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: , State of Wyoming, DEQ, Water Quality Division, 250 Lincoln, Lander, Wyoming 82520; (307) 332-3144; FAX (307) 332-7726.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 Provide the 2005 groundwater sampling results with a map of an appropriate scale to show all monitor well locations in relation to the entire wastewater lagoon system. Each years groundwater data submittal must be accompanied by a groundwater gradient map generated from the elevations determined on the sampling date. A hydrogeologist report that describes the findings must accompany the data.
- 2 of 4 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality/Water Quality Division, Northwest District, 250 Lincoln Street, Lander, WY 82520, 307-332-3144, FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
- a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer, if appropriate, is required. All modifications or deviations from the authorized plans must be highlighted.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

11/19/04
Date of Issuance

JCH/jd/4-1167ltr.doc

STATEMENT OF BASIS

Permit Number: 04-134R

2. Application reviewed for compliance with the following regulations:

Chapter 11 of the Wyoming Water Quality Rules and Regulations.

3. Does the permit comply with all applicable regulations identified above?

Yes

4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3.

Required

5. If Section 17 of Chapter 3 review is required, indicate the basis for determining groundwater will be protected.

- a. The facility will not allow a discharge to groundwater. The primary treatment lagoons are lined to prevent a discharge to groundwater.

- b. Quality of wastewater is such that it will not cause a violation of groundwater standards.

N/A

- c. Existing soils or geology will not allow a discharge to groundwater.

N/A

- d. The facility is designed and will be operated so that it will not violate groundwater standards. After treatment the wastewater is disposed to the groundwater by percolation ponds.

- e. Discharge will result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

N/A

- f. If any groundwater quality standards are to be exceeded, briefly describe how any users of the affected aquifer will be protected. The description should include the water quality standard affected, the anticipated maximum concentrations, the property boundaries, places of groundwater withdrawal and other relevant information.

Groundwater is Class I. There are no groundwater points of use down gradient and the Park has complete control so no users will be affected should violations occur.

- g. Briefly describe monitoring plan. The groundwater monitoring plan includes the monitoring wells or other sampling points, the parameters to be analyzed, the sampling frequency and reporting methods.

Five monitor wells are sampled annually per the long established monitoring and testing plan.

- h. The permit should clearly state the parameters to be utilized for determining compliance and what occurrences constitute a violation. The permit should identify the corrective actions to be taken the event of a violation of a groundwater standard.

Monitoring per existing plan.

6. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, jherma@state.wy.us, Northwest District Engineering Supervisor and completed on November 15, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JCH/jd/4-1167ltr.doc

51936.DOC



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

April 20, 2004

MaeCile Brown
Horse Works Wyoming
3520 Grass Creek Road
Thermopolis, WY 82443

RE: Horse Works Wyoming, Permit Number #04-127R
Hot Springs County

Dear Mrs. Brown:

The above application for coverage under General Permit to Construct, a grease trap, septic tank and leach field in accordance with Chapter 3, Section 7 and Chapter 11, Part D of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O, of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Jeff Hermansky
Northwest District Supervising Engineer
Water Quality Division

cc: IPS, Cheyenne

Hot Springs County Assessor

encl: General Permit to Construct



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

April 7, 2004

Don Nordwick, Owner
408 Park Street
Thermopolis, Wyoming 82443

RE: Hot Springs County - Small Waste Treatment Facility - Permit Number: 04-128,
SE1/4 Section 17, T43N, R94W, Hot Springs County

Dear Mr. Nordwick:

The above application for coverage under General Permit to Construct a small wastewater treatment facility consisting of a septic tank and leach field to serve a four-bedroom home in accordance with Chapter 3, Section 7 and Chapter 11, Part D of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. The following conditions apply to this permit:

- 1) Either an absorption field of 33 chamber units at 40 ft² per unit or 326 feet of rock and perforated pipe with a trench width of 2 feet and a rock depth 1 foot below the pipe is required.
- 2) The maximum depth of the trench bottom allowed for either the chamber system or perforated pipe system is 3 ½ feet from the natural ground surface.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Mark Baron, P.E.
Environmental Senior Analyst
Water Quality Division

cc: IPS, Cheyenne
encl: General Permit For a Small Wastewater Treatment Facility



The State
of Wyoming

Department of Environmental Quality



Dave Freudenthal, Governor

3030 Energy Lane • Suite 200 • Casper, Wyoming 82604

SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

ABANDONED MINES
(307) 473-3460
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

April 7, 2004

Kim Van der Heiden
PO Box 264
Sundance, WY 82729

RE: Van der Heiden Riding Arena Small Wastewater Facility, Permit # 04-129

Dear Ms. Van der Heiden:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by March 1, 2005.

If you have any questions please contact me at 1043 Coffeen Avenue, Suite D, Sheridan, WY, 82801, (307) 672-6457. Thank you.

Sincerely,

Dennis Lamb
WDEQ/WQ NE District Supervisor

cc: IPS, Cheyenne
CC Gerald McInerney/PO Box 124/Sundance/ 82729

PERMIT TO CONSTRUCT

 New
 Renewal
 Modified

PERMIT NO. 04-130
SPECIAL CONDITIONS

KM Lysite Natural Gas Unit

This permit hereby authorizes the applicant:

Kinder Morgan, Inc.
370 Van Gordan Street
Lakewood, CO 80228-8304

to construct, install, or modify soil borings and a soil vapor extraction (SVE) pilot test according to the procedures and conditions of the application number 04-130. The facility is located in NE/SE, Section 12, T38N, R91W in the county of Fremont, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by April 3, 2009.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

The permittee shall notify representatives from the DEQ, Water Quality Division when the construction commences and give an estimate of completion for the project. The authorized representative in your area can be contacted at the following address: WDEQ, Water Quality Division, 250 Lincoln Street, Lander, Wyoming 82520; telephone (307) 332-3144; FAX (307) 332-3183.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1. of 6 After the monitoring well(s)/piezometer(s)/boring(s) have fulfilled their useful purpose, they shall be abandoned according to procedures specified in Chapter XI, Part G, Section 70 of Wyoming Water Quality Rules and Regulations. In addition, borings in public use areas, particularly paved streets and alleys, shall be abandoned in accordance with City and/or Highway Department requirements. No monitoring well/piezometer shall be abandoned without prior approval from the Water Quality Division.
2. of 6 WDEQ/WQD personnel shall be given at least two (2) weeks notice prior to the installation of groundwater monitoring wells/piezometers and sample collection so that they may be on site if deemed necessary.
3. of 6 The applicant is responsible for obtaining any Permits required by the State Engineer's Office (777-7354).
4. of 6 The results of any other analyses conducted on soil removed from these wells/piezometers or boreholes shall be provided to the department as soon as they are available. The soil will be analyzed for total petroleum hydrocarbons - gasoline and diesel range organics (TPH-GRO and TPH-DRO) using EPA method 8015 and for benzene, toluene, ethylbenzene, and xylene (BTEX) using EPA methods 8020 or 8260 or equivalent method.
5. of 6 Within ninety (90) days of completion of the installation, sampling and receipt of the analytical data from the soil borings, and test data from the SVE evaluation authorized by this permit, the Applicant shall submit to WDEQ/WQD a Remedial Action Plan (RAP). The RAP shall contain the information discussed in the Work Plan and follow the GPC Guideline for Subsurface Investigation reporting (GPC Guideline #3).
6. of 6 The issuance of this permit does not relieve the permittee from obligations to complete the extent of contamination study and any further remedial work which may be required. Depending on the results of the subsurface investigation, additional site investigations or remedial actions may be required by the WQD. An adequate number of well(s)/piezometer(s)/boring(s) shall be installed to define the nature and extent of the contamination.

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

4-15-04
Date of Issuance

MFT/bb/4-0364.ltr
cc: IPS/Lander

GROUNDWATER POLLUTION CONTROL PROGRAM
REVIEW COMMENTS:
PLANS/SPECIFICATIONS/PROPOSALS/REPORTS

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION

250 Lincoln Street
Lander, Wyoming 82520
(307)332-3144

PROJECT: SITE CHARACTERIZATION

APPLICANT: Hayden Truscott
Kinder Morgan, Inc.
370 Van Gordan St.
Lakewood, CO 80228

**ENGINEER/
CONSULTANT:** Paul Taucher
Cordilleran Compliance Services, Inc.
2302 Nighthawk Drive
Laramie, WY 82072

WATER QUALITY DIVISION REFERENCE (PERMIT) NUMBER: #04-130

EXISTING NEW AS BUILT

TITLE: Work Plan for Source Area Investigation and SVE testing, Kinder Morgan, Inc., Lysite Natural Gas Unit, Lysite, Wyoming

PLANS SPECS PROPOSAL REPORT
[Check all that APPLY]

DATE ON PROPOSAL/PLANS/REPORT: February 25, 2004 (Permit application dated 4/2/04, date stamped 4/5/04)

IS THIS PROPOSAL SUBMITTED PURSUANT TO:

'CONDITIONS' TO ANY WQD PERMIT? NO YES (#94-465)
AN LOV, NOV OR OTHER ENFORCEMENT? NO YES [DATE]

REVIEWING OFFICIAL:

Mark Thiesse, PG

DATE OF THIS REVIEW: April 7, 2004

ACTION: Permit to Construct #04-130 authorized

COMMENTS: GROUNDWATER SECTION

1.0 SUMMARY OF EXISTING CONTAMINATION:

1.1 Site Description. The Lysite Gas Unit is located in NE,SE Section 12, Township 38N, Range 91W, Fremont County, Wyoming. The facility was originally owned by KN Energy and was later purchased by Kinder Morgan, who is the current responsible party. The site is located about a half mile from the town of Lysite in eastern Fremont County. The facility contained an unregistered blow down pit used for the disposal of fluids from a natural gas gathering system field dehydrator and separator. The nearest water well is located approximately 2,000 feet up gradient of the site.

1.2 Site History. The gathering system facilities were closed in 1994 and the pit was decommissioned and reclaimed shortly after that. KN reported the release of contamination to the WDEQ and the WDEQ issued a permit (#94-465) for the installation of the monitoring wells discussed below. The Wyoming Oil and Gas Conservation Commission (WOGCC) was responsible for the oversight of the facility initially because it was a fee lease and the level of groundwater contamination was not understood. Because of the ongoing presence of significant groundwater contamination, the GPC Program took over responsibility for the site in April 2002. The WOGCC approved work plan required KN to excavate 125 yards of soil from the pit in October 1994 and treat it on site. A single groundwater monitoring well (MW-1) was installed adjacent to the pit, and sampled, with groundwater results indicating significant (benzene = 34.3 mg/l) hydrocarbon contamination. This field work indicated the need to do additional investigations as described below.

1.3 Summary of Soil and Groundwater Contamination. As mentioned above, the preliminary investigation identified both soil and groundwater contamination above standards. Since the WOGCC was overseeing the site in the beginning, they identified soil cleanup standards of 1.0 to 1.5 mg/kg for benzene and 1,250 mg/kg for TPH. The 1994 initial investigation collected two soil samples from the pit and a water sample from the groundwater well. The soil samples had benzene detections of 4.1 and 40.1 mg/kg, and TPH detections of 902 mg/kg and 4,680 mg/kg. The groundwater result had a benzene detection of 34.3 mg/l. These results required an additional investigation as described below.

1.4 Hydrogeology. Groundwater was observed in MW-1 at 24 feet. The nearest other well, is a domestic use well for the nearby gas plant. It is 340 feet deep and has a static water level of 60 feet deep, indicating completion in a different aquifer. The well is located over 2,000 feet away, up gradient from the site. The TDS concentration from the monitoring well was 5,513 mg/l. The nearest surface water is Alkali creek about 2,700 feet southwest of the site. Surface runoff is southwest and south.

2.0 SUMMARY OF WORK COMPLETED TO DATE:

2.1 September 1995 Investigation Report. This report provides the results of the followup investigation performed at the site in August 1995. Four groundwater monitoring wells were installed, with soil and groundwater samples collected from each well. Soil samples were also taken from the excavated soil that was being treated on site. The samples were analyzed for BTEX and TPH. Groundwater levels were measured and a flow direction of almost due west was identified.

The soil samples from the wells had results ranging from non-detect to 309 mg/kg TPH and non-detect to 3.13 mg/kg benzene. The soil sample from the stockpiled soil was 526 mg/kg TPH and non-detect for BTEX. These results are all below the WOGCC soil standards identified for this facility. The groundwater samples from the four wells (MW-2, 3, 4 and 5) had benzene detections well above WQD Standards except for well MW-2 which was non-detect for all constituents. The highest benzene reading was 18.6 mg/l in well MW-3, which is well above the WQD Standard of 0.005 mg/l for benzene.

The report pointed out that there were no receptors in the down gradient groundwater flow direction. The excavated soil was treated to levels below WOGCC standards, therefore, no additional work was necessary for that soil. The report proposed the use of monitoring to track the natural attenuation of the groundwater contamination. A quarterly groundwater sampling schedule was implemented and the results provided to the WOGCC through January of 1999. The results showed a slight decrease in contaminant concentrations throughout the period.

2.2 September 1996 Report. This report provides the results of an additional investigation that was performed in June 1996. The main purpose of this work was to install two additional wells farther down gradient (west) to try and determine the extent of contamination in that direction. As in the previous investigations, soil samples were collected from the new wells as they were being drilled, and groundwater samples were collected from all of the wells following completion of the new wells. The soil samples were analyzed for TPH and the groundwater samples were analyzed for BTEX. Well MW-6 had a soil TPH reading of 84 mg/kg and well MW-7, the farthest down gradient well, had a TPH detection of 421 mg/kg. The groundwater samples had BTEX detections in all wells except for well MW-5 which was non-detect for all compounds. Wells MW-2 and MW-4 had detections of some of those compounds, but none were over WQD Standards. The highest readings were in well MW-1 with a benzene reading of 25.0 mg/l. The new down gradient wells had detections of BTEX, with benzene detections of 1.49 mg/l in well MW-6 and 0.0963 mg/l in well MW-7, both of which are over the WQD Standards of 0.005 mg/l. Continued quarterly sampling was recommended and, following approval by the WOGCC, was implemented. The last quarterly report was dated March 1999. All groundwater results remained more or less constant.

2.3 April 2, 2001 Report. In early 1999, Kinder Morgan asked the WOGCC permission to skip some sampling events in order to work up a plan for evaluating the natural attenuation that was thought to be occurring at the facility. They also requested a switch to annual sampling at the facility. Both of these requests were granted. The April 2001 report presented the results of September 1999 and October 2000 groundwater sampling and an evaluation of natural attenuation at the site. The groundwater results remained mostly the same, wells MW-6 and MW-7 continued to contain benzene concentrations above standards. A discussion of LNAPL that was found in well MW-1 from January 1997 to October 1998 was presented. A passive collector system was installed in well MW-1 and was operated from July to October 1998. Only a few gallons of LNAPL was recovered.

The natural attenuation (NA) evaluation demonstrated that NA was occurring at the facility and the data showed that the dissolved phase plume had reached equilibrium and was not migrating any further to the west. Biodegradation was occurring as supported by a tracer analysis. The report

proposed to continue to monitor the wells on an annual basis for hydrocarbons and NA parameters. The WOGCC asked (April 11, 2001 letter) that an additional well be installed down gradient of well MW-7 to ensure contamination was not migrating further down gradient. This is the last report in the file.

2.4 2001 Annual Report. This report provides a summary of the groundwater monitoring that was performed in October, 2001, and includes the details of the construction of four new soil borings, two of which were completed as monitoring wells. Four original wells (MW-1, 3, 6, and 7), along with the new wells (MW-8 and 9) were sampled and analyzed for BTEX, and natural attenuation parameters. The two new wells were installed down gradient (west) of the existing wells to provide better down gradient coverage. Groundwater elevations were much lower (1.5 to 2.4 feet) in October 2001, than they were in October 2000. The BTEX analysis resulted in readings that are very similar to those taken in prior years. Wells closest to the source area still contain hydrocarbon levels well above the WQD Standards. Well MW-1 continues to have a thin sheen of LNAPL. The two new wells contained no hydrocarbons.

The NA evaluation demonstrated that there are sufficient electron donors and acceptors, and the proper nutrients are present, to support biodegradation and other NA processes.

2.5 2002-2003 Report. This report provides the results of the groundwater sampling events that were performed in December 2002 and May 2003, and includes recommendations for continued groundwater monitoring, soil investigations, and evaluation of the data to estimate the time for NA to degrade the existing plume. The report also provided historic information on residual soil contamination levels that were left behind following the excavation in 1994.

The 1994 soil analysis of the bottom center of the pit, at a depth of 21 feet, had a TPH reading of 902 mg/kg. The benzene level (4.1 mg/kg) was above the Voluntary Remediation Program soil screening level of 0.002 mg/kg, the other TEX readings were all well below soil standards. A sample from the southwest sidewall at a depth of 19 feet had a TPH reading of 4680 mg/kg with BTEX readings of 40.1/186/39.3 and 231 mg/kg respectively. This benzene level is also above WDEQ standards. Of the 6 wells at the site, only 3 were sampled for dissolved phase readings in December 2002. Well MW-1 had a thin layer of LNAPL present so was not sampled. Wells MW-6 and MW-7 were not sampled due to low water in the wells. Wells MW-3, 8, and 9 were sampled with MW-3 having the only readings over WQD standards. The presence of LNAPL at well MW-1 indicates the presence of a residual source of hydrocarbon contamination.

The report recommends an additional soil investigation to determine how much residual contamination is present, to evaluate the data to see if additional excavation may be necessary, and to continue sampling the wells as is currently being performed.

2.6 February 2004 Work Plan. This plan provides the details for the investigation work proposed in the above report. The work is intended to help identify any residual soil contamination that might be acting as an on-going source of groundwater contamination, and to perform a SVE pilot test for evaluation of soil remediation potential. Based on the results of this investigation and testing, a remedial action plan (RAP) will be submitted proposing a final remedy for this site.

Approximately fifteen boreholes will be constructed with lithologic analysis and soil sampling for laboratory analysis. Four borings will be completed as SVE test wells. The borings will not reach groundwater. The SVE wells will have a vacuum applied to each well, and air flow will be measured and air samples will be collected for hydrocarbon analysis. As one well is being tested, all other SVE wells and existing monitoring wells will be monitored to measure any induced vacuum. All wells will be properly abandoned when the work is completed. KM will contact the WDEQ, Air Quality Division to determine if any AQD permits are required. The work is scheduled for late May, 2004. A report on the investigation and SVE tests will be provided to the WQD in a RAP as soon as possible following completion of the field work.

3.0 REQUESTS/REQUIREMENTS/RECOMMENDATIONS:

3.1 The work plan is approved as submitted. Please be aware that a full scale SVE design will have to be permitted and approved by this office prior to its installation. We look forward to reviewing this report and RAP.

END OF REVIEW

PERMIT TO CONSTRUCT

New
 Renewal
 Modified

PERMIT NO. 04-131
SPECIAL CONDITIONS: (7)
REF/PERMIT NO. 95-545

Kaneb Pipeline Company - Cheyenne Terminal

This permit hereby authorizes the applicant:

Mr. Leroy Anderson
Kaneb Pipeline
7340 West 21st Street, Suite 200
Wichita, Kansas 67205

to construct, install, or modify monitoring wells and remediation systems according to the procedures and conditions of the application number 04-131. The facility is located in SE 1/4 Section 12, T13N, R67W in the county of Laramie, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by 1 April 2009.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division (WQD), to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

The permittee shall notify representatives from the DEQ, WQD the day construction commences and give an estimate of completion of the project. The authorized representative in your area can be contacted at the following address: Groundwater Pollution Control Office, State of Wyoming, DEQ, WQD, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002; telephone (307) 777-7781; FAX (307) 777-5973.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 12 The applicant will provide immediate oral or written notice to the DEQ/WQD Groundwater Pollution Control Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 12 No monitoring wells/air sparging points/SVE wells shall be abandoned without prior approval from the Water Quality Division. After the monitoring wells/air sparging points/SVE wells have fulfilled their purpose, they shall be abandoned according to procedures specified in Chapter XI, Part G, Section 70 of Wyoming Water Quality Rules and Regulations. In addition, borings in public use areas, particularly paved streets and alleys, shall be abandoned in accordance with City and/or Highway Department requirements.
- 3 of 12 Final "As-Built" construction drawings shall be submitted for the system expansion.
- 4 of 12 The system performance monitoring plan (i.e., sampling and monitoring frequencies, parameter lists, operating flow rates and vacuums, etc.) provided on p.20-21 of the "Subsurface Investigation/Corrective Action Plan" (Delta Environmental Consultants, Inc., July 19, 1996) shall be adhered to unless modified in writing by WQD.
- 5 of 12 The proposed groundwater monitoring plan provided on Page 4 of the "Semi Annual Ground Water Monitoring Report - Third and Fourth Quarters 2003" (Fremont Environmental Inc., January 22, 2004) shall be adhered to unless modified in writing by WQD.
- 6 of 12 DEQ/WQD personnel shall be given at least twenty-four hours notice prior to the installation of monitoring wells/air sparging points/SVE wells and sample collection so that they may be on site if deemed necessary.
- 7 of 12 The applicant is responsible for obtaining any Permits required by the State Engineer's Office (777-7354).
- 8 of 12 The results of any other analyses conducted on soil or water removed from these wells/piezometers or boreholes shall be provided to the department as soon as they are available.
- 9 of 12 Environmental Monitoring Program for Groundwater of the State:
 - a. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity and performed in accordance with DEQ or EPA approved Standard Procedures or Quality Assurance/Quality Control (QA/QC) Plan.
 - b. The permittee shall maintain records of all monitoring information for a period of at least 3 years.
 - c. Records of monitoring information shall include:
 - i. The date, exact place, and time of sampling or measurements;
 - ii. The name(s) of individual(s) who performed the sampling or measurements;

- iii. The Mean Sea Level elevation of the water table to the closest .01 ft., and the depth to water (to the closest .01 ft.) from a marked measuring point at the top of casing;
- iv. Sampling procedures and sample preservation accomplished;
- v. The date(s) analyses were performed;
- vi. Names of individuals who performed the analyses;
- vii. The analytical techniques or methods used;
- viii. The results of such analyses, and;
- ix. Monitor wells shall be sampled and the groundwater analyzed as indicated on the following table:

WELL NAME OR NUMBER	SAMPLING FREQUENCY	ANALYTICAL METHOD(S)	PARAMETER(S) ANALYZED	PERMIT LIMIT*
MW 7, 15, 16, 19-22, 24, 26, 27, 29, 30-34, 36, 41, 42, 47, 48, 50-53, 11WY, 12WY, and 13 WY	Quarterly	8260, modified 8015B	Benzene Toluene Ethylbenzene Xylene TPH-GRO	.005 1.0 0.7 10 7.3
MW 6, 9, 10, 14, 23, 25, 28, 35, 37, 38, 39, 43, and 46	Semi-Annually			

*Permit Limits (i.e. Groundwater Protection Standards) are only required for compliance monitoring wells. All chemical concentrations in this permit are expressed in mg/l unless otherwise noted. These four new monitoring wells shall be added to the existing semi-annual sampling program.

10 of 12 The results of these analyses shall be submitted to the Cheyenne office at the following address: Groundwater Pollution Control Office, State of Wyoming, DEQ, Water Quality Division, Herschler Building, 4th Floor West, 122 West 25th Street, Cheyenne, Wyoming 82002 by the last day of the month following the end of each reporting period. The first set of results are due no later than January 1, 2004.

11 of 12 The issuance of WQDs Permit to Construct is contingent on WDEQ/AQD's continued approval of hydrocarbon emissions from the SVE/Air Sparging Systems based on quarterly monitoring.


12 of 12

The Air Sparging/Soil Vapor Extraction Systems shall be operated continuously, except during routine maintenance. If the system is turned off for more than 3 days for reasons other than for routine maintenance, WQD, Cheyenne, shall be notified verbally, and the problem shall be documented. If Kane proposes to vary the operation of the Systems, Kane shall submit a formal written request with supporting reasons to WQD


AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division



John V. Corra
Director
Department of Environmental Quality



Date of Issuance

JVC/JFW/JAC/bb/4-0465.ltr

cc: Kevin Frederick



The State
of Wyoming



Department of Environmental Quality

1043 Coffeen Avenue, Suite D • Sheridan, Wyoming 82801

Dave Freudenthal, Governor

AIR QUALITY
(307) 672-6457
Fax (307) 674-6050

LAND QUALITY
(307) 672-6488
Fax (307) 672-2213

WATER QUALITY
(307) 672-6457
Fax (307) 674-6050

NOTIFICATION OF COVERAGE

April 12, 2004

Mr. Duane Hagen
Tri-State Industries
P.O. Box 254
Gillette, WY 82717

RE: Hagen Sewer Extension, Permit # 04-132

Dear Duane:

The above application for coverage under General Permit to Construct, Install, Modify or Operate an extension to the City of Sheridan Sewer Collection System in accordance with Chapter 3 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. All construction, installation, or modification allowed by this Notice of Coverage shall be completed by April 1, 2005.

Enclosed please find Certificate of Completion and Transfer of Ownership forms that are required to be completed and submitted to this office to fulfill your permit requirements.

Sincerely,

Rick J. Estes, P.E.

DEQ/WQD NE District Senior Environmental Analyst

cc: IPS-Cheyenne

Dayton Alsaker, PE, HKM, P.O. Box 7010, Sheridan, WY
w/attachments

Mike Cole, PE -Assistant Public Works Director, City of Sheridan



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

David L. Dewhurst, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

June 18, 2004

Mr. Marcus W. & Mrs. Diana L. York
705 W. Timberline Dr.
Sheridan, WY 82801

RE: Mountain View Estates PUD, Permit # 04-133 - PWS# 5600052

Dear Mr. & Mrs. York:

The above application for coverage under General Permit to Construct, Install, Modify or Operate an extension to the Town of Sheridan Wastewater Collection and Water Distribution system in accordance with Chapter 3 and Chapters 11 and 12 of the WWQRR has been reviewed and is hereby approved. You are now authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. All construction, installation, or modification allowed by this permit shall be completed by July 1, 2005.

The waterline is allowed to be within 10' (measured horizontally) from the sewer main. The water main shall be laid to plan grade and shall never be closer than 18" to the sewer main measured vertically. This will require that the sewer main be installed to plan elevations with little variation. Maintaining 18" vertical separation will require that the waterline elevations be measured frequently and reported on the as-built plans required by this Notice of Coverage.

Page 1 of 2

1866 SOUTH SHERIDAN AVENUE • SHERIDAN, WY 82801


AIR, LAND AND WATER DIVISIONS
(307) 673-WDEQ (9337) • FAX (307) 672-2213



Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permits. Following completion of construction of this facility please return the attached WDEQ Certificate of Completion and Transfer of Ownership when the utilities are accepted by the City of Sheridan. If you have any questions please contact me at 1866 S. Sheridan Avenue, Sheridan, WY, 82801, (307) 673-9330.

Thank you.

Sincerely,



Rick J. Estes, P.E.
WDEQ/WQD NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Tom Barker, PE, CER Professional Consultants, Sheridan, WY 82801
Mike Cole, PE, City of Sheridan Asst. Public Works Director

ROAD APPLICATION PERMIT

△ New
Renewal
Modified

PERMIT NO.04-135
SPECIAL CONDITIONS
REF/PERMIT

COG #1 ACCESS ROAD, WASTE OIL APPLICATION

This permit hereby authorizes the applicant:

Twenty Mile Land Company, John Daly
c/o John Daly Law Office
510 S. Gillette Ave
Gillette, WY 82716

to road apply crude oil contaminated soil according to the procedures and conditions of application number 04-135. The application site is located in Section 18 of T51N R73W in the county of Campbell, in the State of Wyoming. This permit shall be effective until November 1, 2005.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable standards. Compliance with DEQ standards is the responsibility of the permittee, owner, and/or operator.

Nothing in this permit constitutes an endorsement by the DEQ of the disposal method described herein. This permit verifies only that the submitted application meets the standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance of, the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the waste disposal permitted. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 8 The permittee shall notify representatives from the DEQ/WQD of the anticipated project commencement and completion dates at least 48 hours in advance notice. The authorized representative in your area can be contacted at the following address: DEQ/WQD, Sheridan WDEQ Field Office, 1043 Sugarland Dr., Suite D, Sheridan, WY 82801, telephone (307) 672-6457; FAX (307) 674-6050, email restes1@state.wy.us

- 2 of 8 The permittee shall provide immediate oral and/or written notice to the Sheridan WDEQ Field Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications to the approved permit package.
- 3 of 8 The permittee shall provide certification that the project was completed in accordance with the terms and conditions of the permit within sixty (60) days of the project completion to the Casper WDEQ Field Office on the attached Certification of Completion form.
- a. Date that the road application was completed; and
 - b. Certification the road application was done in accordance with the terms and conditions of the permit; or
 - c. Certification the road application was completed with changes or modifications. Submit the information necessary to clearly indicate the road application as actually performed. This information shall include a contour map depicting only those sections of road that actually received Crude Oil Contaminated Soil.
- 4 of 8 The review and approval of this permit is based upon the items identified in the attached Statement of Basis.
- 5 of 8 Crude Oil Contaminated Soil shall be applied uniformly and incorporated into the road bed. Crude Oil Contaminated Soil shall not be applied during the period from November 1 to April 10.
- 6 of 8 The application site slope shall not exceed eight percent (8%) for vehicular application.
- 7 of 8 Crude Oil Contaminated Soil application shall be terminated within 300 feet of the definable high water mark of perennial and intermittent drainages, irrigation canals, lakes and reservoirs.
- 8 of 8 Only the roads designated in this permit are authorized for application of the Crude Oil Contaminated Soil. Additional or alternate sections of road meeting the requirements of the application and this permit may be utilized if a written description and maps are received and approved by the WQD.

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

4-19-04
Date of Issuance

RJE- 4/15/04
bb/4-0384.ltr

STATEMENT OF BASIS

General information.

A. Permit Number: 04-135

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. No

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

No

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

There are no numeric standards or criteria in Chapter XI for road application. W.S. 35-11-301 (a)(iii) requires a permit to be issued when any disposal system capable of causing or contributing to pollution is constructed, installed, modified, or operated.

B. Briefly state the basis for the deviation.

Road application is permitted when WDEQ authorized disposal facilities are not readily available, a beneficial use of the waste to be applied is possible, and significant impact to waters of the State is minimized.

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

District Policy numbers 10.1 (4/9/91), 10.2 (10/17/86), 10.3 (8/91), 10.4 (10/24/91), and 10.6 (1/18/91) address the statutory authority to regulate the road application of waste, establish criteria for characterizing the waste, and determine acceptable conditions for the application of the waste to roadbeds to minimize impact to waters of the State. District Policy 10.2 (10/17/86)

V. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

NA

VI. If Section 17 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

A. Facility will not allow a discharge to groundwater. Briefly describe:

The opportunity for direct or indirect discharge, percolation, or filtration to groundwater is minimized by uniformly applying the pit sludge and petroleum contaminated soils onto the roadbed. Repeated applications of pit sludge and petroleum contaminated soils on the same sections of road will be monitored by roadbed analyses.

B. Quality of waste is such that it will not cause a violation of groundwater standards. Briefly describe:

NA

C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

NA

D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

NA

E. Discharge will result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

NA

F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

NA

G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

NA

VII. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Rick J. Estes, PE Northeast Senior Environmental Analyst, and completed on April 15, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

May 3, 2004

Mr. Herman Nos, Manager of Engineering
Cheyenne Board of Public Utilities
P.O. Box 1469
Cheyenne WY 82003-1469

RE: Highland Village, Phase III, Application No.04-137, Laramie County

Dear Mr. Nos:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and of Existing Sewage Collection Systems described as Water and Sewer Extensions for a 38 lot residential development, SE 1/4 Section 5 T13N R66W; Laramie County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permit and the materials submitted in your application package. All service connections will be protected by the appropriate backlog device as required by Chapter 12, Section 14(I) of the Water Quality Division Rules and Regulations. All construction, installation, or modification allowed by this notification of coverage shall be completed by August 11, 2006.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 04-137 in any future correspondence.

If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

L.H./pf/4-0464-ltr

cc: IPS, Cheyenne
Larry Gallagher, Summit Engineering, LLC
5907 Townsend Place
Cheyenne WY 82009

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973





The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

Herschler Building • 122 West 25th Street • Cheyenne, Wyoming 82002

ADMIN/OUTREACH (307)777-7758 FAX 777-3610	ABANDONED MINES (307)777-6145 FAX 777-6462	AIR QUALITY (307)777-7391 FAX 777-5616	INDUSTRIAL SITING (307)777-7369 FAX 777-6937	LAND QUALITY (307)777-7756 FAX 777-5864	SOLID & HAZ. WASTE (307)777-7752 FAX 777-5973	WATER QUALITY (307)777-7781 FAX 777-5973
---	--	--	--	---	---	--

NOTIFICATION OF COVERAGE

April 21, 2004

Mr. Robert Farwell, Deputy Base Engineer
F.E. Warren AFB
300 Vesle
Cheyenne, WY 82005

RE: F.E. Warren AFB Elementary School, Application No.04-138,Laramie County

Dear Mr. Farwell:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and of Existing Sewage Collection Systems described as 1400 ft of 8" dia. sewer line and 2400 ft of 8" water line with 4 new fire hydrants, 41o 08' 7" N Latitude, 104o 51' 47" W Longitude; Laramie County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permit and the materials submitted in your application package. All service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. All construction, installation, or modification allowed by this notification of coverage shall be completed by August 11, 2006.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 04-138 in any future correspondence. If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

LBH/bb/4-0420.ltr

cc: IPS, Cheyenne

Gary Grigsby, Western Research & Development, LTD
5908 Yellowstone Rd, Suite B
Cheyenne WY 82009



The State
of Wyoming

ARCHIVES



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

July 27, 2004

Alan Bybee
SSDA, LLC
P.O. Box 3393
Jackson, WY 83001

RE: Third Karns Addition, Permit Number #04-139R
Teton County

Dear Mr. Bybee:

The above application for coverage under General Permit to Construct, water and sewer mains in accordance with Chapter 3, Section 7, Chapter 11, Part B, and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O, of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Jeff Hermansky
Northwest District Supervising Engineer
Water Quality Division

xc: IPS, Cheyenne
encl: General Permit to Construct

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-140

REFERENCE PERMIT NO. 01-208R

Wheatland Black Mountain Well No. 3
PWS: WY5600187

This permit hereby authorizes the applicant:

Town of Wheatland
600 9th Street
Wheatland, WY, 82201

to construct, install or modify a public water supply well completed in the Arikaree Formation according to the procedures and conditions of the application number 04-140. The facility is located in NW 1/4 NW 1/4 Section 23 T24N R68W in the county of Platte, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by August 11, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.


- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division

4-15-04
Date of Issuance


John V. Corra
Director
Department of Environmental Quality

LBH/pf/4-0377-ltr

cc: Mike Hackett, P.E., WWDC

STATEMENT OF BASIS

1. Permit Number: 04-140
2. Application reviewed for compliance with the following applicable regulations :

Chapter(s) 12 of the Wyoming Water Quality Rules and Regulations

3. Does the permit comply with all applicable regulations identified above?

NO

The permit approval is based up on a deviation from applicable regulations in accordance with Section 5. of Chapter 12.

4. Facilities include components not specifically covered or differing from applicable regulations and approval is based upon a deviation in accordance with Section 5.
 - a. The permit includes approval to deviate from the following regulatory requirements:
Chapter 12, Section 9(b)(ii)9A), states that a well must be tested at 1 ½ times the design pumping rate for 24 hours or at least 6 hours after the pumping rate stabilizes.
 - b. Briefly state the basis for the deviation.


Step tests in conjunction with a longer constant rate test at or slightly above the design pumping rate with recovery testing has been demonstrated to be a better evaluation of a well's capacity than the requirements of Chapter 12, Section 9(b)(ii)9A).

Public water supplies are exempted from review of groundwater impacts.

5. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.
6. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on April 13, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



The State
of Wyoming



Department of Environmental Quality

1043 Coffeen Avenue, Suite D • Sheridan, Wyoming 82801

Dave Freudenthal, Governor

AIR QUALITY
(307) 672-6457
Fax (307) 674-6050

LAND QUALITY
(307) 672-6488
Fax (307) 672-2213

WATER QUALITY
(307) 672-6457
Fax (307) 674-6050

NOTIFICATION OF COVERAGE

March 29, 2004

Mr. Hugh Thompson
859 N. Maple Tr. Ct. #722
Salt Lake City, UT 84116

RE: Hugh Thompson Residential **As-Built** Septic System, Permit # 04-141

Dear Hugh:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of small wastewater septic in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. Our review of the information and as-constructed plan submitted to this office indicates that the application meets WDEQ/WQD regulations and this As-Built Notice of Coverage is hereby issued. Please be advised that the system must be operated in accordance with the statements, representations and procedures presented in the application and all supporting documentation as well as the terms and conditions of the permit. You are urged to be familiar with all aspects of the permit application, permit and permit conditions.

If you have any questions please contact me at 1043 Coffeen Avenue, Suite D, Sheridan, WY, 82801, (307) 672-6457. Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Ken Schroeder, Ken Schroeder Construction, 1212 Polley Dr., Spearfish, SD 57783



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

May 20, 2004

Mr. Mike Nelson, Public Works Director
City of Green River
50 East 2nd North
Green River, WY 82935

RE: **2004 City of Green River Sewer & Water Line Improvement, Phase II, Permit Number 04-142R**, NE1/4 Section 27, T18N, R107W, Sweetwater County

Dear Mr. Nelson:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 7 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: ~~IPS, Cheyenne~~

Joint Powers Water Board; Attn: Bryan Seppie; P.O. Box 1299; Green River, WY 82935
encl: General Permit for Extensions to or Modification of Existing Public Water Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

Herschler Building • 122 West 25th Street • Cheyenne, Wyoming 82002

ADMIN/OUTREACH (307)777-7758 FAX 777-3610	ABANDONED MINES (307)777-6145 FAX 777-6462	AIR QUALITY (307)777-7391 FAX 777-5616	INDUSTRIAL SITING (307)777-7369 FAX 777-6937	LAND QUALITY (307)777-7756 FAX 777-5864	SOLID & HAZ. WASTE (307)777-7752 FAX 777-5973	WATER QUALITY (307)777-7781 FAX 777-5973
---	--	--	--	---	---	--

NOTIFICATION OF COVERAGE

April 14, 2004

James Greer, President
Y-O Ranch Estates
857 South Street
Wheatland, WY 82201

RE: Y-O Ranch Estates Subdivision Water Line Extension, Application No.04-143,Platte County

Dear Greer:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems described as 206 feet of 6" dia. water line to a 2" water line, SW 1/4 Section 19 T24N R67W; Platte County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the general permit and the materials submitted in your application package. All service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. All construction, installation, or modification allowed by this notification of coverage shall be completed by August 11, 2006.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 04-143 in any future correspondence.

If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

cc: IPS, Cheyenne
Kenneth Kennedy, Kennedy Engineering, 608 9th Street, Wheatland, WY 82201

LBH/pf/4-0381-ltr

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-144

Laramie WWTP Filtrate Return Lift Station

This permit hereby authorizes the applicant:

City of Laramie
2778 Banner Road
Laramie, WY, 82072

to construct, install or modify a lift station, lift station upgrade, and filtrate return line according to the procedures and conditions of the application number 04-144. The facility is located in SE 1/4 Section 20 T16N R73W in the county of Albany, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by August 11, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 4 The ventilation in the grinder and valve vault must be installed as per the proposal dated June 10, 2004, signed by Eric Garner of The Engineering Company.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis."

AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division



John V. Corra
Director
Department of Environmental Quality

June 21, 2004

Date of Issuance

LBH/bb/4-0591.ltr

STATEMENT OF BASIS

1. Permit Number: 04-144
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3 and 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
Yes
The lift station and pipeline included in this project do not represent a threat to the groundwater and may be considered to be exempted as part of a sewerage system.
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.
5. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on June 15, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

LBH/bb/4-0591.ltr



The State
of Wyoming



Department of Environmental Quality
1043 Coffeen Avenue, Suite D • Sheridan, Wyoming 82801

Dave Freudenthal, Governor

AIR QUALITY
(307) 672-6457
Fax (307) 674-6050

LAND QUALITY
(307) 672-6488
Fax (307) 672-2213

WATER QUALITY
(307) 672-6457
Fax (307) 674-6050

NOTIFICATION OF COVERAGE

April 22, 2004

Mr. Tom Sterritt
c/o Edward Hammett-Manager
420 Airport Road, Lot 28 Sunset Terrace Trailer Park
Sheridan, WY 82801


RE: Sunset Terrace Trailer Park - 420 Airport Road, AS-BUILT Permit # 04-145
PWS # 5600052

Dear Tom:

The above application for coverage under General Permit to Construct, Install, Modify or Operate an extension to the City of Sheridan Water Distribution System in accordance with Chapter 3 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. Our review of the information and as-constructed plan submitted to this office indicates that the application meets WDEQ/WQD regulations and this As-Built Notice of Coverage is hereby issued. Please be advised that the system must be operated in accordance with the statements, representations and procedures presented in the application and all supporting documentation as well as the terms and conditions of the permit. You are urged to be familiar with all aspects of the permit application and permit conditions.

This Notice of Coverage also serves as a Notice of Compliance for the Letter of Violation (LOV) issued by this office on September 17, 2003. All issues identified in the LOV are considered resolved.

Sincerely,



Rick J. Estes, P.E.

DEQ/WQD NE District Senior Environmental Analyst

cc: IPS-Cheyenne
Philip James, CRC Inc., 306 W. Loucks, Sheridan, WY 82801
Tom Duncan, Operator, 34 Beaver Dr., Big Horn, WY 82833



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

May 20, 2004

Mr. John Mackey
Eagle Village, LLC
408 W. Idaho
Boise, Idaho 83702

RE: Eagle Village Office Building , Permit Number 04-146
Teton County

Dear Mr. Mackey:

The above application for coverage under General Permit to Construct water and sewer mains, and backflow devices in accordance with Chapter 3, Section 7; Chapter 11 , Part D, and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O, of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Jeff Hermansky
Northwest District Supervising Engineer
Water Quality Division

xc: IPS, Cheyenne

RECEIVED

MAY 21 2004

WATER QUALITY DIVISION
WYOMING

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-147R

Washakie Rural Water Supply Project- Phase 2
PWS # WY5601523

This permit hereby authorizes the applicant:

Ross Jorgensen, Manager
Washakie Rural Improvements & Service District
P.O. Box 212
Worland, WY 82401

to construct a public water supply distribution system consisting of 1200 linear feet (LF) of 6-inch, 11645 LF of 4-inch, 3682 LF of 3-inch, and 3044 LF of 2-inch PVC and/or HDPE distribution mains and a booster pump station according to the procedures and conditions of the application number 04-147R. The facility is located at T46N&T47N, R92W&R93W in the county of Washakie, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by May 21, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit. The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:


1 of 3 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality, Water Quality Division (WQD), Northwest District Engineer, 250 Lincoln Street, Lander, WY 82520, 307-332-3144, FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.

- a. Date that construction of the facility was completed; and
- b. Date that the facility was placed in operation; and
- c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
- d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

5/25/04
Date of Issuance
JVC/JFW/MDB/pf/4-0515-ltr

STATEMENT OF BASIS

1. Permit Number: 04-147R
2. Application reviewed for compliance with the following regulations:
Chapters 3 and 12 of the Wyoming Water Quality Rules and Regulations.
3. Does the permit comply with all applicable regulations identified above?
No
4. Facilities include components not specifically covered by regulations and approval is based upon a deviation from applicable regulations in accordance with Section 5 of applicable regulations.
 - a. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

The permit includes approval to deviate from the following regulatory requirements:

Chapter 12, Section 12 (c)(ii) requires that pumping station floors shall slope 2 ½ inches in every 10 feet to a drain.

- b. Briefly state the basis for the deviation.

The pumping station will use a prefabricated building which does not typically allow for a sloped floor. A wet floor alarm will be installed along with a floor drain.

5. If Section 17 of Chapter 3 review is required indicate the basis for determining groundwater will be protected.
Not required. Public Water Supplies are exempted from review by Chapter 3, Section 17.
6. Documentation of Statement of Basis: The archives file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Mark D. Baron, mbaron@state.wy.us, Environmental Senior Analyst and completed on May 21, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

MDB/pf/4-0515.ltr



The State
of Wyoming

Department of Environmental Quality

Dave Freudenthal, Governor

3030 Energy Lane • Suite 200 • Casper, Wyoming 82604



SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

ABANDONED MINES
(307) 473-3460
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

April 16, 2004

Murphy L. Love
RAG Wyoming land Company
PO Box 30
Gillette, WY 82717

RE: Old Fire Building Small Wastewater Facility, Permit # 04-148

Dear Mr. Love:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by March 1, 2005.

If you have any questions please contact me at 1043 Coffeen Avenue, Suite D, Sheridan, WY, 82801, (307) 672-6457. Thank you.

Sincerely,

Dennis Lamb
WDEQ/WQ NE District Supervisor

cc: IPS, Cheyenne



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

Herschler Building • 122 West 25th Street • Cheyenne, Wyoming 82002

ADMIN/OUTREACH (307)777-7758 FAX 777-3610	ABANDONED MINES (307)777-6145 FAX 777-6462	AIR QUALITY (307)777-7391 FAX 777-5616	INDUSTRIAL SITING (307)777-7369 FAX 777-6937	LAND QUALITY (307)777-7756 FAX 777-5864	SOLID & HAZ. WASTE (307)777-7752 FAX 777-5973	WATER QUALITY (307)777-7781 FAX 777-5973
---	--	--	--	---	---	--

NOTIFICATION OF COVERAGE

April 16, 2004

John A. Kurtz
535 Rd. 143
Carpenter, Wyoming 82054

RE: Kurtz Residential Septic System, Application No. **04-149**
Location: N 1/2 NW 1/4, Section 31, T21N, R87W, Carbon County

Dear Mr. Kurtz:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the conditions listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific conditions also apply:

1. Septic Tank Clean-Out Riser Requirement - Either a 6 inch diameter clean-out riser or the manway from **each compartment of the tank** must be extended to the ground surface.
2. Polyethylene Septic Tank Installation Requirements - To ensure structural integrity, the **manufacturer's instructions** regarding bedding the tank and filling the tank with water during burial **must be followed during installation**. Additionally, immediately after clean-outs, the tank must be refilled with water according to the manufacturer's instructions to maintain structural integrity.

The approval granted under this Notification Of Coverage and the General Permit shall expire on April 15, 2006. Please reference Application Number **04-149** in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/pf/4-0385-ltr

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion

cc: IPS, Cheyenne
Carbon County Planner



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

May 20, 2004

Mr. Tony Nettles
P. O. Box 990
Thermopolis, WY 82443

RE: Nettles On-site sewage facility , Permit Number 04-150R
Hot Springs County

Dear Mr. Nettles:

The above application for coverage under General Permit to Construct, a septic tank/leach field to serve a three bedroom residence in accordance with Chapter 3, Section 7, and Chapter 11 , Part D of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O, of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Jeff Hermansky
Northwest District Supervising Engineer
Water Quality Division

xc: IPS, Cheyenne

RECEIVED

MAY 21 2004

WATER QUALITY DIVISION
WYOMING