

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-351RR

REFERENCE PERMITS NO. 83-22,
90-204, 94-021, 95-348, 96-030, 02-384, 03-401

Piney Pit Cell No. 5

This permit hereby authorizes the applicant:

Garry Ellingford, Owner
Piney Company, Inc.
P.O. Box 173
Evanston, Wyoming 82931-0173

to construct Cell # 5 of a commercial Oil and Gas Exploration and Production waste Resource Conservation and Recovery Act (RCRA) exempt disposal pit according to the procedures and conditions of the application number 04-351RR. The facility is located in SE1/4 SW1/4 and SW1/4 SE1/4 Section 21 & NE1/4 NW1/4 and NW1/4 NE1/4 Section 28, T28N, R113W in the county of Sublette, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by November 30, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 11 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality, Water Quality Division (WQD), Southwest District Engineer, 250 Lincoln Street, Lander, WY 82520,

307-332-3144, FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations, of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 11

Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.

- a. Date that construction of the facility was completed; and
- b. Date that the facility was placed in operation; and
- c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
- d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 11

The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

4 of 11

a) A 1 foot thick compacted clay liner with a max permeability of 1×10^{-5} cm/sec under the second polyethylene liner is required.

b) The compacted clay liner shall meet the following criteria: The tests for water content and density shall be taken during the placement of each lift of the liner. A total minimum liner thickness of one (1) foot shall be provided and shall be constructed with maximum lifts of one-half (0.5) foot. Either permeability testing of undisturbed core samples from the in-place seal, or detailed tests such as particle size distribution and Atterburg limits shall be conducted. Detailed tests should confirm that the soil specified was used for liner construction. One (1) test shall be conducted per acre per lift. For core sampling of the in-place liner, one (1) core of the completed liner shall be tested per acre. The permittee shall provide the division written certification by a Wyoming registered professional engineer that the soil liner was constructed according to the permit and that final testing indicated results within the allowable limits established by the permit.

5 of 11

The following reporting and repair action requirements shall be the basis for mitigating any leaks through the primary liner.

- a) If the recovery rate exceeds 400 gpd/acre for any sub-cell as delineated by the recovery system, the permittee shall notify the division within seven (7) days. Repair of the primary liner must be scheduled within 12 months.
- b) If the recovery rate exceeds 800 gpd/acre for any sub-cell as delineated by the recovery system, the division shall be notified within 48 hours. Repair of the primary liner must be scheduled within 60 days.
- c) If the high alarm is reached, the division must be notified immediately. Repairs must be initiated immediately.

6 of 11

The installation and initial baseline ground water quality monitoring of the three proposed new monitoring wells must be completed according to attached Schedule A, before any wastewater is placed in Cell #5. A copy of the results from the analysis must be mailed immediately to the Southwest District Engineer, Wyoming Department of Environmental Quality, Water Quality Division, 250 Lincoln Street, Lander, Wyoming 82520.


7 of 11

Each of the three proposed monitoring wells shall be sampled and analyzed quarterly after the first year of operation. Each monitoring well shall be sampled according to attached Schedule B. A copy of the results from the analysis must be mailed immediately to the Southwest District Engineer, Wyoming Department of Environmental Quality, Water Quality Division, 250 Lincoln Street, Lander, Wyoming 82520.

- 8 of 11 Each pond and or cell shall be sampled and analyzed annually. Each pond and or cell shall be sampled according to attached Schedule C. A copy of the results from the analysis must be mailed immediately to the Southwest District Engineer, Wyoming Department of Environmental Quality, Water Quality Division, 250 Lincoln Street, Lander, Wyoming 82520.
- 9 of 11 To protect birds and other wildlife, evaporation cells shall be kept virtually oil free at all times, or shall be completely netted or screened to the standards required for the receiving area of Cell #4 (Permit to Construct #02-384RR). All produced water received by this facility shall be treated in the receiving and pretreatment facilities to remove hydrocarbons from the produced water before it is discharged to the evaporation cells. If a sheen develops on any part of an evaporation cell, it shall be removed immediately by skimming, use of sorptive materials and/or by the introduction to the evaporation cell(s) of biological cultures that digest hydrocarbons.
- 10 of 11 A security fence shall be maintained around the perimeter of all three disposal pits to prevent domestic livestock, wildlife and non-authorized persons from entering.
- 11 of 11 The validity of this permit is subject to the owner maintaining a bond acceptable to the State of Wyoming DEQ/WQD for the amount of the estimated Cell #5 closure and post-closure costs. This bonding amount has initially been set for this project, and must be in place prior to construction. This bonding amount is subject to review on an annual basis.

The closure of this facility shall be in compliance with the submitted plan and Chapter 14 of the Wyoming Water Quality Rules and Regulations, unless the DEQ/WQD determines additional remediation of the site and/or waters of the state is required.

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division

12/3/04
Date of Issuance


John V. Corra
Director
Department of Environmental Quality

MDB/mdb/jd/4-1203ltr.wpd

cc:
Planning and Zoning Administrator
Sublette County Planning Office
21 South Tyler Avenue
Pinedale, Wyoming 82941

STATEMENT OF BASIS

1. Permit Number: 04-351RR
2. Application reviewed for compliance with the following regulations:
Chapters 3 and 11 of the Wyoming Water Quality Rules and Regulations.
3. Does the permit comply with all applicable regulations identified above?
Yes
4. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.
Yes
5. If Section 17 of Chapter 3 review is required indicate the basis for determining groundwater will be protected.
 - a. The facility will not allow a discharge to groundwater.

The cell is to be double lined with two 60 mil polyethylene liners and equipped with a leak detection system. If a leak is detected, there is a recirculation system to return leaking fluids to the cell, thus reducing the hydrostatic head beneath the liner, and minimizing migration of the fluids to groundwater. There are also three proposed monitoring wells that will be checked to monitor groundwater impacts. Testing of groundwater in the proposed monitoring wells is to be performed to establish background conditions prior to filling of this cell.

- b. The facility is designed and will be operated so that it will not violate groundwater standards.

The pump station, sump monitoring pipe is to be checked weekly for fluid/leaks the first month the cell is used and monthly thereafter, with a log kept of the inspection results. If fluid is found, the DEQ/WOD Southwest District is to be notified immediately, and samples are to be pulled from the sump and the pond cell(s) and tested for total petroleum hydrocarbons (TPH) by EPA method 8015 (modified for gasoline and diesel range hydrocarbons), chlorides, total dissolved solids (TDS) and sulfates. Results are to be reported to the WOD as soon as they are available. If fluid is found in the leak detection system and a leak is verified by observation or by sampling and testing, the fluid recirculating system is to be activated to control the fluid level under the pond liner and minimize the chance for migration of the fluid to groundwater.

Fluids in the pond are to be checked annually for hazardous constituents by collecting a composite sample representative of the stored fluids and analyzing it for the metals, volatiles, semivolatiles, pesticides, herbicides and radionuclides from the EPA/RCRA TCLP constituents list per attached schedule C.

- c. Briefly describe monitoring plan. The groundwater monitoring plan includes the monitoring wells or other sampling points, the parameters to be analyzed, the sampling frequency and reporting methods.

Monitoring wells are required to be checked and sampled quarterly according to the attached schedules, A and B.

- d. The permit should clearly state the parameters to be utilized for determining compliance and what occurrences constitute a violation. The permit should identify the corrective actions to be taken in the event of a violation of a groundwater standard.

This facility is allowed to receive exempt Oil and Gas Exploration and Production waste, as defined under the Resource Conservation and Recovery Act (RCRA), without testing. Non-exempt waste must be tested using the toxicity characteristic leaching procedure (TCLP) and must fall under the RCRA limits for hazardous waste to be disposed of at this facility. The contents of each cell of this facility must be tested annually according to attached schedule C.

6. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Doyle H. Conklin, dconkl@state.wy.us, Southwest District Engineering Supervisor and completed on October 25, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

Monitoring Schedule A -Initial Baseline Ground Water Quality For New Monitoring Wells Reporting Requirements for WDEQ/WQD Permit Number 04-351RR, Piney Company Disposal Pits, Sublette County. 10/25/2004.

Monitoring Locations	Parameter	Method	Frequency
1) All Monitoring wells. 2) If ground water is not detected a report must still be submitted quarterly. 3) Only during the first year of operation.	Aluminum	SW ¹ 6020	Quarterly ⁶
	Ammonia	A4500 NH3H	Quarterly
	Arsenic	SW 6020	Quarterly
	Barium	SW 6020	Quarterly
	Beryllium	SW 6020	Quarterly
	Boron	SW 6020	Quarterly
	Cadmium	SW 6020	Quarterly
	Chloride	SW 6020	Quarterly
	Chromium	SW 6020	Quarterly
	Cobalt	SW 6020	Quarterly
	Copper	SW 6020	Quarterly
	Cyanide	EPA ² 335	Quarterly
	Fluoride	EPA A4500 F-C	Quarterly
	Hydrogen Sulfide	EPA 376.1	Quarterly
	Iron	SW 6020	Quarterly
	Lead	SW 6020	Quarterly
	Lithium	SW 6020	Quarterly
	Manganese	SW 6020	Quarterly
	Mercury	SW 6020	Quarterly
	Nickel	SW 6020	Quarterly
	Nitrate	EPA 353.2	Quarterly
	Nitrite	EPA 353.2	Quarterly
	TPH³ -Diesel	SW 8015 mod.	Quarterly
	TPH⁴ -Gasoline	SW 8015 mod.	Quarterly
	Total Organic Halogens	SW 9020	Quarterly
	Phenol	EPA 420.2	Quarterly
	Selenium	SW 6020	Quarterly
	Silver	SW 6020	Quarterly
Monitoring Schedule A is continued on the next page			
	Sulfate	A4500-SO4E	Quarterly

Monitoring Schedule A -Initial Baseline Ground Water Quality For New Monitoring Wells Reporting Requirements for WDEQ/WQD Permit Number 04-351RR, Piney Company Disposal Pits, Sublette County. 10/25/2004.

Monitoring Locations	Parameter	Method	Frequency
	TDS ⁵	EPA 160.1	Quarterly
	²²⁶ Radium -Alpha Emitting Isotopes	EPA 903.0	Quarterly
	Vanadium	SW 6020	Quarterly
	Zinc	SW 6020	Quarterly
	Potassium	SW 6020	Quarterly
	Sodium	SW 6020	Quarterly
	Calcium	SW 6020	Quarterly
	Magnesium	SW 6020	Quarterly
	pH	EPA 150.1	Quarterly
	Alkalinity	EPA 310.1	Quarterly
	Conductivity	EPA 120.1	Quarterly
	Ground Water Elevations	Based on Sea Level	Quarterly

- 1) SW- Solid Waste
- 2) EPA - Environmental Protection Agency
- 3) TPH-Diesel - Total Petroleum Hydrocarbons as Diesel
- 4) TPH-Gasoline -Total Petroleum Hydrocarbons as Gasoline
- 5) TDS - Total Dissolved Solids
- 6) Quarterly - Once every three months

Monitoring Schedule B - Quarterly Ground Water Quality Monitoring Well Reporting Requirements for WDEQ/WQD Permit Number 04-351RR, Piney Company Disposal Pits, Sublette County. 10/25/2004.

Monitoring Locations	Parameter	Method	Frequency
1) All Monitoring wells. 2) If ground water is not detected a report must still be submitted quarterly. 3) After the first year of operation.	Arsenic	SW 6020	Quarterly
	Barium	SW 6020	Quarterly
	Cadmium	SW 6020	Quarterly
	Chloride	SW 6020	Quarterly
	Chromium	SW 6020	Quarterly
	Iron	SW 6020	Quarterly
	Lead	SW 6020	Quarterly
	Mercury	SW 6020	Quarterly
	Nitrate	EPA 353.2	Quarterly
	Nitrite	EPA 353.2	Quarterly
	TPH -Diesel	SW 8015 mod.	Quarterly
	TPH-Gasoline	SW 8015 mod.	Quarterly
	Total Organic Halogens	SW 9020	Quarterly
	Phenol	EPA 420.2	Quarterly
	Selenium	SW 6020	Quarterly
	Silver	SW 6020	Quarterly
	Sulfate	A4500-SO4E	Quarterly
	TDS ⁵	EPA 160.1	Quarterly
	²²⁶ Radium -Alpha Emitting Isotopes	EPA 903.0	Quarterly
	Potassium	SW 6020	Quarterly
	Sodium	SW 6020	Quarterly
	Calcium	SW 6020	Quarterly
	Magnesium	SW 6020	Quarterly
pH	EPA 150.1	Quarterly	
Alkalinity	EPA 310.1	Quarterly	
Conductivity	EPA 120.1	Quarterly	
Ground Water Elevations	Based on Sea Level	Quarterly	

Monitoring Schedule C - Annual Disposal Pit Contents Monitoring Reporting Requirements for WDEQ/WQD Permit Numbers 04-351RR Piney Company Disposal Pits, Sublette County. 10/25/2004.

Monitoring Locations	Parameter	Method	Frequency
<p>The following locations are required to be sampled separately for each of the listed parameters.</p> <p>1) Existing Pond #2</p> <p>2) Cells #4 & #5</p>	Arsenic	SW 6020	Annually
	Barium	SW 6020	Annually
	Calcium	SW 6020	Annually
	Cadmium	SW 6020	Annually
	Chloride	SW 6020	Annually
	Chromium	SW 6020	Annually
	Hydrogen Sulfide	EPA 376.1	Annually
	Iron	SW 6020	Annually
	Lead	SW 6020	Annually
	Mercury	SW 6020	Annually
	Nitrate	SW 6020	Annually
	Nitrite	SW 6020	Annually
	Purgeable Organics (VOCs) by GC/MS¹	SW 8260B - Long List	Annually
	Semi - Volatile Organics (SVOCs) by GC/MS	SW 8270C	Annually
	TPH - Diesel	SW 8015 mod.	Annually
	TPH - Gasoline	SW 8015 mod.	Annually
	Total Organic Halogens	SW 9020	Annually
	Selenium	SW 6020	Annually
	Silver	SW 6020	Annually
	Sulfate	SW 6020	Annually
	TDS	EPA 160.1	Annually
	²²⁶ Radium -Alpha Emitting Isotopes	EPA 903.0	Annually
	Potassium	SW 6020	Annually
	Sodium	SW 6020	Annually
	Magnesium	SW 6020	Annually
	Alkalinity	EPA 310.0	Annually
	Conductivity	EPA 120.1	Annually
pH	EPA 150.1	Annually	

1)GC/MS - Gas Chromatography/Mass Spectrometer

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-352

Grand Teton National Park -Flagg Ranch Sewage Lift Station

This permit hereby authorizes the applicant:

Thayne O'Brien, Contracting Officer
Grand Teton National Park
P.O. Box 170
Moose, WY 83012

to construct a sewage lift station, according to the procedures and conditions of the application number 04-352. The facility is located at (State Plane Coordinates, X-2,470,270 & Y -1,642,076), T48N, R115W in the county of Teton, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by September 16, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality, Water Quality Division (WQD), Northwest District Engineer, 250 Lincoln Street, Lander, WY 82520, 307-332-3144, FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
- a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

9/20/07
Date of Issuance
MDB/mdb/jd/4-0940ltr

STATEMENT OF BASIS

1. Permit Number: 04-352
2. Application reviewed for compliance with the following regulations:
Chapters 3 and 11 of the Wyoming Water Quality Rules and Regulations.
3. Does the permit comply with all applicable regulations identified above?
Yes.
4. If Section 17 of Chapter 3 review is required, indicate the basis for determining groundwater will be protected.
Not Required
5. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Mark D. Baron, mbaron@state.wy.us, Environmental Senior Analyst and completed on September 16, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

March 4, 2005

William E. Hageman
970 Highway 270
Hartville, Wyoming 82215

RE: Hageman Residential Septic System,
Location: NW ¼, Section 19, T29N, R65W,

Application No. **04-353**
Platte County

Dear Mr. Hageman:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the condition listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific condition also applies:

Septic Tank Clean-Out Riser Requirement - Either a 6 inch diameter clean-out riser or the manway from **each compartment of the tank** must be extended to the ground surface.

The approval granted under this Notification Of Coverage and the General Permit shall expire on March 3, 2007. Please reference Application Number 04-353 in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/bb/5-0286.ltr

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion

cc: IPS, Cheyenne
Platte County Planner, Marlin Johnson, P.O. Box 728, Wheatland, Wyoming 82201

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

August 19, 2004

Bill Saulcy
P.O. Box 127
Encampment, Wyoming 82325

RE: Saulcy Residential Septic System Tract #1,
Location: SW 1/4, Section 14, T15N, R83W,

Application No. **04-354**
Carbon County

Dear Mr. Saulcy:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the condition listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific condition also applies:

Septic Tank Clean-Out Riser Requirement - Either a 6 inch diameter clean-out riser or the manway from each compartment of the tank must be extended to the ground surface.

The approval granted under this Notification Of Coverage and the General Permit shall expire on August 19, 2006. Please reference Application Number 04-354 in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/jd/4-0848.ltr

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion

IPS, Cheyenne
Carbon County Planner





The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc. 1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 1, Lots 2 & 3, Permit Number 04-355; SW1/4**
Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 1, Lots 4 & 5, Permit Number 04-356; SW1/4
Section 33, T19N, R105W, Sweetwater County**

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 1, Lots 6 & 7, Permit Number 04-357; SW1/4**
Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 1, Lots 8 & 9, Permit Number 04-358; SW1/4
Section 33, T19N, R105W, Sweetwater County**

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 1, Lots 10 & 11, Permit Number 04-359;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 1, Lots 12 & 13, Permit Number 04-360;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 1, Lots 14 & 15, Permit Number 04-361;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 1, Lots 16 & 17, Permit Number 04-362;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 1, Lots 18 & 19, Permit Number 04-363;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 1, Lots 20 & 21, Permit Number 04-364;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 2, Lots 31 & 32, Permit Number 04-365;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 2, Lots 33 & 34, Permit Number 04-366;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 2, Lots 35 & 36, Permit Number 04-367;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 2, Lots 37 & 38, Permit Number 04-368;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 2, Lots 39 & 40, Permit Number 04-369;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 2, Lots 41 & 42, Permit Number 04-370;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 2, Lots 43 & 44, Permit Number 04-371;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne

City of Rock Springs; 212 D Street; Rock Springs, WY 82901

encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 2, Lots 45 & 46, Permit Number 04-372;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne

City of Rock Springs; 212 D Street; Rock Springs, WY 82901

encl: General Permit for Extensions of Existing Sewage Collection Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 3, 2004

William J. Edwards
Rock Springs Land Development Company, Inc.
1807 Capitol Ave., Suite 108
Cheyenne, WY 82007

RE: **Summit View Estates, Phase 1, Block 2, Lots 47 & 48, Permit Number 04-373;**
SW1/4 Section 33, T19N, R105W, Sweetwater County

Dear Mr. Edwards:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3, Section 7 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions of Existing Sewage Collection Systems

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-374

REFERENCE PERMIT NO. WY0050016

ShIPLEY Animal Feeding Operation

This permit hereby authorizes the applicant:

ShIPLEY Farms, Inc.
2129 Road 84
Lingle, WY, 82223

to construct, install or modify an additional pen and increased storage in existing retention basins according to the procedures and conditions of the application number 04-374. The facility is located in NW 1/4 Section 8 T25N R63W in the county of Goshen, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by August 11, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and


permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

8/12/04
Date of Issuance

LBH/pf/4-0785.ltr

cc: Roland Peterson

STATEMENT OF BASIS

1. Permit Number: 04-374
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3 and 11 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
Yes
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was required.
5. If Section 17 of Chapter 3 review is required, indicate the basis for determining groundwater will be protected.
 - a. The facility will not allow a discharge to groundwater.
 - b. The facility is designed and will be operated so that it will not to violate groundwater standards.
The facility was built in compliance with DEQ/WQD - NRCS memorandum of agreement and grew into a CAFO. The existing facility and modified facility complies with WQD Policy 13.29.4.
6. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmon@state.wy.us, and completed on July 30, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

September 15, 2004

Mr. Gerry Fedrizzi, Manager
1901 Yellowstone Road
Rock Springs, WY 82901

RE: **Veterans Park Subdivision, Permit Number 04-375R**; NW1/4 Section 25, T19N,
R105W, Sweetwater County

Dear Mr. Fedrizzi:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems and Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 7, Chapter 11 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne

City of Rock Springs; 212 D Street; Rock Springs, WY 82901

Joint Powers Water Board; P.O. Box 1299; Green River, WY 82901

encl: General Permit for Extensions to Existing Sewage Collection Systems

General Permit for Extensions to Existing Public Water Supply Distribution Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

August 4, 2004

Jo Orchard
P. O. Box 87
Ten Sleep, WY 82442

RE: Kenny Orchard Small Wastewater Treatment Facility
Permit Number 04-376, Washakie County

Dear Ms. Orchard:

The above application for coverage under General Permit to Construct a septic tank/leach field to serve a three bedroom home in accordance with Chapter 3, Section 7 and Chapter 11, Part D of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O, of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Jeff Hermansky
Northwest District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-377RR

Rafter J Homeowners Association - Water System Improvements
PWS # WY5600822

This permit hereby authorizes the applicant:

Robert J. Henderson, President
Rafter J Homeowners Association
2951 West Big Trail Drive
Jackson, WY 83001

to construct 1800 linear feet of 8-inch watermain, a new water well, rehabilitate two existing water wells, a new control building with gas chlorination and standby Generator according to the procedures and conditions of the application number 04-377RR. The facility is located at NE 1/4 & NW 1/4, Section 17, T40N, R116W in the county of Teton, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by January 5, 2007.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:


- 1 of 4 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality, Water Quality Division (WQD), Northwest District Engineer, 250 Lincoln Street, Lander, WY 82520, 307-332-3144, FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
- a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 4 Water quality data such as that for bacteriological contaminants, inorganic contaminants (IOC), volatile organic contaminants (VOC), synthetic organic contaminants (SOC) and radionuclide contaminants must be submitted before any new water well is put into service. The well water quality must be in compliance with the United States Environmental Protection Agency (USEPA) National Primary Drinking Water Standards.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division

1/6/05
Date of Issuance

MDB/mdb/jd/5-0008ltr


John V. Corra
Director
Department of Environmental Quality

STATEMENT OF BASIS

1. Permit Number: 04-377RR
2. Application reviewed for compliance with the following regulations:
Chapters 3 and 12 of the Wyoming Water Quality Rules and Regulations.
3. Does the permit comply with all applicable regulations identified above?
Yes.
4. If a Section 17 of Chapter 3 review is required indicate the basis for determining groundwater will be protected.
Not Required.
5. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Mark D. Baron, mbaron@state.wy.us, Environmental Senior Analyst and completed on January 5, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-378

Hoback Stores Water Treatment System
PWS: 5601532NC

This permit hereby authorizes the applicant:

Brad Crouch, Vice President
Hoback Stores, LLC
10850 South Highway 89
Jackson, WY 83001

to install a nitrate removal system according to the procedures and conditions of the application number 04-378. The facility is located in Section 23, T39N, R116W in the county of Teton, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed within fifteen days.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:


1 of 3 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality/ Water Quality Division, Northwest District, 250 Lincoln Street, Lander, WY 82520, 307-332-3144, fax 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.

- a. Date that construction of the facility was completed; and
- b. Date that the facility was placed in operation; and
- c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
- d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".


AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division

8/26/04

Date of Issuance



John V. Corra
Director
Department of Environmental Quality

JCH/pf-4-0847.ltr

STATEMENT OF BASIS

1. Permit Number: 04-378
2. Application reviewed for compliance with the following regulations :
Chapter 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
Yes
4. Facilities include components not specifically covered by regulations and approval is based upon a deviation from applicable regulations in accordance with Section 5 of applicable regulations. (Include this section only if the answer to item 3. above is no and the permit approval is based upon a deviation in accordance with Section 5.)

The package plant is not specifically covered by Chapter 12. The approval is based upon performance approval data indicating that the process will meet the drinking standard for nitrates.

Public water supplies are exempted from review by Chapter 3, Section 17.
5. A review to determine groundwater impacts in accordance with Section 17, Chapter 3.
Not Required

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, Northwest District Engineering Supervisor and completed on August 18, 2004. Permit-issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in the "Statement of Basis."

JCH



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

August 23, 2004

Cheyenne Board of Public Utilities
Attn. Herman Noe, Supervising Staff Engineer
2406 Snyder Ave.
Cheyenne, Wyoming 82001

RE: Showtime Plaza - Water & Sewer Extensions, Application No. **04-379**

Dear Mr. Noe:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and Existing Sewage Collection Systems in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permits, and the materials submitted in your application package. All water service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permits which you already have copies of.

The approval granted under this Notification Of Coverage and the General Permit shall expire on August 23, 2006. Please reference Application Number **04-379** in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/bb/4-0855.ltr

cc: IPS, Cheyenne
David Hook, Radix Engineering, Inc., 4901 E. Dry Creek Road, Suite 200, Centennial, CO 80122

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973



Barb Barnes - Permit 04-380

From: Rick Estes
To: Barnes, Barb; Jackie Dice; Jeanine Mills
Date: 5/5/2005 7:13 AM
Subject: Permit 04-380

Ladies,

Could you please update your records on Permit 04-380 as AW.

I sent this permit back to the owner today as no response was received in time frame given.

Thanks

Rick

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-381

Douglas WYDOT Maintenance Shop Water and Sewer Line Extensions
PWS: 5600137

This permit hereby authorizes the applicant:

Wyoming Department of Transportation
900 Bryan Stock Trail/P.O. Box 2189
Casper, WY, 82602

to construct, install or modify a 7340 lf of 16" diameter and 440 lf of 12" dia. water line, a pump station, and 2882 lf of 8" diameter sewer line plus necessary appurtenances according to the procedures and conditions of the application number 04-381. The facility is located in NW 1/4 Section 23 T32N R71W in the county of Converse, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by August 11, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 4 The vent lines connected to the Air/Vacuum release valves must be extended well above the ground surface.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

8/11/04
Date of Issuance

LBH/bb/4-0810.ltr

cc: Brian Sweeney, Director of Public Works, City of Douglas, 420 West Grand Street, Douglas, WY 82633
Tom Brauer, CEPI, 355 North Lincoln, Casper WY 82601

STATEMENT OF BASIS

1. Permit Number: 04-381
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3, 11 and 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?

NO

The permit approval is based up on a deviation from applicable regulations in accordance with Section 5. of Chapter 3, 11 and 12.
4. Facilities include components not specifically covered or differing from applicable regulations and approval is based upon a deviation in accordance with Section 5.
 - a. The permit includes approval to deviate from the following regulatory requirements:
Chapter 12, Section 52(c)(ii) states pump station floors shall slope at least 2 ½" every 10 feet to a drain.
 - b. Briefly state the basis for the deviation.
The requirement for steeply sloping pump house floors was written when most pumps had water lubricated seals with a continuous discharge of water. The discharge of water to the atmosphere or floor in the pump station as designed will be an unusual event.
5. Sewerage systems are exempted from review by Chapter 3, Section 17.
A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.
6. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on August 10, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

LBH/bb/4-0810.ltr

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION

PERMIT TO CONSTRUCT

PERMIT NO. 04-382R

REFERENCE PERMITS NO. 01-132RR & 03-157R

Anticline Disposal, LLC - Pilot Plant

This permit hereby authorizes the applicant:

Anticline Disposal, LLC
P.O. Box 336
Daniel, WY 83115-0336

to construct, install, or modify a pilot plant to determine the feasibility of treating exploration and production exempt produced water for proposed future land application according to the procedures and conditions of the application number 04-382R. The facility is located in the SW1/4 Section 18, T31N, R108W in the county of Sublette, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by November 30, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 6 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality/ Water Quality Division, Southwest District, 250 Lincoln Street, Lander, WY 82520, 307-332-3144, fax 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

- 2 of 6 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
- a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 6 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".
- 4 of 6 The temporary structure housing the pilot plant must be equipped with adequate ventilation, meeting the requirements of Chapter 11, Section 11(j) of the Wyoming Water Quality Rules and Regulations. It must also have an eyewash station, safety shower, and appropriate chemical storage areas as recommended by the Manufacturers' Safety Data Sheets (MSDS's) for chemicals to be used.
- 5 of 6 Monitoring of the pilot plant's effectiveness, based upon the quality of the produced water prior to treatment and the quality of the treated water following treatment, shall be conducted as proposed in the permit application. Results of analyses performed shall be forwarded to the Department of Environmental Quality at the address shown in condition 1 of 4 (above) immediately after the end of each proposed monthly monitoring period.
- 6 of 6 The construction and continued operation of the pilot plant authorized by this permit is subject to the owner maintaining a bond acceptable to the State of Wyoming DEQ/WQD for the amount of the estimated facility closure and post-closure costs. This bonding amount is initially set at \$14,500.00 and is subject to review on an annual basis. The closure of the facility shall be in compliance with the submitted plan and Chapter 14 of the Wyoming Water Quality Rules and Regulations, unless the DEQ/WQD determines additional remediation of the site and/or waters of the state is required.

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

12/6/04
Date of Issuance

DHC/dhc
bb/4-1222.ltr

cc: Sublette County Planner; P.O. Box 506; Pinedale, WY 82941

STATEMENT OF BASIS

1. Permit Number: 04-382R
2. Application reviewed for compliance with the following regulations :
Chapter 11 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
No
4. Facilities include components not specifically covered by regulations and approval is based upon a deviation from applicable regulations in accordance with Section 5 of applicable regulations.
 - a. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

The permit includes approval to deviate from the following regulatory requirements:

Chapter 11 does not address chemical treatment and reverse osmosis filtration of liquid industrial wastes (i.e., produced water) to provide water of a quality for continuous land application or irrigation.
 - b. Briefly state the basis for the deviation.

Use of this technology to treat similar types of produced water and drinking water source water successfully indicates that there is a high probability this design can be adjusted to achieve the desired results. The pilot plant will be housed in a removable structure. Whether this design is successful or not, the pilot plant will be removed from the Anticline Disposal facility at the end of the pilot test by the vendor. If successful and economically feasible, this design is proposed to be used for a full scale treatment plant, to supply an irrigation system for land application to adjacent property. These full scale facilities and land application would have to be permitted separately from this proposed pilot plant.
 - c. Permit approval is based upon deviation from applicable regulations in accordance with approved policy statement.

Not applicable
5. A review to determine groundwater impacts in accordance with Section 17, Chapter 3.

Required
6. If Section 17 of Chapter 3 review is required, indicate the basis for determining groundwater will be protected.
 - a. The facility is designed and will be operated so that it will not violate groundwater standards.

The pilot plant will be placed inside a bermed and lined containment area within the Anticline Disposal facility. The containment area will be equipped with a sump pump to return any spills or leakage to the Anticline Disposal ponds. Volumes of waste to be treated by the pilot plant are quite small compared with the adjacent evaporation ponds, and the pilot plant will be within an area upgradient from existing groundwater monitoring wells.
7. Documentation of Statement of Basis: The archives file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Doyle H. Conklin, dconkl@state.wy.us, Southwest District Engineering Supervisor and completed on December 6, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

DHC/bb/4-1222.ltr



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

March 30, 2005

Mr. Tim Self
23 Jackman Road (County Road 4-79)
Rock Springs, WY

RE: **Self Subdivision; Permit No. 04-383R**; NE1/4 Section 29, T20N, R105W, Sweetwater
County

Dear Mr. Self:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 7 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
Sweetwater County Planning; 80 W. Flaming Gorge Way; Green River, WY 82935

encl.: General Permit for Extensions to Existing Public Water Distribution Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

September 24, 2004

Mr. Frank Favazzo, President
LWI Investments, Inc.
P.O. Box 718
Tonto Basin, AZ 85553

RE: **Favazzo West Subdivision, Permit Number 04-384**; E1/2 Lot 1, Section 5, T33N,
R109W, Sublette County

Dear Mr. Favazzo:

The above application for coverage under General Permits to Construct, Install, Modify or Operate Existing Sewage Collection Systems and Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 7, Chapter 11 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supv.
Water Quality Division

xc: IPS, Cheyenne
City of Pinedale; P.O. Box 709; Pinedale, WY 82941
encl: General Permit for Extensions to Existing Sewage Collection Systems
General Permit for Extensions to Existing Public Water Supply Distribution Systems



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

August 10, 2004

Mr. Herman Noe, Manager of Engineering
Cheyenne Board of Public Utilities
P.O. Box 1469
Cheyenne WY 82003-1469

RE: Cheyenne Frontier Six Theater Expansion Fire Hydrant Relocation, Application No.04-385,
Laramie County

Dear Mr. Noe:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems described as the relocation of a fire hydrant, service line, and fire service line, SW 1/4 Section 20 T14N R66W; Laramie County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the general permit and the materials submitted in your application package. All service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. All construction, installation, or modification allowed by this notification of coverage shall be completed by August 11, 2006.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 04-385 in any future correspondence.

If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

LBH/bb/4-0817.ltr

cc: IPS, Cheyenne

Lawrence Gallagher, Summit Engineering
5907 Townsend Place
Cheyenne WY 82009

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973





The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

October 21, 2004

Honorable Jay Edmison, Mayor
Town of LaBarge
P.O. Box 327 LaBarge, WY 83123

RE: **Town of LaBarge - 2004 Water & Sewer Improvements, Permit Number 04-386R;**
S1/2 Section 6, T26N, R112W, Lincoln County; PWS #WY5600222

Dear Mayor Edmison:

The above application for coverage under General Permits to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems and Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 7, Chapter 11 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permits and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supv.
Water Quality Division

xc: IPS, Cheyenne
encl: General Permit for Extensions to Existing Sewage Collection Systems
General Permit for Extensions to Existing Public Water Distribution Systems



Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.



Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

September 13, 2004

Mr. Duane Hagen
Tri-State Industries
P.O. Box 254
Gillette, WY 82717

RECEIVED

SEP 14 2004

RE: Hagen Water Line Extension, Permit # 04-387
PWS # 5600052

WATER QUALITY DIVISION
WYOMING

Dear Duane:

The above application for coverage under General Permit to Construct, Install, Modify or Operate an extension to the City of Sheridan Water Distribution System in accordance with Chapter 3 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. All construction, installation, or modification allowed by this Notice of Coverage shall be completed by October 1, 2005.

Enclosed please find Certificate of Completion and Transfer of Ownership forms that are required to be completed and submitted to this office to fulfill your permit requirements.

Sincerely,

Rick J. Estes, P.E.
DEQ/WQD NE District Senior Environmental Analyst

cc: IPS-Cheyenne
Jeff Rosenlund, PE, HKM, P.O. Box 7010, Sheridan, WY
Mike Cole, PE -Assistant Public Works Director, City of Sheridan



AS-BUILT
PERMIT TO CONSTRUCT

△ New

PERMIT NO. 04-388
SPECIAL CONDITIONS

Rawlins Flying J Travel Plaza Public Water Supply
PWS: WY5600102

This permit hereby authorizes the applicant:

Flying J Transportation
333 West Center Street
North Salt Lake, UT, 84054

to have constructed, installed or modified an existing public water supply that was constructed before being defined as a public water supply by a rule change according to the procedures and conditions of the application number 04-388. The facility is located in NW 1/4 Section 23 T21N R88W in the county of Carbon, in the State of Wyoming..

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, meets applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee has constructed and shall operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 3 The unused wells must be identified and properly abandoned. The active well heads must be upgraded to conform with the requirements of Chapter 12 of the Wyoming Water Quality Division.
- 2 of 3 All service connections must be identified and the proper type of backflow device installed.
- 3 of 3 Disinfection equipment must be permitted and installed by July 1, 2005.

AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division



John Corra
Director
Department of Environmental Quality

10/06/04

Date of Issuance

LBH/jd/4-1002ltr.wpd



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

September 29, 2004

Mr. Gregg Wilkes, Town Administrator
Town of Afton
416 S. Washington
Afton, WY 83110

RE: **Town of Afton - 9th Avenue Sewer and Water, Permit Number 04-389; NW1/4, Section 31, T31N, R118W, Lincoln County**

Dear Mr. Wilkes:

The above application for coverage under General Permits to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems and Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 7, Chapter 11 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supv.
Water Quality Division

xc: IPS, Cheyenne

encl: General Permit for Extensions to Existing Sewage Collection Systems
General Permit for Extensions to Existing Public Water Distribution Systems

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-390

REFERENCE PERMIT NO. 95-007

Mountain Home Retreats - Wastewater System

This permit hereby authorizes the applicant:

Mountain Home Retreats
Jerry Bauer, President
4063 State Highway 230
Laramie, Wyoming 82070

to construct, install, or modify a multi-unit domestic septic system with a lift station and leachfield according to the procedures and conditions of the application number 04-390. The facility is located in the SE1/4 of Section 17, T12N, R78W, in the county of Albany, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by August 31, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 5. The applicant will provide immediate oral or written notice to the DEQ/WQD Southeast District office at 122 West 25th Street, Herschler Building - 4W, Cheyenne, Wyoming 82002, (307) 777-7781, or FAX (307) 777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 5. Within sixty days of completion of construction of the authorized facility, the applicant will submit to the DEQ/WQD Southeast District office a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 5. As-Built Plans Required - Within 60 days of completion of the project, as-built plans shall be submitted which will include:
 - a. The final plan layout of the property,
 - b. A cross section drawing of the Lift Station showing all of the components of the lift station, dimensions, and control elevations,
 - c. A cross section of the head of the leachfield including the header pipe, distribution box, and force main approach. Also indicate what is the slope of the force main, and if there is a provision or mechanism to drain it between chargings.
- 4 of 5. Water Well Supply Meter and Monitoring - A water meter will be installed on the water system supply well and water use records kept. A record of monthly water volumes consumed in gallons shall be kept for a period of two years and reported to the DEQ/Water Quality Division at the end of this period (see address in #1 above).


Permit #04-390
Page 3

5 of 5. The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division



John V. Corra
Director
Department of Environmental Quality

8/31/04

Date of Issuance

RLE/bb/4-0858.ltr

cc: Albany County Planning Office, P.O. Box C, 405 Grand Ave., Laramie, WY 82073

STATEMENT OF BASIS

1. Permit Number: 04-390
2. Application reviewed for compliance with the following regulations :
Chapters 3 and 11 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
NO
4. Facilities include components not specifically covered by regulations and approval is based upon a deviation from applicable regulations in accordance with Section 5 of applicable regulations.
 - a. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

The permit includes approval to deviate from the following regulatory requirements:
Chapter 11, Part D, Section 34, Design Flows

A reduced design flow of 75 gallons per day per bedroom was allowed instead of the usual 150 gpd per bedroom
 - b. Briefly state the basis for the deviation.

A lower design flow was allowed (when originally permitted under Permit # 95-007) because of the non-permanent recreational type use of the facility, the extensive use of low flow fixtures, and the additional leachfield capacity provided by continuing use of the existing leachfield in conjunction with the new leachfield.
5. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

NOT Required.

Small wastewater systems are exempted from review by Chapter 3, Section 17.
6. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Ronald L. Ewald, rewald@state.wy.us, Environmental Senior Analyst, and completed on August 25, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

RLE/bb/4-0858.ltr



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

October 8, 2004

Mr. John Dolinar and Mr. Don Davis
2720 Colorado Drive
Green River, WY 82935

RE: **Deer Ridge Estates Subdivision, Permit Number 04-391R**; S1/2 Section 27, T18N,
R107W, Sweetwater County

Dear Mr. Dolinar and Mr. Davis:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of an Existing Sewage Collection System and an Existing Public Water Supply Distribution System in accordance with Chapter 3, Section 7, Chapter 11 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supv.
Water Quality Division

xc: IPS, Cheyenne
City of Green River; 50 East 2nd North; Green River, WY 82935
Bryan Seppie; Joint Powers Water Board; P.O. Box 1299; Green River, WY 82935
encl: General Permit for Extensions to Existing Sewage Collection Systems
General Permit for Extensions to Existing Public Water Supply Distribution Systems



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

August 25, 2004

Dallas Burch
2412 D. Road
Oshoto, WY 82721

RE: Dallas Burch Septic System, Permit # 04-392

Dear Dallas:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by September 1, 2005.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne





Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.



Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

August 18, 2004

Dale & Marylee Bell
P.O. Box 222
Beulah, WY 82712

RE: Gravel Pit Road #1 Residential Septic System, Permit # 04-393

Dear Dale & Marylee:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by September 1, 2005.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Monty Pederson, Pederson Excavation, P.O. Box 336, Spearfish, SD 57783

Page 1 of 1





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

August 18, 2004

Dale & Marylee Bell
P.O. Box 222
Beulah, WY 82712

RE: Fox #1 Residential Septic System, Permit # 04-394

Dear Dale & Marylee:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by September 1, 2005.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Monty Pederson, Pederson Excavation, P.O. Box 336, Spearfish, SD 57783





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

August 18, 2004

Dale & Marylee Bell
P.O. Box 222
Beulah, WY 82712

RE: Sager Ranch Cabin #1 Residential Septic System, Permit # 04-395

Dear Dale & Marylee:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by September 1, 2005.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: *IPS, Cheyenne
Monty Pederson, Pederson Excavation, P.O. Box 336, Spearfish, SD 57783

Page 1 of 1





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

August 18, 2004

Dale & Marylee Bell
P.O. Box 222
Beulah, WY 82712

RE: Lower SLS #2 Residential Septic System, Permit # 04-396

Dear Dale & Marylee:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by September 1, 2005.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Monty Pederson, Pederson Excavation, P.O. Box 336, Spearfish, SD 57783


Page 1 of 1





Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.



Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

April 12, 2006

Mr. Jay Stender
SAWS JPB Manager
224 S. Main Street, Suite B8E
Sheridan, WY 82801

RE: Powder Horn 2, Phase 2 Block EE Water Distribution System, Permit # 04-397
PWS #5600052

Dear Homer:

The above **renewal** application for coverage under General Permit to Construct, Install, Modify or Operate a extension to the Powder Horn Water Distribution System in accordance with Chapter 3 and Chapter 12 of the WWQRR has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permits. All construction, installation, or modification allowed by this permit shall be completed by August 1, 2006.

If you have any questions please contact me at 1866 S. Sheridan Avenue, Sheridan, WY, 82801, (307) 673-9337.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQD NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Bill Mentock, PE/LS, Mentock Engineering, 1030 N. Main St., Sheridan, WY 82801

Page 1 of 1

1866 SOUTH SHERIDAN AVENUE • SHERIDAN, WY 82801

AIR, LAND AND WATER DIVISIONS
(307) 673-WDEQ (9337) • FAX (307) 672-2213





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

April 12, 2005

Mr. Bruce Yates, PE
SAWS JPB Manager
224 S. Main Street
Sheridan, WY 82801

RE: Powder Horn 2, Phase 2 Block EE Water Distribution System, Permit # 04-397
PWS #5600052

Dear Bruce:

The above renewal application for coverage under General Permit to Construct, Install, Modify or Operate a extension to the SAWS Water Distribution System in accordance with Chapter 3 and Chapter 12 of the WWQRR has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permits. All construction, installation, or modification allowed by this permit shall be completed by April 1, 2006.

If you have any questions please contact me at 1866 South Sheridan Avenue, Sheridan, WY, 82801, (307) 673-9337.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQD NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Powder Horn LLC, P.O. Box 2007, Sheridan, WY 82801
Bill Mentock, Mentock -Willey Consultants, 1030 N. Main St., Sheridan, WY 82801
Perry Rosenlund, Operations Manager, 51 Powderhorn Road, Sheridan, WY 82801

Page 1 of 1





The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

October 20, 2004

Mr. Larry Klass
2625 NW Ordway Ave.
Bend, OR 97701

RE: **Rock Springs KOA, Permit Number 04-398R**; NE1/4 Section 6, T18N, R105W,
Sweetwater County

Dear Mr. Klass:

The above application for coverage under General Permits to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems and Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 7, Chapter 11 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle Conklin
SW District Engineering Supv.
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
West Side Water & Sewer District; 66 Purple Sage Road #14; Rock Springs, WY 82901
Joint Powers Water Board; P.O. Box 1299; Green River, WY 82935
encl: General Permit for Extensions of Existing Sewage Collection Systems
General Permit for Extensions of Existing Public Water Distribution Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

October 7, 2004

Brett A. Vizina, Owner
Rimrock West, LLC
1124 Dunn Avenue
Cheyenne, Wyoming 82001

RE: Rock Springs - Rimrock West Addition, Phase V- Permit Number: 04-399,
Section 18, T19N, R105W, Sweetwater County.

Dear Mr. Vizina:

The above application for coverage under General Permit to Construct a public water supply water main extension consisting of 875 linear feet of 8 - inch PVC water main to serve 14 lots in accordance with Chapter 3, Section 7 and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Mark Baron, P.E.
Environmental Senior Analyst
Water Quality Division

cc: IPS, Cheyenne

encl: General Permit For a Public Water Supply Distribution System

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT
PWS - WY5600844

PERMIT NO. 04-400R

Grand View Lodges Water and Sewer, Phase A

This permit hereby authorizes the applicant:

Manuel Lopez, President
Snow King Resort, Inc.
P. O. Box SKI, Jackson, WY 83001

to construct and install water and sewer mains, backflow prevention devices, and a water pump station according to the procedures and conditions of the application number 004-400R. The facility is located in NW and SW1/4, Sec.34, T41N., R116W. in the county of Teton, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by November 10, 2009.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:


1 of 3 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality/ Water Quality Division, Northwest District, 250 Lincoln Street, Lander, WY 82520, 307-332-3144, fax 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.


- a. Date that construction of the facility was completed; and
- b. Date that the facility was placed in operation; and
- c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
- d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division

11/19/04
Date of Issuance


John V. Corra
Director
Department of Environmental Quality

STATEMENT OF BASIS

1. Permit Number: 04-400R
2. Application reviewed for compliance with the following regulations :
Chapter(s) 11 and 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
Yes
4. Facilities include components not specifically covered by regulations and approval is based upon a deviation from applicable regulations in accordance with Section 5 of applicable regulations. (Include this section only if the answer to item 3. above is no and the permit approval is based upon a deviation in accordance with Section 5.)
N/A
5. A review to determine groundwater impacts in accordance with Section 17, Chapter 3.
N/A
6. If Section 17 of Chapter 3 review is required, indicate the basis for determining groundwater will be protected.
N/A
7. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, jherma@state.wy.us, Northwest District Engineering Supervisor and completed on November 10, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

1. The first part of the report discusses the current state of the economy and the impact of the recent recession. It notes that the economy has been in a state of stagnation for several years, with low growth and high unemployment. The report also discusses the impact of the recession on various sectors of the economy, including manufacturing, services, and agriculture.

2. The second part of the report discusses the impact of the recession on the labor market. It notes that the recession has led to a significant increase in unemployment, particularly among young people and those with lower levels of education. The report also discusses the impact of the recession on the wage structure, with a notable increase in the number of workers on temporary contracts and a decrease in real wages.

3. The third part of the report discusses the impact of the recession on the financial system. It notes that the recession has led to a significant increase in the number of failed banks and a decrease in the amount of credit available to businesses and consumers. The report also discusses the impact of the recession on the stock market, with a significant decline in stock prices and a loss of confidence among investors.

4. The fourth part of the report discusses the impact of the recession on the government's budget. It notes that the recession has led to a significant increase in government spending, particularly on social welfare programs, and a decrease in tax revenue. The report also discusses the impact of the recession on the government's debt, with a significant increase in the amount of debt held by the government.

5. The fifth part of the report discusses the impact of the recession on the environment. It notes that the recession has led to a decrease in government spending on environmental protection programs, which has led to a decline in the quality of the environment. The report also discusses the impact of the recession on the energy sector, with a decline in investment in renewable energy and a focus on fossil fuels.

6. The final part of the report discusses the impact of the recession on the future of the economy. It notes that the recession has led to a loss of confidence among investors and consumers, which has led to a decline in economic activity. The report also discusses the impact of the recession on the political system, with a decline in trust in government and a rise in populist movements.