

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-601

Bennor Estates Water
PWS# Not Assigned

This permit hereby authorizes the applicant:

Daniel W. Ward
643 Force Road
Gillette, Wyoming 82718

to construct, install or modify a PWS source well, storage tank, chlorine disinfection system, and distribution system pumps for Phase I (47 lots) according to the procedures and conditions of the application number 04-601. The facility is located in Parts of Sections 3 & 4, Township 49 North, Range 73 West in the county of Campbell, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by May 1, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will provide immediate oral or written notice to the DEQ/WQD Northeast District Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the DEQ/WQD Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 4 The source well permitted by this document can only supply Phase I of the Bennor Estates. Any future Phases will require a new water source or a modification of the existing well both of which options would require the owner to obtain a new permit from DEQ Water Quality.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

4/18/05
Date of Issuance

JDL/jd/5-0470

cc: WDEQ Casper Field Office

STATEMENT OF BASIS

1. Permit Number: 04-601
2. Application reviewed for compliance with the following applicable regulations :
 - a. Chapter 12
3. Does the permit comply with all applicable regulations identified above?
 - a. Yes
4. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

not reqd

5. Documentation of Statement of Basis.

The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Dennis Lamb, Northeast District Supervisor, and completed on April 10, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
AS-BUILT PERMIT TO CONSTRUCT

PERMIT NO. 04-602

4700 NORGAARD

This permit hereby authorizes the applicant:

Joe Suchor
Southside Business Park
608 Ross Avenue
Gillette, Wyoming 82716

to construct, install, or modify a small waste water system according to the procedures and conditions of the application number 04-602. The facility is located in SE/SW/4 of Section 2, Township 49 North, Range 72 West in the county of Campbell, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by June 1, 2005.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, or any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 1 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

12/6/04
Date of Issuance

JDL/bb/4-1220.ltr

cc: WDEQ Casper Field Office

STATEMENT OF BASIS

1. Permit Number: 04-602
2. Application reviewed for compliance with the following applicable regulations :
 - a. Chapter 11.
3. Does the permit comply with all applicable regulations identified above?
 - a. Yes
4. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

Not Required

5. Documentation of Statement of Basis.

The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Dennis Lamb, Northeast District Supervisor, and completed on December 3, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JDL/bb/4-1220.ltr

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-603

REFERENCE PERMIT NO. 04-201

Torrington Water Improvements Control Building and Facilities
PWS: WY5600164

This permit hereby authorizes the applicant:

City of Torrington
2042 East "A" Street
Torrington, WY, 82240

to construct, install or modify a water treatment building, 4 reverse osmosis units, high service pumping, and a R.O. concentrate sewer line to the sewage lagoons according to the procedures and conditions of the application number 04-603. The facility is located in NE 1/4 Section 15 T24N R61W in the county of Goshen, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by August 11, 2010.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 7 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 7 Each of the antiscalant lines should be installed in a separate PVC conduit from the chemical storage room to the R.O. unit served. The PVC conduit should be drained into the chemical storage room with a easily viewed discharge point.
- 3 of 7 All exposed surfaces in the chemical storage room and the corrosion control rooms should be resistant to a mildly corrosive atmosphere. This means that all electrical conduit should be PVC instead of galvanized steel and that electrical boxes be rated for outdoor installation.
- 4 of 7 A draft operations and maintenance manual shall be submitted at the 50% completion point of the project as required by Chapter 12. The O&M manual submitted need not include the manufacturer's manuals for the various items of equipment that are part of the project, but only a listing of those manuals and a statement that the manuals have been provided to the City. The O&M manual should provide the operational control schemes and blending protocols including operation of the well field and the control station at the well field. A separate section should address the corrosion control and disinfection strategy for the finished water.
- 5 of 7 The plans do not demonstrate that access has been provided for delivery of the various chemicals required for operation. Most chemicals will be delivered in bulk, probably by tractor trailer. Appropriate modifications must be made to provide this access before the construction is completed.
- 6 of 7 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

7 of 7 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

6/22/05

Date of Issuance

LBH/jc/5-0695

cc: Kevin Frank

STATEMENT OF BASIS

1. Permit Number: 04-603
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3, 11, and 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?

YES


Public water supplies are exempted from review by Chapter 3, Section 17.
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.
5. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on June 20, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 23, 2004

Mr. Mike Cole, P.E.
Assistant Public Works Director
P.O. Box 848
Sheridan, WY 82801

RE: First Baptist Church Fireline Transfer of Ownership of #03-289, New Permit # 04-604
PWS# 5600052

Dear Mike:

The above application for coverage has been transferred to the City of Sheridan Ownership. All construction, installation, or modification allowed by this permit was completed by the First Baptist Church or their associates under WDEQ Permit #03-289.

If you have any questions please contact me at 673-9337.

Thank you.

Sincerely,


Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
David Oakes, First Baptist Church, 1100 Big Horn Ave, Sheridan, WY 82801





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

December 8, 2004

Richard M. Johnson
3024 Thomas Rd
Cheyenne, WY 82009

RE: Johnson Residential Septic System, Permit # 04-605

Dear Richard:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in the **NE ¼ of Section 27 in Township 46 North, Range 62 West** in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation, gravel and pipe or set infiltrators shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by December 1, 2005.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9330, 673-2213 (fax).

Thank you

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Kurt Krenke, Weston County Assessor



WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-606

Forsberg #1 Well
PWS# Not Applicable

This permit hereby authorizes the applicant:

333 Financial Group
P. O. Box 33
Watertown, SD 57201

to construct, install, or modify a water supply well according to the procedures and conditions of the application number 04-606. The facility is located in NW/4 of Sec 32, Township 53 North, Range 60 West in the county of Crook, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by September 1, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents, and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state, or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:


- 1 of 3 The applicant will provide immediate oral or written notice to the DEQ/WQD Northeast District Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the DEQ/WQD Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate. All modifications or deviations from the authorized plans must be highlighted.

- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

10/17/05
Date of Issuance

JDL/bb/5-1117.ltr

cc: WDEQ Casper Field Office

STATEMENT OF BASIS

1. Permit Number: 04-606
2. Application reviewed for compliance with the following applicable regulations :
 - a. Chapter 11, Section G
 - b. Chapter 12
3. Does the permit comply with all applicable regulations identified above?
 - a. Yes
4. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

Not Required

5. Documentation of Statement of Basis.

The archive file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Dennis Lamb, Northeast District Supervisor, and completed on October 5, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JDL/bb/5-1117.ltr

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-607

Seeley Small non-discharging Waste Stabilization Pond

This permit hereby authorizes the applicant:

Lenard Seeley
P.O. Box 97
Osage, WY, 82723

to construct, install or modify a small non-discharging waste stabilization pond for a 2-bedroom home according to the procedures and conditions of the application number 04-607. The facility is located in the SE1/4NE1/4 of Section 1, Township 46 North, Range 63 West in the county of Weston, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by December 1, 2005.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:


- 1 of 3 The applicant will provide immediate oral or written notice to the WDEQ located at 1866 S. Sheridan Avenue, Sheridan, Wyoming 82801; telephone (307) 673-9337; FAX (307) 673-2213, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the WDEQ located at 1866 S. Sheridan Avenue, Sheridan, Wyoming 82801; telephone (307) 673-9337; FAX (307) 673-2213 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

12/15/04
Date of Issuance

RJE/jd/4-1251ltr.wpd

STATEMENT OF BASIS

1. Permit Number: 04-607
2. Application reviewed for compliance with the following applicable regulations :
Chapter 11 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
Yes
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was:
Not Required
5. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Rick J. Estes, PE, restes1@state.wy.us, Northeast District Senior Environmental Analyst, and completed on December 13, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

LAND APPLICATION PERMIT

New
 Renewal
 Modified

PERMIT NO. 04-608
SPECIAL CONDITIONS
REF/PERMIT #

This permit hereby authorizes the applicant:

SIERRA CONSTRUCTION ROAD APPLICATION
PO BOX 210
LINCH, WY 82717

to land apply 1000 barrels of crude oil/sludge according to the procedures and conditions of the application number 04-608. The application site is located in NWSE/4 of Section 14 T42N, R78W in the county of Johnson, in the State of Wyoming. This permit shall be effective until November 1, 2005.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable standards. Compliance with DEQ standards is the responsibility of the permittee, owner, and/or operator.

Nothing in this permit constitutes an endorsement by the DEQ of the land application described herein. This permit verifies only that the submitted application meets the standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance of the permitted activity. The permittee, owner and/or operator are solely responsible for any liability arising from the land application. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division (WQD), upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 5. The permittee shall notify representatives from the DEQ/WQD of the anticipated project commencement and completion dates. At least 48 hours advance notice is required. The authorized representative in your area can be contacted at the following address: DEQ/WQD, Casper WDEQ Field Office, 3030 Energy Lane, Casper, WY 82604, telephone (307) 473-3452; FAX (307) 473-3458.
- 2 of 5. The permittee shall provide immediate oral and/or written notice to the Casper WDEQ Field Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications to the approved permit package.


3 of 5. The permittee shall provide certification that the project was completed in accordance with the terms and conditions of the permit within sixty (60) days of the project completion to the Casper WDEQ Field Office on the attached Certification of Completion form.


- a. Date that the land application was completed; and
- b. Certification the land application was done in accordance with the terms and conditions of the permit; or
- c. Certification the land application was completed with changes or modifications. Submit the information necessary to clearly indicate the land application as actually performed. This information shall include a contour map depicting only those sections that actually received road oil formulation.

4 of 5. The review and approval of this permit is based upon the items identified in the attached Statement of Basis.

5 of 5. Waste water application shall be terminated within 300 feet of the definable high water Mark of perennial and intermittent drainages, irrigation canals, lakes and reservoirs.

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

11/30/04
Date of Issuance

JDL/jd/4-1189ltr

cc: WDEQ Casper Field Office

STATEMENT OF BASIS

I. General information.

A. Permit Number: 04-608

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. No

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

No

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

There are no numeric standards or criteria in Chapter XI for road application. W.S. 35-11-301 (a)(iii) requires a permit to be issued when any disposal system capable of causing or contributing to pollution is constructed, installed, modified, or operated.

B. Briefly state the basis for the deviation.

Road application is permitted when DEQ authorized disposal facilities are not readily available, a beneficial use of the waste to be applied is possible, and significant impact to waters of the State is minimized.

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

District Policy numbers 10.1 (4/9/91), 10.2 (10/17/86), 10.3 (8/91), 10.4 (10/24/91), and 10.6 (1/18/91) address the statutory authority to regulate the road application of waste, establish criteria for characterizing the waste, and determine acceptable conditions for the application of the waste to roadbeds to minimize impact to waters of the State. District Policy 10.2 (10/17/86)

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

NA

VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

A. Facility will not allow a discharge to groundwater. Briefly describe:

NA

B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:

NA

C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

NA

D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

NA

E. Discharge will result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

NA

F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

NA

G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

NA

VII. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Dennis Lamb, Northeast District Supervisor and completed on November 16, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION

PERMIT TO CONSTRUCT

ARCHIVES

PERMIT NO. 04-609R

B&R Mobile Home Park - Dechlorination System

This permit hereby authorizes the applicant:

Regency of Wyoming
50 Reliance Road, #1A
Rock Springs, WY 82901

to install a dechlorination system on an existing wastewater treatment plant according to the procedures and conditions of the application number 04-609R. The facility is located in NW1/4 Section 2, T19N, R105W in the county of Sweetwater, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by December 31, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:


- 1 of 3 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality/ Water Quality Division, Southwest District, 250 Lincoln Street, Lander, WY 82520, 307-332-3144, fax 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

12/29/04
Date of Issuance

DHC/dhc/jd/4-1295ltr.doc

cc: Sweetwater County Planning; 80 West Flaming Gorge Way; Green River, WY 82935

STATEMENT OF BASIS

1. Permit Number: 04-609R

2. Application reviewed for compliance with the following regulations:
Chapter 11 of the Wyoming Water Quality Rules and Regulations

3. Does the permit comply with all applicable regulations identified above?
Yes

4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3. Sewerage systems are exempted from review by Chapter 3, Section 17.

5. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Doyle H. Conklin, dconkl@state.wy.us, SW District Engineering Supervisor, and completed on December 21, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

DHC/jd/4-1295ltr.doc



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

February 2, 2005

The Home Depot
Mr. James R. Spitzer, Real Estate Manager
370 Corporate Drive North
Tukwila, WA 98188

RE: **The Home Depot, Permit Number 04-610R**; SW1/4 Section 33, T19N, R105W,
Sweetwater County

Dear Mr. Spitzer:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to a public water distribution system and a sewage collection system in accordance with Chapter 3, Section 7, Chapter 11 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin
SW District Engineering Supv.
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
Jeff Kochevar; 5350 DTC Parkway; Greenwood Village, CO 80111

encl: General Permit for Extensions to Existing Public Water Distribution Systems
General Permit for Extensions to Existing Sewage Collection Systems

STATE OF WYOMING
DEPARTMENT OF ENVIRONMENTAL QUALITY
UNDERGROUND INJECTION CONTROL PERMIT ISSUED UNDER
WYOMING WATER QUALITY RULES AND REGULATIONS
CHAPTER 13

CLASS 1 INJECTION WELL

(X) New
() Modified


Permit Number UIC 04-611
UIC Facility Number WYS-009-044

In compliance with the Wyoming Environmental Quality act (W.S. 35-11-101 through 1104, specifically 301(a)(i) through 301 (a)(iv), Laws 1973, Ch. 250, Section 1) and Wyoming Water Quality Rules and Regulations, Chapter 13.


Applicant: Power Resources Inc.
P.O. Box 1210
Glenrock, WY 82633
(307) 358-6541

Power Resources Inc., hereafter referred to as the permittee, is authorized to operate Reynolds Ranch Disposal Well #1 located in the center of the SE $\frac{1}{4}$, Section 35, located 2,980 feet from the north line and 1,010 feet from the east line, Township 37 North, Range 74 West, of the 6th Principal Meridian, Converse County; according to the procedures and conditions of application 04-611 and requirements and other conditions of this permit.

This permit shall become effective on date of issuance.


John Wagner, Administrator
Water Quality Division
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002
(307)-777-7781

3/29/05
Date


John V. Corra, Director
Department of Environmental Quality
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002

3/29/05
Date

Table of Contents

A.	Discharge Zone	3
B.	Well and Area of Review.....	3
C.	Groundwater Classification	3
D.	Authorized Operations	4
E.	Hazardous Waste	5
F.	Proper Operation and Maintenance	5
G.	Entry and Inspection	6
H.	Environmental Monitoring Program for Groundwaters of the State	6
I.	Requirements for Monitoring the Discharge	6
J.	Test Procedures	7
K.	Records and Reports	8
L.	Permit Actions	9
M.	Mechanical Integrity	10
N.	Abandonment.....	11
O.	Duties of the Permittee.....	11
P.	Financial Responsibility.....	12
Q.	Special Conditions	12
R.	Signatories Requirement.....	12
S.	Noncompliance	13
T.	Permit Transfer	14
U.	Property Rights	14
V.	Severability	14

A. Discharge Zone

This injection well is authorized to inject into the Parkman, Teapot, and Teckla Formations which are found in the well bore of disposal well #1 from 9,355 to 9,485 feet, 9,034 to 9,214 feet, and 8,235 to 8,605 feet, respectively. Additional perforations may be installed within the above named intervals of the authorized formations with the prior written approval of the Water Quality Division.

The packer set on the bottom of the tubing shall be set within 500 feet of the top of the authorized discharge zone, in well #1 between 8,235 and 7,735 feet.

B. Well and Area of Review

The well(s) authorized by this permit is/are located in:

Township 37 North, Range 74 West, 6th Principal Meridian
Section 35: 2,407 feet from the south line and 1,010 feet from the east line

The Area of Review around this well is legally described as:

Township 36 North, Range 74 West, 6th Principal Meridian
Section 1: NE¹/₄NE¹/₄, W¹/₂NE¹/₄, NW¹/₄SE¹/₄, NW¹/₄, N¹/₂SW¹/₄, SW¹/₄SW¹/₄
Section 2: All
Section 3: NE¹/₄, N¹/₂SE¹/₄, NW¹/₄SE¹/₄, E¹/₂NW¹/₄, NW¹/₄NW¹/₄

Township 36 North, Range 73 West, 6th Principal Meridian
Section 31: W¹/₂W¹/₂
Section 30: SW¹/₄SW¹/₄

Township 36 North, Range 74 West, 6th Principal Meridian
Section 25: NW¹/₄NW¹/₄, S¹/₂NW¹/₄, SW¹/₄NE¹/₄, S¹/₂
Section 26: NE¹/₄, NE¹/₄NW¹/₄, S¹/₂
Section 27: SE¹/₄NW¹/₄, SE¹/₄
Section 34: E¹/₂W¹/₂, E¹/₂
Section 35: All
Section 36: All

C. Groundwater Classification

The groundwater in the Parkman, Teapot, and Teckla Formations is classified as Class VI according to Wyoming Water Quality Rules and Regulations, Chapter 8. This classification was made because the groundwater in this formation is situated at such depth that recovery of this water and treatment for drinking water purposes is impractical.

D. Authorized Operations

The permittee is authorized to inject 5,142 barrels per day, (216,000 gallons per day) of industrial processing wastes (as identified in Table 1) from the Reynolds Ranch in-situ mine.

Table 1 (Processing Wastes)

Process area wash down water
Elution fluid solution from the uranium precipitation circuit
Wash waters decanted from yellowcake settling (thickening)
Sand filter backwash waters
Ion exchange screening wash waters and circuit/wellfield bleed waters
Laboratory wastes from a laboratory located on the Reynolds Ranch project
Reverse osmosis or electro dialysis brine concentrate

The permittee is authorized to inject at a pressure of no more than 1,197 psig as measured at the wellhead. The pressure of injection shall be continuously monitored and recorded on a chart recorder.

Within the first year of operation the permittee shall conduct a step injection test on well #1 to determine the actual fracture pressure of the formation. After completion of this test and subsequent approval by the Administrator, the injection pressure shall be limited to 90% of the fracture pressure as measured at the surface. The permittee may conduct additional step injection tests at a later time to determine changes in the fracture pressure as the injection continues. After acceptance by the Administrator of these tests, the permittee shall limit the injection pressure to 90% of the new fracture pressure as measured on the surface.

The permittee shall continuously monitor the pressure on the casing/tubing annulus and shall maintain a positive pressure on the annulus. The pressure maintained shall not be less than 200 psig or more than 800 psig as measured at the wellhead.

The wastes injected are from operations described by OSHA Standard Industrial Classification, industry group 109 (miscellaneous metal ores). The permittee is authorized to accept and dispose of fluids from other similar in-situ leaching operations with prior approval from the Water Quality Division.

Produced water from oil and gas operations may be accepted for disposal with prior approval from the Water Quality Division. Likewise, fluids from other industrial operations may be accepted for disposal with prior approval from the Water Quality Division. Analyses will be required prior to injection of any waste not produced on the project covered by the Land Quality Division Permit to Mine #633. The exact parameters to be analyzed will be determined prior to accepting any such waste. The permittee shall contact the Water Quality Division for guidance prior to ordering analyses. For any waste, which is not exempt from RCRA regulation at the time of injection, the permittee shall provide tests for EP corrosivity, EP toxicity using the Toxicity Characteristic Leaching Procedure (TCLP), EP Ignitability, and EP Reactivity. The Water Quality Division may waive in writing the requirement for individual tests based on the source and nature of the waste to be disposed. Injection shall not commence until such time as

an approval has been issued in writing by the Water Quality Division for that particular waste. The Water Quality Division may issue approvals under this permit for injection of industrial waste from a single source for up to three (3) years from the date of the original analyses. Such approvals may require additional analyses during their term.

The composite injection stream may also contain a small amount of Nalco 7801 corrosion inhibitor. Nalco 7801 is an aqueous solution of alkonal amine phosphate ester and ethylene glycol. The composite injection stream may also contain a small amount of Betz GCP-188 deposit control additive. The composite injection stream may also contain a small amount of Tretolite SP-200 scale inhibitor. The composite injection stream may also contain a small amount of Tretolite NC-370 biocide added to control bacterial growth in the injection system. The use of other additives is authorized provided that the permittee shall provide MSDS sheets for all such additives, the amounts to be used, and shall obtain written approval from the Water Quality Division prior to using any other additive.

E. Hazardous Waste

This permit does not allow for the injection of any hazardous waste as defined in 40 CFR 261.3 and in Wyoming Solid Waste Management Rules and Regulations, Chapter 2. Injection of any substance defined as a hazardous waste, whether hazardous by listing or by characteristic is a violation of this permit. The wastes to be injected from the Reynolds Ranch project are exempt from RCRA regulation under the Beville Amendment to RCRA.

F. Proper Operation and Maintenance

The permittee shall take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit.

The permittee shall operate and maintain all facilities and systems of treatment and control which are installed or used by the permittee to achieve compliance with the conditions of the permit. Proper operation and maintenance includes mechanical integrity of the well, effective performance, adequate funding, operator staffing and training, and laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of this permit.

The injection well covered by this permit shall meet all construction requirements outlined in Wyoming Water Quality Rules and Regulations, Chapter 13, Section 11.

The permittee is required to operate in accordance with statements, representations and procedures presented in the complete permit application and supporting documents as accepted and approved by the Administrator.

Any modifications which will result in a violation of permit conditions shall be reported by submission of a new or amended permit application and shall not be implemented until a new or modified permit has been issued.

Injection into a well may not begin until construction is complete.

G. Entry and Inspection

The permittee shall allow the Administrator, or an authorized representative for the Administrator (upon presentation of credentials and during normal working hours) to enter the premises where a regulated facility is located, or where records are kept under the conditions of this permit and inspect and photograph the discharge and related facilities, review and copy reports and records required by this permit, collect fluid samples for analysis, measure and record water levels, and perform any other function authorized by law or regulation.

H. Environmental Monitoring Program for Groundwaters of the State

A monitoring program is required to establish baseline water quality of the receiving formation and to insure knowledge of migration and behavior of the discharge. The permittee is required to provide detailed information concerning the quality of the groundwater in the receiver of this injection well. At a minimum, the groundwater in the receiving formation shall be sampled prior to the injection of any fluid under this permit. This sample shall be analyzed for the following parameters as identified in **Table 2**.

Table 2 (Sampling Parameters)

Calcium	Magnesium	Sodium
Sulfate	Chloride	Potassium
Carbonate and Bicarbonate	Total Dissolved Solids	pH
Conductivity	Specific Gravity	Viscosity

Because of the depth of injection and the amount of groundwater sampling already required in the general vicinity of this facility, no groundwater monitoring for the near surface groundwaters (underground sources of drinking water) is required.

I. Requirements for Monitoring the Discharge

The permittee shall monitor the injection pressure continuously and record readings on a strip chart recorder, a circular chart recorder, or digitally with the pressure transducer on the well or in the injection plant. A high pressure kill switch shall also be installed on the injection tubing. This device shall be set to preclude violations of the maximum injection pressure.

The permittee shall monitor the injection volume continuously and record those readings on a strip chart recorder, a circular chart recorder, or digitally with the pressure transducer on the well or in the injection plant.

The permittee shall continuously monitor the pressure of the casing/tubing annulus and shall maintain a positive pressure on the annulus. The pressure maintained shall not be less than 200 psig or more than 800 psig. The permittee shall continuously record the annulus pressure on a strip chart recorder, a circular chart recorder, or digitally with the pressure transducer on the

wellhead. A high/low pressure kill switch shall also be installed on the casing/tubing annulus. This device shall be set to preclude violations of the permit for annulus pressure.

The permittee shall shut-in the well(s) covered by this permit annually for a period of time long enough to observe a valid pressure falloff curve. This test shall be considered complete when the pressure curve becomes asymptotic to a straight line. This test shall be analyzed by the permittee using either the Miller Dyes Hutchinson (MDH) method or the Horner Method. In either case, graphs of this test shall be submitted to include either the MDH or Horner Plot and a Log-Log plot after injection. From these plots, the transmissivity md-ft/cp, the permeability in md, and the dimensionless skin factor shall be calculated and submitted to the Water Quality Division with the next quarterly report after the test is done.

The first pressure falloff curve described above shall be run within the first ninety (90) days of operation. This first pressure falloff curve shall be run using gauges with an accuracy of 0.01 psi and shall continue until ambient reservoir pressure has been reached (even if this requires the use of down hole gauges to measure pressures of less than atmospheric). In addition, the Administrator may require the use of similar gauges on any subsequent test if this procedure is deemed necessary to make proper interpretations of the data.

The permittee shall monitor the quality of the injected water on an approved schedule. The following parameters shall be analyzed by the listed methods and reported quarterly in **Table 3**.

Table 3 (Sampling Schedule)

Sampling Schedule	Parameter Analyzed	Analytical Method	Permit limit or UCL
Quarterly	Total Dissolved Solids	EPA Method 160.1	No limit
Quarterly	Total Alkalinity	EPA Method 310.1	No limit
Quarterly	Natural Uranium as U	EPA Method 908.1	65.0
Quarterly	Radium 226	EPA Method 903.1	No limit
Quarterly	pH	EPA Method 150.1	>2.0 and < 11.0

(*)All chemical parameters listed in this permit are expressed in mg/L unless otherwise shown. pH is expressed in standard units, conductivity is expressed in mmhos/meter or umhos/cm. The permittee shall use the above listed methods unless an alternate method is first approved by the Water Quality Division. The above analyses shall be done on samples which are composited from at least four (4) samples taken over a period of at least two (2) weeks.

The above upper control limit (UCL) is not to be exceeded in any sample. Exceedance of this value is a violation of this permit and shall require notification under Section K of this permit. Failure to perform and report analyses in accordance with the prescribed schedule and method is also a violation of this permit.

J. Test Procedures

All samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity. All samples taken shall include a trip blank of distilled water for each sampling date and a duplicate sample at least once per year.

All required analyses shall be conducted in compliance with Wyoming Water Quality Rules and Regulations, Chapter 8, Section 7.

K. Records and Reports

The permittee shall furnish to the Administrator within a specified time any information which the Administrator may request relating to the operation of the facility, including copies of records required to be kept by this permit.

The permittee shall retain copies of all records and reports required by this permit for a period of three (3) years following permanent well abandonment. After that time, those records shall be delivered to the Administrator for disposal or archive at his discretion.

Reports of compliance or noncompliance with, and any progress reports on, interim and final requirements contained in any compliance schedule shall be submitted no later than thirty (30) days following each schedule date.

Confirmed noncompliance resulting in the migration of injected fluid into any zone outside the permitted receiver shall be reported to the Administrator orally within twenty-four (24) hours, and a written submission (via certified mail) shall be provided within five (5) days of the time the permittee becomes aware of the excursion. The written submission shall contain: a description of the noncompliance; the period of noncompliance, including exact dates and times, and if the noncompliance has not been controlled, the anticipated time it is expected to continue; and a list of the steps taken or planned to reduce, eliminate, and prevent the recurrence of the noncompliance.

Confirmed noncompliance not already reported under this section shall be reported at the time monitoring reports are submitted. The reports shall contain the same information as required by the paragraph above.

The permittee shall notify the Administrator thirty (30) days in advance of any planned alteration, conversion, or abandonment of the well covered by this permit.

The quarterly report of operations for this well shall include the following information:

- a. The minimum average and maximum daily injection rate for each month of the quarter. The page showing the maximum injection rate shall also show the maximum permitted injection rate for comparison.
- b. The minimum, average, and maximum daily injection pressure for each month of the quarter. The page showing the maximum injection pressure shall also show the maximum permitted injection pressure for comparison.
- c. The total injection volume in gallons for each month of the quarter, the total for the quarter, the total cumulative injected to date.

- d. The maximum and minimum annulus pressure for each month of the quarter.
- e. Any permit exceedances within the quarter.
- f. Any tests run during the quarter. This includes, but is not limited to the results on any Mechanical Integrity Tests, Pressure Falloff Tests, Step Injection Tests, or any well workovers.
- g. The analytical results for sampling for the injected water and any groundwater sampling results required under Section H.
- h. Quarterly reports are due in the Cheyenne office of the Water Quality Division no later than thirty (30) days after the end of each calendar quarter.

The annual report of operations on these wells shall be filed at the time when the fourth quarterly report is due and shall include the fourth quarterly report and the following additional information:

- a. A graphical representation of the injection pressure and volume for over time for the previous five (5) year's operation. This graph shall have the dates of the year on the abscissa and the pressure and volume as the ordinate.
- b. Graphical representations of the quality of the injected water over time. These graphs shall show the injected quality for the previous five (5) year's operation and shall be prepared on appropriate scales to show the variation.
- c. Monitoring results shall be reported in the annual reports unless otherwise specified.

L. Permit Actions

This permit is issued for a period of ten (10) years. If the permittee wishes to continue injection after the expiration date of this permit, he shall apply to the Administrator and obtain a new permit prior to the expiration date of this permit.

It shall not be a defense for the permittee in an enforcement action that it would be necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit.

The filing of a request by the permittee, or at the instigation of the Administrator, for permit modification, revocation, termination, or notification of planned changes or anticipated noncompliance shall not stay any condition of this permit.

After notice and opportunity for a hearing, a permit may be modified, suspended or revoked in whole or part during its term for cause which includes, but is not limited to any of the following:

1. Violation of this permit;
2. Obtaining a permit by misrepresentation of facts in the application; or
3. Failure of the casing, cement or the confining layer.

This permit will be reviewed at least once every five (5) years, and may be reviewed more frequently. A permit may be modified at any time as may be required, including for conformity with changes in regulations or standards which occur after the permit was issued. A permit may be modified in whole or part in order to apply more or less stringent standards; or prohibitions for toxic or other substances present in the permittees discharge as may be ordered by the Council.

M. Mechanical Integrity

Mechanical integrity shall be maintained continuously and reviewed at least once every five (5) years. The test used to determine mechanical integrity shall be a two part test approved by the Administrator.

Part 1 of the mechanical integrity test shall demonstrate the absence of leaks through the packer, tubing, casing, and wellhead. Prior to injection and at least once every five (5) years, and more frequently if required by the Administrator, the casing tubing annulus of each of these wells shall be pressure tested to 2,000 psig. A successful test shall show that there has been less than 10% pressure loss after 15 minutes at 2,000 psig.

Part 2 of the mechanical integrity test shall demonstrate the absence of fluid movement behind the casing. Prior to injection and least once every five (5) years, and more frequently if required by the Administrator, each of these wells shall be logged using a radioactive tracer (RTS) log and a temperature log and the results and their interpretation shall be reported to the Water Quality Division along with the next quarterly report.

Other types of logs may be substituted for Part 2 of the mechanical integrity test (RTS) with the prior written approval of the Water Quality Division.

Prior to injection a cement bond log shall be run. This log shall include a micro-seismogram section. This log shall be submitted to the Water Quality Division along with the first quarterly report on the injection. The cement bond log must show good quality bond to a point no deeper than 200 feet above the top of the Lewis Shale and extending downward to at least the bottom of the Lewis Shale.

Should any of the above tests show a lack of mechanical integrity, the Water Quality Division shall be notified by telephone within twenty-four (24) hours and with a written report within seven (7) days. In the case of a failed mechanical integrity test, the well shall be immediately shut-in. Injection shall not resume until the well has been repaired and a complete mechanical integrity test has been passed and the Water Quality Division has approved these tests.

If at any time injection occurs in any zone not within the permitted receiver, a permit violation has occurred. The operator shall prepare an estimate of the volume and quality of all wastewaters which were injected outside of the permitted receiver. In the case where any aquifer meeting the standards for Class I through IV under Wyoming Water Quality Rules and Regulations, Chapter 8, has been contaminated due to out of zone injection, the operator shall prepare and implement a plan to recover these solutions and inject them into the proper receiver.

N. Abandonment

The permittee shall notify the Administrator at such times as the permit requires before conversion or abandonment of the well.

Within thirty (30) days after plugging and abandonment of the well covered by this permit, permittee shall submit a plugging and abandonment report, detailing the compliance abandonment procedures outlined in the original permit application, and describing any deviation from the original plan. The abandonment plan shall include reclamation of the well location.

At the time of permanent abandonment, the following procedure shall be followed: A minimum of 200 sacks of cement shall be squeezed through the perforations using a cement retainer set at the approximate depth of the production packer. The casing above the retainer shall then be filled with cement to a level 200 feet above the top of the Lewis Shale. A 50 sack plug shall be placed at the top of each of the following formations: Fox Hills, Lance and Fort Union. The entire surface casing shall then be filled with cement with a standard dry hole marker welded to a blind flange to be bolted to the exposed casing flange. Regardless of the above procedure, the abandonment procedure used shall not be less stringent than the procedure required by the Oil and Gas Conservation Commission for abandoned oil wells at the time of abandonment.

This well shall be properly abandoned within six (6) months of the end of operation. This well shall be considered temporarily abandoned any time there has been no injection for six (6) months. If this well is temporarily abandoned at any time, the operator may retain it in this status so long as all monitoring equipment is maintained in working order and all pumps are also maintained. During the period of temporary abandonment, all reports shall be filed as for an active well, but monitoring of the injected fluid is waived. Should the operator remove any of the required equipment from service, other than for maintenance, then the wells shall be permanently abandoned within six (6) months of that time.

O. Duties of the Permittee

The permittee shall give advance notice to the Administrator as soon as possible of any planned physical alteration or additions, other than authorized operation and maintenance, to the permitted facility and receive authorization prior to implementing the proposed alteration or addition.

The permittee shall furnish the Administrator within a reasonable time, any information which the Administrator may request to determine whether cause exists for modifying, revoking, or

reissuing, or terminating this permit, or to determine compliance with this permit; and to furnish to the Administrator upon request, copies of records required to be kept by this permit.

Any modification which may result in a violation of a permit condition shall be reported to the Administrator, and any modification that will result in a violation of any permit conditions shall be reported to the Administrator through the submission of a new or amended permit application.

The permittee shall report all instances where he becomes aware that he failed to submit any relevant facts in the permit application, or where he submitted incorrect information in a permit application or in any report to the Administrator, and shall promptly submit such facts or information.

Monitoring results shall be reported at the intervals specified elsewhere in this permit.

P. Financial Responsibility

The permittee has demonstrated financial responsibility as required by Wyoming Water Quality Rules and Regulations, Chapter 13 in the form of a financial test demonstrating sufficient resources to plug and abandon the non-hazardous waste injection well covered by this permit. The permittee is presently bonded by the Wyoming Department of Environmental Quality, Land Quality Division to operate its uranium in-situ leach facility at the Smith Ranch (Permit to Mine #663). The bond estimate for the Smith Ranch project currently includes estimates for the existing deep disposal wells located in the permit area. This estimate is updated annually and submitted to Land Quality Division for review and approval. The estimate for the Smith Ranch project is currently \$22,402,000. Once constructed, costs for the Reynolds Ranch Disposal Well #1 will be included in the bond at an estimated cost of \$4.87 per foot. The bond for Permit to Mine #663 is provided to Land Quality Division through a letter of credit from the Royal Bank of Canada. The permittee shall maintain the above instrument or a replacement instrument for the duration of this permit and until all post-closure care requirements have been satisfied.

Q. Special Conditions

In addition to the conditions required of all permits, the Administrator has established conditions as required for monitoring, schedules of compliance, and such additional conditions as are necessary to prevent the migration of fluids into underground sources of drinking water. These conditions are established in conformance with Chapter 13, Section 9(e).

The long string casing shall be cemented in place essentially from top to bottom. This will require that a second stage cement job be conducted with a sliding sleeve set within the Fox Hills formation.

R. Signatories Requirement

All reports filed in conjunction with this permit shall contain the following certification:

"I certify, under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All reports required by this permit and other requested information shall be signed as follows:

For a corporation – by a principal executive officer of at least the level of vice-president;

For a partnership or sole proprietorship – by a general partner or the proprietor, respectively;

For a municipality, state, federal, or other public agency – by either a principal executive officer or ranking elected official;

or

By a duly authorized representative for any of the above. A person is a duly authorized representative only if:

1. The authorization is made in writing by one of the prescribed principals;
2. The authorization specifies either an individual or position having responsibility for the overall operation of the regulated facility or activity; and
3. The written authorization is submitted to the Administrator.

If an authorization is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization must be submitted to the Administrator prior to or together with any reports or information, to be signed by the new authorized representative.

S. Noncompliance

The permittee shall comply with all conditions of the permit. Any permit noncompliance constitutes a violation of Wyoming Water Quality Rules and Regulations, Chapter 13 and is grounds for enforcement action, permit termination, revocation, or modification. Conformed noncompliance resulting in an excursion shall be reported to the Administrator orally within twenty-four (24) hours, and a written submission shall be provided within five (5) days of the time the permittee becomes aware of the excursion. The written report shall contain the sections specified in Section K of this permit. Any permit noncompliance constitutes a violation of this permit.

The filing of any request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.

T. Permit Transfer

Any transfer of this permit shall be accomplished by the submission of the proper forms for permit transfer to the Administrator. Transfer of this permit must first be approved by the Administrator, and the Director, and no transfer shall be approved unless the proposed permittee agrees to bring any and all noncompliance issues into compliance with this permit.

The permittee is alone responsible for the operation of the facility covered by this permit. Sale of the facility and subsequent operation of this facility by another is a violation of this permit unless a transfer of this permit has first been accomplished.

U. Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege. This permit does not authorize injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.

V. Severability

Nothing in this permit shall be construed to preclude the institution of any legal action or to relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable state law or regulation.

The provisions of this permit are severable, and if any provision of the permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.

JAP/5-0364

STATEMENT OF BASIS FOR A UIC PERMIT

I. General information.

- A. UIC Permit Number: 04-611
- B. Facilities Covered: Reynolds Ranch Disposal Well #1 (Class 1)
- C. Class of Facility: 1 Non Hazardous (Wyoming Water Quality Rules and Regulations, Chapter 13)

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

- | | | | |
|---------------|-----|---------------|-----|
| A. Chapter 8 | Yes | D. Chapter 12 | No |
| B. Chapter 9 | No | E. Chapter 13 | Yes |
| C. Chapter 11 | No | F. Chapter 16 | No |

III. Basis for issuing permit. (Indicate yes or no for each section.)

- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

Yes

- B. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

Not Applicable

- V. Application requires review to determine groundwater impacts in accordance with Wyoming Water Quality Rules and Regulations, Chapter 3, Section 17. Note that sediment ponds, public water supplies, sewerage systems, and small wastewater systems are exempt from the requirements of Section 17. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

Applicable. A groundwater review has been conducted to insure that no groundwater less than Class VI will be impacted by this system.

VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

VII. Applicant and Public Participation

- A. The applicant has been provided with a draft permit prior to the permit being issued.
- B. A Public Notice has been issued with a public notice period starting December 30, 2004 and ending on January 31, 2005 (30 day notice as required by Wyoming Water Quality Rules and Regulations, Chapter 13.) This notice was published in the Casper Star Tribune on or before the start of the public comment period.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Wyoming Water Quality Rules and Regulations, Chapter 13, Section 5. This review was performed by John A. Passehl, P.G., UIC Program Principal, and completed on December 23, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JAP/jd/4-1304ltr



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

December 7, 2004

Mark Bedrich
P.O. Box 1243
Pinedale, WY 82941

RE: Mark Bedrich - Small Enhanced Wastewater Treatment System- Permit Number 04-612, SE1/4 Section 10, T33N, R109W, Sublette County, Old Brazzill Ranch Subdivision, First Filing, Lot 8

Dear Mr. Bedrich:

The above application for coverage under General Permit to Construct a small enhanced wastewater treatment facility, to serve a three bedroom home, in accordance with Chapter 3, Section 7, Chapter 11, Part D and Section 5, Chapter 23, Section 7(d)(viii) of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

In carrying out the activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 This permit is for an enhanced (extended aeration, activated sludge treatment system with pump tank and leach field) small wastewater treatment system. The permittee is required to obtain a maintenance contract and submit annual documentation that maintenance is being provided in accordance with the manufacturer requirements and recommendations and the permit conditions. Authority for this requirement is found in Sections 11 (a) and (c), Chapter 3 of the Wyoming Water Quality Rules and Regulations. Annual maintenance documentation must be submitted before December 31 of each year, starting December 31, 2005 to: Southwest District Engineer, Wyoming Department of Environmental Quality, 250 Lincoln Street, Lander, WY 82520. Failure to submit annual maintenance documentation is a violation of the compliance requirements for this permit issued under Wyoming Statute 35-11-301.

- 2 of 4 The permittee shall ensure that the system is maintained and regularly serviced, as recommended by the manufacturer, for the life of the system. An inspection of the system, as recommended by the manufacturer in the owner's manual, shall be performed every six months by a qualified or certified individual to ensure the system is operating correctly, and to determine when maintenance is required.
- 3 of 4 In the event that authority for permitting enhanced small wastewater treatment systems is delegated to Sublette County by the Department of Environmental Quality, the permittee shall be subject to all county requirements and resolutions that may be in effect, or subsequently enacted, affecting the inspection, operation, maintenance, monitoring, or replacement of this system.
- 4 of 4 This small enhanced wastewater treatment system must continually achieving the following minimum treatment standards as required by Chapter 23, Section 7(d)(viii)(C) of the Wyoming Water Quality Rules and Regulations at a depth of 2 feet below the bottom of the leach field trench:
- Fecal Coliform: < 800 colonies/100mL (maximum 30 day geometric mean)
 - Total Kjeldahl Nitrogen: < 25mg/L (maximum 30 day average)

If you have any questions, please contact me at 307-332-3144.

Sincerely,



Mark Baron, P.E.
Environmental Senior Analyst
Water Quality Division

xc: IPS, Cheyenne
Keith Raney, Environmental Health, Sublette County, P.O. Box 722, Pinedale, WY 82941

encl: General Permit for Small Wastewater Treatment Systems

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
"AS-BUILT" PERMIT TO CONSTRUCT

PERMIT NO. 04-613RR

Evanston -Purple Sage Planned Unit Development-Phase I

This permit hereby authorizes the applicant:

Wallace V. Jacobson, Owner
175 Constitution Avenue
Evanston, WY 82930

to construct an extension of a public water supply distribution main consisting of 224 Linear Feet (LF) of 6-inch and 484 LF of 12-inch ductile iron (new) water main and an (existing) sewage collection system consisting of 2557 LF of 6-inch and 440 LF of 8-inch sewer main, according to the procedures and conditions of the application number 04-613RR. The facility is located at NW 1/4, Section 19, T15N, R120W in the county of Uinta, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by February 7, 2007.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:


- 1 of 3 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality, Water Quality Division (WQD), Northwest District Engineer, 250 Lincoln Street, Lander, WY 82520, 307-332-3144, FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

2-9-05
Date of Issuance
MDB/mdb
Bb/5-0217.ltr

STATEMENT OF BASIS

1. Permit Number: 04-613RR
2. Application reviewed for compliance with the following regulations:
Chapters 3, 11 and 12 of the Wyoming Water Quality Rules and Regulations.
3. Does the permit comply with all applicable regulations identified above?
Yes
4. If Section 17 of Chapter 3 review is required indicate the basis for determining groundwater will be protected.
Not Required
5. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Mark D. Baron, mbaron@state.wy.us, Environmental Senior Analyst and completed on February 7, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

MDB/bb/5-0217.ltr



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

December 21, 2004

Mr. P. J. Gulley
Gulley Enterprises
405 West Boxelder Drive
Gillette, WY 82718

RE: **Popeyes Chicken, Permit Number 04-615**; SW1/4 Section 34, T19N, R105W,
Sweetwater County

Dear Mr. Gulley:

The above application for coverage under General Permits to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems and Existing Public Water Supply Distribution Systems in accordance with Chapters 3, 11 and 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permits and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin
SW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
Bryan Seppie, P.E.; Joint Powers Water Board; P.O. Box 1299; Green River, WY 82935

encl: General Permit for Extensions to Existing Sewage Collection Systems
General Permit for Extensions to Existing Public Water Supply Distribution Systems



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

December 9, 2004

Curtis D. Lau
Box 271
Baggs, Wyoming 82321

RE: Lau Residential Septic System, Application No. **04-616**
Location: NW ¼ NE ¼, Section 28, T13N, R91W, Carbon County

Dear Mr. Lau:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the conditions listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific conditions also apply:

1. Septic Tank NOT Approved - The Copeland Concrete 1000 gallon septic tank has previously been reviewed by the DEQ / Water Quality Division and it does not meet the minimum requirements and standards. However, Copeland does make a 1250 gallon septic tank which is approved for use in Wyoming. Therefore, you can proceed with the construction of your septic system provided that you use the 1250 gallon model instead of the 1000 gallon model.
2. Septic Tank Clean-Out Riser Requirement - Either a 6 inch diameter clean-out riser or the manway from **each compartment of the tank** must be extended to the ground surface.
3. Equal Flow Distribution to the Leachfield Trenches is Required - the site plan shows the effluent from the septic tank going directly into a 4-way cross fitting to divide the discharge to the 3 trenches. This **Will Not** provide equal flow to the 3 trenches. Therefore, you **Shall use a Distribution Box (D-box)** to divide the flow to the 3 trenches as shown on the *Multiple Trench Chambered Leachfield Detail Sheet*.

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973



Notification of Coverage
Application # 04-616
Page 2

The approval granted under this Notification Of Coverage and the General Permit shall expire on December 9, 2006. Please reference Application Number **04-616** in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,



Ronald L. Ewald
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/bb/4-1233.ltr

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion

cc: IPS, Cheyenne
Carbon County Planner



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

January 14, 2005

Richard Hamm
127 Tuczyński Road
Schodack County, NY 12158

RE: Richard Hamm Septic System, Permit # 04-617

Dear Richard:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by February 1, 2006.

On August 4, 2004, the Crook County Commissioners enacted Resolution NO. 9-2004. This resolution requires that ALL small wastewater treatment facilities permitted by the Wyoming Department of Environmental Quality (WDEQ) and installed in Crook County after September 1, 2004, MUST BE INSPECTED BY AN INSPECTOR DESIGNATED BY CROOK COUNTY.

Please contact the Crook County Clerks Office for requirements of this resolution.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Thank you

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Crook County Clerk, P.O. Box 37, Sundance, WY 82729
Delbert Shoun, Box 854, Sundance, WY 82729



WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-619

Dyno Nobel Lodan Process Area Drainage Ditch

This permit hereby authorizes the applicant:

Dyno Nobel, Inc.
P.O. Box 1287
Cheyenne, WY 82003

to construct, install, or modify a replacement of an underground line with a lined concrete open ditch with leak detection according to the procedures and conditions of the application number 04-619. The facility is located in SE 1/4 NE 1/4 Section 17 T13N R67W in the county of Laramie, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by May 10, 2007.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 4 The existing underground line being replaced must be removed when the replacement structure is completed. Coordinate with John Passehl of the DEQ/WQD, phone 777-5623, to arrange a joint inspection a minimum of 24 hours before excavating the existing underground line.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division



John V. Corra
Director
Department of Environmental Quality

1/14/05

Date of Issuance

LBH/bb/5-0029.ltr
cc: John Passehl

STATEMENT OF BASIS

1. Permit Number: 04-619
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3 and 11 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
Yes
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was required.
5. The basis for determining groundwater will be protected is that the facility is designed so that it will not allow a discharge. The double lined leak collection and recovery design of the concrete drainage ditch will capture and return any leakage through the primary HDPE liner.
6. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.


CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on January 11, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

LBH/bb/5-0029.ltr



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

December 9, 2004

Curtis D. Lau
Box 271
Baggs, Wyoming 82321

RE: Baggs Testing & Rental Shop Septic System, Application No. **04-620**
Location: NW ¼ NE ¼, Section 28, T13N, R91W, Carbon County

Dear Mr. Lau:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the conditions listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific conditions also apply:

- A. Septic Tank NOT Approved - The Copeland Concrete 1000 gallon septic tank has previously been reviewed by the DEQ / Water Quality Division and it does not meet the minimum requirements and standards. However, Copeland does make a 1250 gallon septic tank which is approved for use in Wyoming. Therefore, you can proceed with the construction of your septic system provided that you use the 1250 gallon model instead of the 1000 gallon model.
- B. Septic Tank Clean-Out Riser Requirement - Either a 6 inch diameter clean-out riser or the manway from **each compartment of the tank** must be extended to the ground surface.
- C. Equal Flow Distribution to the Leachfield Trenches is Required - The site plan shows the effluent from the septic tank going directly into a 4-way cross fitting to divide the discharge to the 3 trenches. This **Will Not** provide equal flow to the 3 trenches. Therefore, you **Shall use a Distribution Box (D-box)** to divide the flow to the 3 trenches as shown on the *Multiple Trench Chambered Leachfield Detail Sheet*.

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973



Notification of Coverage
Application #04-620
Page 2

The approval granted under this Notification Of Coverage and the General Permit shall expire on December 9, 2006. Please reference Application Number 04-620 in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,



Ronald L. Ewald
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/bb/4-1235.ltr

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion

cc: IPS, Cheyenne
Carbon County Planner

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-621

BUFFALO HIGH SCHOOL
PWS: 5600005

This permit hereby authorizes the applicant:

Johnson County School District No. 1
601 West Lott Street
Buffalo, WY 82834

to install an extension of water supply and domestic sewage collection piping to include a sewage pumping station and 4" force main to serve a new High School from the existing City of Buffalo system according to the procedures and conditions of the application number 04-621. The facility is located in the NW1/4 of Section 2 of Township 50 North, Range 82 West in the county of Johnson, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by June 1, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the WDEQ located at 1866 S. Sheridan Avenue, Sheridan, Wyoming 82801; telephone (307) 673-9337; FAX (307) 673-2213, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the WDEQ located at 1866 S. Sheridan Avenue, Sheridan, Wyoming 82801; telephone (307) 673-9337; FAX (307) 673-2213 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

1/28/05
Date of Issuance

RJE/jd/5-0186

cc: Frank J. Grimes, PE & LS, Nelson Engineering, P.O. Box 1599, 430 South Cache, Jackson, WY 83001
Jeremy Grimm, City of Buffalo Planner, 46 North Main, Buffalo, WY 82834

STATEMENT OF BASIS


1. Permit Number: 04-621
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 11 & 12 of the Wyoming Water Quality Rules and Regulations:
3. Does the permit comply with all applicable regulations identified above?
YES
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was
NOT REQUIRED
5. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Rick J. Estes, PE, restes1@wy.gov, Northeast District Senior Environmental Analyst, and completed on January 26, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

December 21, 2004

Russ & Cinderella Forney
64-B Schofield Place
West Point, NY 10996

RE: Forney Residence Septic System, Permit # 04-622

Dear Russ & Cinderella:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by December 1, 2005.

On August 4, 2004, the Crook County Commissioners enacted Resolution NO. 9-2004. This resolution requires that ALL small wastewater treatment facilities permitted by the Wyoming Department of Environmental Quality (WDEQ) and installed in Crook County after September 1, 2004, MUST BE INSPECTED BY AN INSPECTOR DESIGNATED BY CROOK COUNTY.

Please contact the Crook County Clerks Office for requirements of this resolution.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Thank you

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Allan Schreier, Schreier Engineering, 11160 Snoma Rd., Belle Fourche, SD 57717
Crook County Clerk, P.O. Box 37, Sundance, WY 82729

Page 1 of 1

1866 SOUTH SHERIDAN AVENUE • SHERIDAN, WY 82801

AIR, LAND AND WATER DIVISIONS
(307) 673-WDEQ (9337) • FAX (307) 672-2213





The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

December 16, 2004

Steve Payne, P.E., Public Works Director
City of Cody
P.O. Drawer 2200
Cody, Wyoming 82414

RE: Cody's 16th Street and Big Horn Avenue Water Line Replacements, Permit
Number: 04-623, Section 32 & 33, T53N, R101W, Park County, PWS #WY5600207C

Dear Mr. Payne:

The above application for coverage under General Permit to construct a treated water line replacement of a public water supply distribution system consisting of 1,820 linear feet of 2-inch pipe through 10-inch PVC pipe in accordance with Chapter 3, Section 7 and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough
Environmental Engineer
Water Quality Division


Jeff Hermansky, P.E.
Northwest District Engineer
Water Quality Division

cc: IPS, Cheyenne

encl: General Permit For a Public Water Supply Distribution System



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

December 16, 2004

Mr. Herman Noe, Manager of Engineering
Cheyenne Board of Public Utilities
P.O. Box 1469
Cheyenne WY 82003-1469

RE: James A. Storey Transportation Complex, Laramie County School District No. 1, Application No.04-624, Laramie County

Dear Mr. Noe:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and of Existing Sewage Collection Systems described as 1340 feet of 12" diameter water main, 3 fire hydrants, and 657 feet of 8" sewer main with 3 manholes, Section 3 T13N R66W; Laramie County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permit and the materials submitted in your application package. All service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. All construction, installation, or modification allowed by this notification of coverage shall be completed by May 10, 2007.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 04-624 in any future correspondence.

If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

LBH/jd/4-1282ltr.doc

cc: IPS, Cheyenne
Scott Cowley, AVI pc
2035 Westland Road
Cheyenne WY 82001



**DEPARTMENT OF ENVIRONMENTAL QUALITY
STATE OF WYOMING
UNDERGROUND INJECTION CONTROL PERMIT
AUTHORIZATION TO DISCHARGE INTO UNDERGROUND RECEIVERS
ISSUED UNDER CHAPTER 16, WATER QUALITY RULES AND REGULATIONS**

(X) New
() Modified


Permit Number: UIC 04-625RR
Subclass Number: 5E3

In compliance with the Wyoming Environmental Quality Act (W.S. 35-11-101 through 1104, specifically 301(a)(i) through (iv), Laws 1973, Ch. 250, Section 1) and Water Quality Rules and Regulations, Chapter 3 (2000), and Chapter 16 (1998),

Applicant: Attn: James Walter, Executive Director
Teton Valley Ranch Camp
P.O. Box 3968
Jackson, WY 83001

is authorized to operate the Teton Valley Ranch Camp wastewater facility in Section 19, Township 42 North, Range 108 West, of the 6th Principal Meridian, Fremont County; according to the procedures and conditions of application # 04-625RR and other conditions of this permit.


This permit shall become effective on date of issuance.



John Wagner, Administrator
Water Quality Division
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002
Phone: (307) 777-7781

6/20/05

Date



John V. Corra, Director
Department of Environmental Quality
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002

6/22/05

Date

JCH/jc/5-0693

TABLE OF CONTENTS

A. DISCHARGE ZONE AND AREA OF REVIEW2

B. GROUNDWATER CLASSIFICATION2

C. AUTHORIZED OPERATIONS2

D. ENVIRONMENTAL MONITORING PROGRAM FOR GROUND WATERS OF THE STATE3

E. REQUIREMENTS FOR MONITORING THE DISCHARGE4

F. RECORDS AND REPORTS4

G. GENERAL PERMIT CONDITIONS5

H. DUTIES OF THE PERMITTEE6

I. SPECIAL MEASURES THE DIRECTOR FINDS NECESSARY:7

J. SIGNATORIES REQUIREMENT:7

A. DISCHARGE ZONE AND AREA OF REVIEW

1. Discharge Zone: This injection facility (sanitary leachfield) is not authorized to inject into any aquifer that may be four during the well monitoring development.

2. Area of Review

The facility authorized by this permit is located in:

Section 19, Township 42 North, Range 108 West, 6th Principal Meridian, Fremont County

The Area of Review around this facility is legally described as:

Sections 19 and 20, Township 42 North, Range 108 West, 6th Principal Meridian, Fremont County

B. GROUNDWATER CLASSIFICATION

1. The groundwater in the Crooked Creek drainage is classified as class I (Domestic) under Chapter 8 of Wyoming Water Quality Rules and Regulations (March 11, 1993). This classification was made because: The groundwater in this formation will be used for the camp for domestic purposes at several points of withdrawal. There are no other wells in the immediate area.

2. Ground water of class I shall not be degraded so as to make it unusable as a source of water for this purpose. Any parameters, which do not meet the class of use standard, shall not be degraded whatsoever.

C. AUTHORIZED OPERATIONS

1. The Teton Valley Ranch Camp is authorized to inject up to 277 barrels per day, (11,650 gallons per day) of wastewater through a series of three conventional septic/leach field systems. The wastewater is described as primarily domestic sewage effluent from a summer youth camp compound consisting of up to 34 buildings including cabins, bunkhouses, bathhouse

kitchen/dining hall, office, lodge, and infirmary. The liquid shall flow from the septic tanks to dosing siphon tanks and then to chamber leach fields.

2. This permit does not allow for the injection of any hazardous waste as defined by 40 CFR 261. Injection of any substance defined as **hazardous waste**, whether hazardous by listing or by characteristic is a violation of this permit.
3. In the event that any septic system covered by this permit is converted at any time to any other use, additional capacity may be required for the septic system. Any such conversion shall be reported to the DEQ in the form of a modified permit application showing that all required capacity exists for the newly converted system.

D. ENVIRONMENTAL MONITORING PROGRAM FOR GROUNDWATERS OF THE STATE

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
2. The Teton Valley Ranch Camp shall prepare records of all monitoring information to be retained for a period of at least 3 years after closure of the facility.
3. Records of monitoring information shall include:
 - a. The date, exact place, and time of sampling or measurements;
 - b. The name(s) of individual(s) who performed the sampling or measurements;
 - c. The date(s) analyses were performed;
 - d. Names of individuals who performed the analyses;
 - e. The analytical techniques or methods used; and
 - f. The results of such analyses.
4. The groundwater in the receiving formation shall be sampled and the following parameters analyzed according to the following schedule and reported annually by December 31 of each year. **In addition, fecal coliforms must be reported for the water supply; fecal coliform must be absent from drinking water.**

WELL NAME OR NUMBER	SAMPLING SCHEDULE	ANALYTICAL METHOD	PARAMETER ANALYZED	PERMIT LIMIT (UCL)*
One up gradient monitoring well (west) and two down gradient monitor wells (east)	Twice per year during the second and third quarters (e.g., June and September)	EPA Method 300.0	Chloride	250
		EPA Method 350.3	Ammonia as N	.500
		EPA Method 353.2	Nitrate as N	10.0
		Any method	Water Elevation	No limit

*All chemical concentrations in this permit are expressed in mg/l unless otherwise noted.

5. After the first two years of operation, the Water Quality Division may, without reissuing this permit, waive further monitoring of any parameter from the above list or may require additional monitoring based on new information about the nature of the waste. The Water Quality Division may also, after the first two years of operation, approve a more or less stringent monitoring schedule.

REQUIREMENTS FOR MONITORING THE DISCHARGE

Teton Valley Ranch Camp shall monitor the quality of the effluent from the three dosing tanks at the point where the flow leaves the tank on the following schedule. The following parameters shall be analyzed by the listed methods and reported annually:

SAMPLING SCHEDULE	ANALYTICAL METHOD	PARAMETER ANALYZED	PERMIT LIMIT (UCL) *
Annually in the third quarter	EPA Method 325.2	Chlorides	No Limit
	EPA Method 353.2	Nitrate as N	No Limit
	EPA Method 350.3	Ammonia as N	No Limit

*All chemical concentrations in this permit are expressed in mg/l unless otherwise noted.

After the first two years of operation, the Water Quality Division may, without reissuing this permit, waive further monitoring of any parameter from the above list or may require additional monitoring based on new information about the nature of the waste. The Water Quality Division may also, after the first two years of operation, approve a more or less stringent monitoring schedule.

F. RECORDS AND REPORTS

1. Teton Valley Ranch Camp shall retain copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least 3 years from the date of the report or application.
2. Teton Valley Ranch Camp shall give notice to the administrator as soon as possible of any planned physical alterations or additions, other than authorized operation and maintenance to the permitted facility and receive authorization prior to implementing the proposed alteration or addition.
3. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 30 days following each schedule date.
4. Teton Valley Ranch Camp shall report any noncompliance, which may endanger health or the environment, orally within 24 hours from the time the operator becomes aware of the circumstances. The report should include:
 - a. Any monitoring or other information, which indicates that any contaminant may cause an endangerment to a usable groundwater of the state.
 - b. Any noncompliance with a permit condition or malfunction of the discharge (injection) system, which may cause fluid migration into or between usable groundwater's of the state.
 - c. A written submission shall be provided within 5 days of the time the operator becomes aware of the circumstances. This written submission shall contain a description of the non-compliance and its cause; the period of non-compliance, including exact dates and times, and if the non-compliance has not been corrected; the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the non-compliance.
5. Teton Valley Ranch Camp shall report all instances of non-compliance not reported otherwise, at the time monitoring reports are submitted; such reports shall contain the information listed in item 4 above.
6. When Teton Valley Ranch Camp becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the administrator, it shall promptly submit such facts or information.

7. Teton Valley Ranch Camp shall retain all records concerning the nature and composition of injected fluids until 5 years after completion of any specified plugging and abandonment procedures. The administrator may require the owner/operator to deliver the records to the administrator at the conclusion of the retention period.
8. A subsurface discharge (injection) facility may not commence subsurface discharge (injection) until, following public notice and an opportunity for hearing, an underground injection control permit has been issued by the department for the proposed operation.
9. The annual report of operations for this facility shall be submitted on forms provided by the department and shall include the following information:
 - a. Any permit exceedances within the previous year.
 - b. The analytical results for sampling for the injected water and any ground water sampling results required under Section D or E of this permit.
 - c. Annual reports are due in the Lander office of the Water Quality Division no later than December 31 of each year.
10. A comprehensive report for an aborted or curtailed operation authorized by this permit shall be submitted to the administrator within 30 days of complete termination of the injection (discharge) or associated activity, in lieu of an annual report.

G. GENERAL PERMIT CONDITIONS

1. After notice and opportunity for a hearing, a permit may be modified, suspended or revoked in whole or part during its term for cause which includes, but is not limited to, any of the following:
 - a. Violation of the permit;
 - b. Obtaining a permit by misrepresentation or failure of the discharge well or system.
2. Each permit is reviewed at least once every 5 years, and may be reviewed more frequently.
3. A permit may be modified at any time as may be required, including for conformity with changes in regulations or standards that occur after the permit is issued. A permit may be modified in whole or part in order to apply more, or less, stringent standards; or prohibitions for a toxic or other substance present in Teton Valley Ranch Camp's discharge, as may be ordered by the council. This permit can be terminated by authority of the administrator for one or more permit violations.
4. Public notice of the permit review and request for public comment will be made every 10 years by the administrator.
5. Any permit non-compliance constitutes a violation of the permit and is grounds for enforcement action, permit termination, revocation, or modification.
6. The filing of a request by Teton Valley Ranch Camp for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated non-compliance, does not stay any permit condition.
7. The owner/operator of record (permittee) is always responsible for permit compliance. A permit holder cannot transfer his permit without approval of the department director, and no such transfer will be approved if the facility is not in compliance with the existing permit unless the proposed permittee agrees to bring the facility into compliance.
8. Nothing in this permit shall be construed to preclude the institution of any legal action or relieve Teton Valley Ranch Camp from any responsibilities, liabilities or penalties established pursuant to any applicable state law or regulation.
9. The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

10. The provisions of this permit are severable, and if any provision of the permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.
11. Pollution or waste, which migrates into an aquifer containing a usable ground water of the state, is a violation of the permit.
12. This permit is for a term of ten years. If Teton Valley Ranch Camp wishes to continue injection after the expiration date of this permit, they will be required to apply to the Administrator for, and obtain, a new permit.
13. Any modification which may result in a violation of a permit condition shall be reported to the administrator, and any modification that will result in a violation of a permit condition shall be reported to the administrator through the submission of a new or amended permit application.
14. The injection facilities covered by this permit shall meet the construction requirements found in Section 10 of Chapter 16, and Part D of Chapter 11, Water Quality Rules and Regulations. The permittee shall submit notice of completion or construction to the administrator and allow for inspection of the facility upon completion of construction prior to commencing any injection activity.
15. The permittee shall notify the administrator seven (7) days prior to conversion of this facility to any other use, or final abandonment of the facility.
16. Injection shall not commence until all construction is complete.

H. DUTIES OF THE PERMITTEE

It is a duty of the permittee to:

1. Comply with all permit conditions;
2. Halt or reduce activity-- it shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce Teton Valley Ranch Camp's activity in order to maintain compliance with the permit conditions;
3. Take all reasonable steps to minimize or correct any adverse impact on the environment resulting from non-compliance with this permit; and
4. Furnish to the administrator within a reasonable time, any information which the administrator may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit; and furnish to the administrator, upon request, copies of records required to be kept by this permit.
5. Operate and maintain all facilities and systems of treatment and control which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance includes effective performance, adequate funding and operator staffing and training, and adequate laboratory and process controls including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of the permit.
6. Allow the administrator, or an authorized representative of the administrator, upon the presentation of credentials, during normal working hours, to enter the premises where a regulated facility is located, or where records are kept under conditions of this permit, and inspect the discharge and related facilities, review and copy reports and records required by the permit, collect fluid samples for analysis, measure and record water levels, and perform any other function authorized by law or regulation.

I. SPECIAL MEASURES THE DIRECTOR FINDS NECESSARY:

1. In the event that sewage is found to be surfacing from the leachfields covered by this permit, this is a violation of this permit and shall be reported immediately as required by Section F of this permit. Teton Valley Ranch Camp shall submit a modified application showing plans for a replacement leachfield (or other type of waste disposal method) within 90 days of determining that the primary leachfield has failed.

J. SIGNATORIES REQUIREMENT

1. All reports required by this permit and other requested information shall be signed as follows:
 - a. For a corporation -- by a principal executive officer of at least the level of vice-president;
 - b. For a partnership or sole proprietorship -- by a general partner or the proprietor, respectively;
 - c. For a municipality, state, federal or other public agency -- by either a principal executive officer or ranking elected official; or
 - d. By a duly authorized representative for any of the above, a person is a duly authorized representative only if:
 1. The authorization is made in writing by one of the described principals;
 2. The authorization specifies either an individual or position having responsibility for the overall operation of the regulated facility or activity; and
 3. The written authorization is submitted to the administrator.
2. If an authorization is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization must be submitted to the administrator prior to or together with any reports or information, to be signed by an authorized representative.
3. Any person signing a report or other requested information shall make the following certification:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

JCH/jc/5-0693

STATEMENT OF BASIS FOR A UIC PERMIT

I. General Information.

A. Permit Number: UIC #04-625RR

B. Facilities Covered: This permit covers a new septic system to serve the Teton Valley Ranch Camp compound consisting of 34 buildings. This system is located about fifteen miles west of Dubois and four miles south of US Highway 26/287. Maximum flow to the system is expected to be 11,650 gallons per day.

C. Class of Facility: 5E3 (under Chapter 16)

II. Application reviewed for compliance with the following regulations.
(Indicate yes or no for each section.)

A. Chapter 8 Yes

D. Chapter 12 No

B. Chapter 9 No

E. Chapter 13 No

C. Chapter 11 Yes

F. Chapter 16 Yes

III. Basis for issuing permit. (Indicate yes or no for each section)

A. Review of application package indicates proposed facility will be in compliance with applicable regulation identified in Section II.

YES

B. Permit based on deviation from applicable regulations in accordance with approved policy statement.

YES: System uses "Infiltrators" and is designed in accordance with Policy 13.41.2

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.) Not Applicable

V. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3. Note that sediment ponds, public water supplies, sewerage systems, and small wastewater systems are exempt from the requirements of Section 17. (Indicate either applicable or not applicable. If not applicable delete all of section V. from the Statement of Basis.)

Applicable. The wastewater, up to 11,650 gallons per day, is generated by a 34 building summer camp compound. A groundwater review has been done in accordance with Chapter 3, Section 17. Groundwater monitoring and effluent monitoring is required by the permit.

VI. Documentation of Statement of Basis.

- A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.**

VII. Applicant and Public Participation


- A. The applicant has been provided with a draft permit prior to the permit being issued.**
- B. Public Notice has been issued with a public notice period starting May 18, 2005 and ending on June 17, 2005 (30 day notice as required by Chapter 16). This notice was published in the Jackson Hole News on or before the start of the public comment period.**

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 5, Chapter 16, Wyoming Water Quality Rules and Regulations. This review was performed by Jeff Hermansky, P.E., and completed on May 11, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

October 31, 2005

David Kennington, P.E.
Sunrise Engineering, Inc.
P.O. Box 609
Afton, WY 83110

RE: Afton Waste Water Lagoons - Permit Application Number: 04-626, Lincoln County

Dear Mr. Kennington:

The above permit application is being withdrawn and returned per your indication that the proposed project has been cancelled.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Mark Baron, P.E.
Environmental Senior Analyst
Water Quality Division

cc: IPS, Cheyenne



WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-627

REFERENCE PERMIT NO. 01-075

Roberts Subdivision Booster Station
PWS: 5600052

This permit hereby authorizes the applicant:

Sheridan Area Water Supply Joint Powers Board
224 S. Main Street, Suite B2W
Sheridan, WY, 82801

to construct an above ground 5-hp booster pumping station to serve a maximum 20 homes according to the procedures and conditions of the application number 04-627. The facility is located in NE1/4 of Section 32, Township 55 North, Range 84 West in the county of Sheridan, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by September 1, 2005.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:


1 of 3 The applicant will provide immediate oral or written notice to the WDEQ located at 1866 S. Sheridan Avenue, Sheridan, Wyoming 82801; telephone (307) 673-9337; FAX (307) 673-2213, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 3 Within sixty (60) days of completion of construction of the authorized facility, the applicant will submit to the WDEQ located at 1866 S. Sheridan Avenue, Sheridan, Wyoming 82801; telephone (307) 673-9337; FAX (307) 673-2213 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.


- a. Date that construction of the facility was completed; and
- b. Date that the facility was placed in operation; and
- c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
- d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division

12/22/04
Date of Issuance


John V. Corra
Director
Department of Environmental Quality

RJE/jd/4-1292ltr.wpd

STATEMENT OF BASIS

1. Permit Number: 04-627
2. Application reviewed for compliance with the following applicable regulations :
Chapter 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
YES
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was
Not Required
5. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Rick J. Estes, PE, restes1@state.wy.us, Northeast District Senior Environmental Analyst, and completed on December 21, 2004. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

RJE/jd/4-1292ltr.wpd



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

December 28, 2004

David Ellsbury
6292 Farrall Rd
Box 427
Sundance, WY 82729

RE: Ellsbury #3 Residence Septic System, Permit # 04-628

Dear David:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of small wastewater septic in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. Our review of the information and as-constructed plan submitted to this office indicates that the application meets WDEQ/WQD regulations and this **As-Built Notice of Coverage is hereby issued**. Please be advised that the system must be operated in accordance with the statements, representations and procedures presented in the application and all supporting documentation as well as the terms and conditions of the permit. You are urged to be familiar with all aspects of the permit application, permit and permit conditions.

On August 4, 2004, the Crook County Commissioners enacted Resolution NO. 9-2004. This resolution requires that ALL small wastewater treatment facilities permitted by the Wyoming Department of Environmental Quality (WDEQ) and installed in Crook County after September 1, 2004, MUST BE INSPECTED BY AN INSPECTOR DESIGNATED BY CROOK COUNTY.

Please contact the Crook County Clerks Office for requirements of this resolution.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Thank you

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: ~~WPS~~ Cheyenne
Crook County Clerk, P.O. Box 37, Sundance, WY 82729

Page 1 of 1.



WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-629

REFERENCE PERMIT NO. 04-388

Flying J Rawlins Store Chlorinator
PWS: WY5600102

This permit hereby authorizes the applicant:

Flying J Inc.
333 West Center Street
North Salt Lake, UT, 84054

to construct, install or modify a chlorinator for an existing well field and storage tanks according to the procedures and conditions of the application number 04-629. The facility is located in SW 1/4 Section 14 T21N R88W in the county of Carbon, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by May 10, 2007.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".


AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division

1/24/05

Date of Issuance



John V. Corra
Director
Department of Environmental Quality

LBH/jd/5-0171ltr

STATEMENT OF BASIS

1. Permit Number: 04-629
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3 and 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
Yes
Public water supplies are exempted from review by Chapter 3, Section 17.
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.
5. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on January 21, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

December 21, 2004

Ron Harvey, Owner
P.O. Box 12
Worland, WY 82401

RE: Harvey's Small Wastewater Treatment Facility, Permit Number: 04-630, Section 1, T47N, R92W, Washakie County.

Dear Mr. Harvey:

The above application for coverage under General Permit to construct a gravity flow septic tank and leachfield in accordance with Chapter 3, Section 7; and Chapter 11, Part D of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

A handwritten signature in cursive script that reads "James Brough".

James Brough
Environmental Engineer
Water Quality Division

xc: IPS, Cheyenne

encl: General Permit For a Small Wastewater Facility



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

December 22, 2004

Rick Hoffman
P.O. 838
Pinedale, WY 82941

RE: Rick Hoffman-Small Enhanced Wastewater Treatment System- Permit Number 04-631,
SE1/4 Section 10, T33N, R109W, Sublette County, Old Brazzill Ranch Subdivision,
Second Filing, Lot 23

Dear Mr. Hoffman:

The above application for coverage under General Permit to Construct a small enhanced wastewater treatment facility, to serve a three bedroom home, in accordance with Chapter 3, Section 7, Chapter 11, Part D and Section 5, Chapter 23, Section 7(d)(viii) of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

In carrying out the activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 4 This permit is for an enhanced (fixed activated sludge treatment system with leach field) small wastewater treatment system. The permittee is required to obtain a maintenance contract and submit annual documentation that maintenance is being provided in accordance with the manufacturer requirements and recommendations and the permit conditions. Authority for this requirement is found in Sections 11 (a) and (c), Chapter 3 of the Wyoming Water Quality Rules and Regulations. Annual maintenance documentation must be submitted before December 31 of each year, starting December 31, 2005 to: Southwest District Engineer, Wyoming Department of Environmental Quality, 250 Lincoln Street, Lander, WY 82520. Failure to submit annual maintenance documentation is a violation of the compliance requirements for this permit issued under Wyoming Statute 35-11-301.

- 2 of 4 The permittee shall ensure that the system is maintained and regularly serviced, as recommended by the manufacturer, for the life of the system. An inspection of the system, as recommended by the manufacturer in the owner's manual, shall be performed every six months by a qualified or certified individual to ensure the system is operating correctly, and to determine when maintenance is required.
- 3 of 4 In the event that authority for permitting enhanced small wastewater treatment systems is delegated to Sublette County by the Department of Environmental Quality, the permittee shall be subject to all county requirements and resolutions that may be in effect, or subsequently enacted, affecting the inspection, operation, maintenance, monitoring, or replacement of this system.
- 4 of 4 This small enhanced wastewater treatment system must continually achieving the following minimum treatment standards as required by Chapter 23, Section 7(d)(viii)(C) of the Wyoming Water Quality Rules and Regulations at a depth of 2 feet below the bottom of the leach field trench:
- Fecal Coliform: < 800 colonies/100mL (maximum 30 day geometric mean)
 - Total Kjeldahl Nitrogen: < 25mg/L (maximum 30 day average)

If you have any questions, please contact me at 307-332-3144.

Sincerely,



Mark Baron, P.E.
Environmental Senior Analyst
Water Quality Division

xc: IPS, Cheyenne
Keith Raney, Environmental Health, Sublette County, P.O. Box 722, Pinedale, WY 82941

encl: General Permit for Small Wastewater Treatment Systems



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

January 20, 2005

Julie Morrell
Whisper Creek Log Homes
P.O. Box 1501
Pinedale, WY 82941

RE: **Willow's Whisper Condominiums, Permit Number 04-632R; NW1/4 Section 3, T33N, R109W, Sublette County**

Dear Ms. Morrell:

The above application for coverage under General Permits to Construct Extensions to or Modification of Existing Sewage Collection Systems and Existing Public Water Supply Distribution Systems, in accordance with Chapter 3, Section 7, Chapter 11 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin
Southwest District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
City of Pinedale; P.O. Box 709; Pinedale, WY 82941

encl: General Permit for Extensions to Existing Sewage Collection Systems
General Permit for Extensions to Existing Public Water Distribution Systems



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

January 24, 2005

Mr. Herman Noe, Manager of Engineering
Cheyenne Board of Public Utilities
P.O. Box 1469
Cheyenne WY 82003-1469

RE: Cheyenne Echo Star water and sewer line extensions, Application No.04-633, Laramie County

Dear Mr. Noe:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and of Existing Sewage Collection Systems described as water line, fire hydrant and sewer line extensions, SW 1/4 Section 35 T14N R66W; Laramie County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permit and the materials submitted in your application package. All service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. Please contact Ed Hosian, phone 307-637-6471, with the Cheyenne Board of Public Utilities Cross Connection Control Program for a final determination of the type of backflow prevention device required and the location of the installation. All construction, installation, or modification allowed by this notification of coverage shall be completed by May 10, 2007.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 04-633 in any future correspondence.

If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

cc: IPS, Cheyenne
Wayne Harris, Martin/Martin Inc
12499 West Colfax Avenue
Lakewood CO 80215

LBH/jd/5-0177ltr





The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor


John Corra, Director

152 N. Durbin Street • Suite 100 • Casper, Wyoming 82601

NOTIFICATION OF COVERAGE

February 24, 2006

Jay Stender, Administrator
Sheridan Area Water Supply Joint Powers Board
224 S. Main Street, Suite B-8E
Sheridan, WY 82801



RE: 20-inch Big Goose Pipeline, Application No. 04-⁶³⁴~~63~~

Dear Mr. Stender:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Public Water Supply Distribution Systems in accordance with Chapter 3 and Chapter 12 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facility(ies) in accordance with the general permits and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V. Section O. of the general permit.


If you have any questions, please contact me at 307-473-3471.

Sincerely,

Kevin J. Frank


Kevin J. Frank, PE
Senior Analyst
Water Quality Division

cc: IPS, Cheyenne
Rick Estes, WDEQ Sheridan Field Office
Jodie Pavlica, Wyoming Water Development Office
Mike Cole, City of Sheridan, Public Works Dept.





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

January 10, 2005

Mr. David Jones
President-Gentech, Inc.
P.O. Box 2590
Gillette, WY 82717-2590

RE: Oilfield Maintenance Septic System, Permit # 04-635

Dear David:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small commercial wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system during installation, pipe and rock or installed infiltrators before they are covered, shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by January 1, 2006.

This septic system to be constructed under this permit is for domestic waste only, no shop drains, wash down drains, or other mechanical waste is allowed to be drained to this system.

If you have any questions please contact me at 1866 S. Sheridan Avenue, Sheridan, WY, 82801, (307) 673-9337. Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Ed Scott, PE, CEI Engineers, P.O. Box 1035., Gillette, WY 82717-1035
Keith Bowar, Campbell County Inspector

Page 1 of 1



WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-636

Alcova Reservoir Water Storage Tank
PWS# WY 5600677NC

This permit hereby authorizes the applicant:

Natrona County Road & Bridge & Parks Department
538 SW Wyoming Blvd.
Mills, Wyoming 82644

to construct, install, or modify a water supply storage tank according to the procedures and conditions of the application number 04-636. The facility is located in NE/4 of Section 33, Township 30 North, Range 73 West in the county of Natrona, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by May 1, 2006.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the DEQ/WQD Northeast District Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the DEQ/WQD Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

March 7, 2005
Date of Issuance

JDL/bb/5-0280.ltr
cc: WDEQ Casper Field Office

STATEMENT OF BASIS

1. Permit Number: 04-636
2. Application reviewed for compliance with the following applicable regulations :
 - a. Chapter 12.
3. Does the permit comply with all applicable regulations identified above?
 - a. Yes
4. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

Not required

5. Documentation of Statement of Basis.

The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Dennis Lamb, Northeast District Supervisor, and completed on March 2, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

JDL/bb/5-0280.ltr

ROAD APPLICATION PERMIT

New
 Renewal
 Modified

PERMIT NO. 04-637
SPECIAL CONDITIONS
REF/PERMIT #

This permit hereby authorizes the applicant:

RIVER UNIT CBM WATER ROAD APPLICATION
LANCE OIL AND GAS
1099 18th STREET SUITE 1200
DENVER CO 80202

to land apply CBM produced water according to the procedures and conditions of the application number 04-637. The application sites are located in SE/NE of Section 27 T49N, R77W in the county of Johnson, in the State of Wyoming. This permit shall be effective until November 1, 2005.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable standards. Compliance with DEQ standards is the responsibility of the permittee, owner, and/or operator.

Nothing in this permit constitutes an endorsement by the DEQ of the land application described herein. This permit verifies only that the submitted application meets the standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance of, the permitted activity. The permittee, owner and/or operator are solely responsible for any liability arising from the land application. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division (WQD), upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 5. The permittee shall notify representatives from the DEQ/WQD of the anticipated project commencement and completion dates. At least 48 hours advance notice is required. The authorized representative in your area can be contacted at the following address: DEQ/WQD, Casper WDEQ Field Office, 3030 Energy Lane, Casper, WY 82604, telephone (307) 473-3452; FAX (307) 473-3458.


- of 5. The permittee shall provide immediate oral and/or written notice to the Casper WDEQ Field Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications to the approved permit package.

- 3 of 5. The permittee shall provide certification that the project was completed in accordance with the terms and conditions of the permit within sixty (60) days of the project completion to the Casper WDEQ Field Office on the attached Certification of Completion form.
- a. Date that the land application was completed; and
 - b. Certification the land application was done in accordance with the terms and conditions of the permit; or
 - c. Certification the land application was completed with changes or modifications. Submit the information necessary to clearly indicate the land application as actually performed. This information shall include a contour map depicting only those sections that actually received CBM water and a report detailing the monitoring of the application.
- 4 of 5. The review and approval of this permit is based upon the items identified in the attached Statement of Basis.
- 5 of 5. Waste water application shall be terminated within 300 feet of the definable high water Mark of perennial and intermittent drainages, irrigation canals, lakes and reservoirs.

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division

1/6/05
Date of Issuance


John V. Corra
Director
Department of Environmental Quality

JDL/jd/4-1330ltr.doc

cc: WDEQ Casper Field Office

STATEMENT OF BASIS

General information.

A. Permit Number: 04-637

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. No

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

No

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

There are no numeric standards or criteria in Chapter XI for road application. W.S. 35-11-301 (a)(iii) requires a permit to be issued when any disposal system capable of causing or contributing to pollution is constructed, installed, modified, or operated.

B. Briefly state the basis for the deviation.

Road application is permitted when DEQ authorized disposal facilities are not readily available, a beneficial use of the waste to be applied is possible, and significant impact to waters of the State is minimized.

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

District Policy numbers 10.1 (4/9/91), 10.2 (10/17/86), 10.3 (8/91), 10.4 (10/24/91), and 10.6 (1/18/91) address the statutory authority to regulate the road application of waste, establish criteria for characterizing the waste, and determine acceptable conditions for the application of the waste to roadbeds to minimize impact to waters of the State. District Policy 10.2 (10/17/86)

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

NA

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

A. Facility will not allow a discharge to groundwater. Briefly describe:

NA

B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:

NA

C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

NA

D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

NA

E. Discharge will result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

NA

F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

NA

G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of violation.

NA

VII. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Dennis Lamb, Northeast District Supervisor and completed on January 3, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

ROAD APPLICATION PERMIT

New
 Renewal
 Modified

PERMIT NO. 04-638
SPECIAL CONDITIONS
REF/PERMIT #

This permit hereby authorizes the applicant:

BEAR DRAW CBM WATER ROAD APPLICATION
LANCE OIL AND GAS
1099 18th STREET SUITE 1200
DENVER CO 80202

to land apply CBM produced water according to the procedures and conditions of the application number 04-638. The application sites are located in Sections 1,2, 11,12,13,14,22,23, and 26 T50N, R79W and Section 18 T50N R78W in the county of Johnson, in the State of Wyoming. This permit shall be effective until November 1, 2005.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable standards. Compliance with DEQ standards is the responsibility of the permittee, owner, and/or operator.

Nothing in this permit constitutes an endorsement by the DEQ of the land application described herein. This permit verifies only that the submitted application meets the standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance of, the permitted activity. The permittee, owner and/or operator are solely responsible for any liability arising from the land application. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division (WQD), upon the presentation of credentials and during working hours, to have access to inspect the facilities, at the above location, for the purpose of compliance with the provisions of this construction permit.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

- 1 of 5. The permittee shall notify representatives from the DEQ/WQD of the anticipated project commencement and completion dates. At least 48 hours advance notice is required. The authorized representative in your area can be contacted at the following address: DEQ/WQD, Casper WDEQ Field Office, 3030 Energy Lane, Casper, WY 82604, telephone (307) 473-3452; FAX (307) 473-3458.
- 2 of 5. The permittee shall provide immediate oral and/or written notice to the Casper WDEQ Field Office in accordance with the provisions of Section 9, Chapter III, Wyoming Water Quality Rules and Regulations of any changes or modifications to the approved permit package.


3 of 5. The permittee shall provide certification that the project was completed in accordance with the terms and conditions of the permit within sixty (60) days of the project completion to the Casper WDEQ Field Office on the attached Certification of Completion form.


- a. Date that the land application was completed; and
- b. Certification the land application was done in accordance with the terms and conditions of the permit; or
- c. Certification the land application was completed with changes or modifications. Submit the information necessary to clearly indicate the land application as actually performed. This information shall include a contour map depicting only those sections that actually received CBM water and a report detailing the monitoring of the application.

4 of 5. The review and approval of this permit is based upon the items identified in the attached Statement of Basis.

5 of 5. Waste water application shall be terminated within 300 feet of the definable high water Mark of perennial and intermittent drainages, irrigation canals, lakes and reservoirs.

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

1/6/05
Date of Issuance

JDL/jd/4-133ltr.doc

cc: WDEQ Casper Field Office

STATEMENT OF BASIS

General information.

A. Permit Number: 04-638

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section.)

A. Chapter XI. No

B. Chapter XII. No

III. Basis for issuing permit. (Indicate yes or no for each section.)

A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.

No

B. Permit includes deviation from applicable regulations in accordance with Section 5, Chapter XI, or XII.

No

C. Permit based on deviation from applicable regulations in accordance with approved policy statement.

No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation.)

A. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

There are no numeric standards or criteria in Chapter XI for road application. W.S. 35-11-301 (a)(iii) requires a permit to be issued when any disposal system capable of causing or contributing to pollution is constructed, installed, modified, or operated.

B. Briefly state the basis for the deviation.

Road application is permitted when DEQ authorized disposal facilities are not readily available, a beneficial use of the waste to be applied is possible, and significant impact to waters of the State is minimized.

C. Permit based on general or statewide deviation contained in approved policy statement (indicate the policy number and briefly summarize the nature of the deviation).

District Policy numbers 10.1 (4/9/91), 10.2 (10/17/86), 10.3 (8/91), 10.4 (10/24/91), and 10.6 (1/18/91) address the statutory authority to regulate the road application of waste, establish criteria for characterizing the waste, and determine acceptable conditions for the application of the waste to roadbeds to minimize impact to waters of the State. District Policy 10.2 (10/17/86)

V. Application requires review to determine groundwater impacts in accordance with Section 15, Chapter III¹. (Indicate either applicable or not applicable. If not applicable delete all of section VI. from the Statement of Basis.)

NA

¹Sediment ponds, public water supplies, sewerage systems and small wastewater systems are exempt from the requirements of Section 15.

VI. If Section 15 of Chapter III is applicable, indicate the basis of determining groundwater will be protected. (Fill out only the applicable sections and indicate sections that are not applicable.)

A. Facility will not allow a discharge to groundwater. Briefly describe:

NA

B. Quality of wastewater is such that it will not cause a violation of groundwater standards. Briefly describe:

NA

C. Existing soils or geology will not allow a discharge to groundwater. Briefly describe:

NA

D. Basis of facility design is that it will be operated so as not to violate groundwater standards (example: maintenance of manure pack at animal waste treatment facility). Briefly describe:

NA

E. Discharge will result in groundwater concentrations in excess of standards but post discharge water quality can be returned to standards in accordance with Section 4 (d)(vi), Chapter VIII. Briefly describe:

NA

F. If water quality exceedances are allowed, briefly describe the parameter limits, property boundaries, places of withdrawal and any other information documenting that any users of affected aquifer will not be impacted.

NA

G. Briefly describe monitoring system (parameters, frequency, etc.). Clearly state the parameters to be utilized for determining compliance, what constitutes a violation and steps to be followed by the permittee in the event of a violation.

NA

VII. Documentation of Statement of Basis.

A. The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Dennis Lamb, Northeast District Supervisor and completed on January 3, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

February 1, 2005

Cheyenne Board of Public Utilities
Attn. Herman Noe, Engineering Manager
2100 Pioneer Avenue
Cheyenne, Wyoming 82001

RE: Stride Learning Center Addition – Water Main Extensions & Fire Hydrants,
Application No. **04-639**

Dear Mr. Noe:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the general permit, the condition listed below, and the materials submitted in your application package. All water service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific condition also applies:

- A. Backflow Protection - Backflow protection for both the fire sprinkler supply line and the potable water service line to the new building shall be in compliance with the City of Cheyenne Backflow Prevention Plan.

The approval granted under this Notification Of Coverage and the General Permit shall expire on February 1, 2007. Please reference Application Number **04-639** in any future correspondence.

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973



The approval granted under this Notification Of Coverage and the General Permit shall expire on February 1, 2007. Please reference Application Number 04-639 in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,



Ronald L. Ewald
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/jd/5-0199

Enclosures: GENERAL PERMIT - Extensions/Modifications of Existing Public Water Supply Distribution Systems, Certificate of Completion Form

cc: IPS, Cheyenne
Scott D. Larson, BenchMark Engineers, P.C., 1920 Thomes Ave., Suite 620,
Cheyenne, Wyoming 82001



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

December 23, 2004

The Honorable Bob Baker, Mayor
Town of Dubois
P.O. Box 555
Dubois, WY 83513

RE: Dubois' Barber Street Distribution Water Main, Permit Number: 04-640, Section 6,
T41N, R106W, Fremont County, PWS #WY5600177C

Dear Mayor Baker:

The above application for coverage under General Permit to construct a distribution water main of a public water supply system consisting of 216 linear feet of 6-inch PVC pipe in accordance with Chapter 3, Section 7 and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough
Environmental Engineer
Water Quality Division


Jeff Hermansky, P.E.
Northwest District Engineer
Water Quality Division

cc: IPS, Cheyenne

encl: General Permit For a Public Water Supply Distribution System



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

December 23, 2004

Mr. Mike Cole, P.E.
Assistant Public Works Director
P.O. Box 848
Sheridan, WY 82801

RE: MDU Extension Transfer of Ownership of #04-110, New Permit # 04-641
PWS# 5600052

Dear Mike:

The above application for coverage has been transferred to the City of Sheridan Ownership. All construction, installation, or modification allowed by this permit was completed by the MDU or their associates under WDEQ Permit #04-110.

If you have any questions please contact me at 673-9337.

Thank you.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Frank Durant, Region Manger-MDU, P.O. Box 2546, Billings, MT 59112





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

May 31, 2005

Mr. Robert Blake, Vice President
B Hive, Inc
101 McConnell Street
Laramie, WY 82072

RE: Laramie - Prairie's Edge Second Addition Phase 5 Water and Sewer Extensions, Application No.04-642,Albany County

Dear Mr. Blake:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and of Existing Sewage Collection Systems described as 1793 feet of 10" diameter water main plus appurtenances, 1595 ft of 8" diameter sewer line and 11 manholes, NW 1/4 Section 28 T16N R73W; Albany County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permit and the materials submitted in your application package. All service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(i) of the Water Quality Division Rules and Regulations. All construction, installation, or modification allowed by this notification of coverage shall be completed by July 24, 2007.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 04-642 in any future correspondence.

If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

cc: IPS, Cheyenne

David R. Coffey, Coffey and Associates
903 Grand Avenue
Laramie WY 82070

LBH/jd/5-0611





The State
of Wyoming

Department of Environmental Quality



Dave Freudenthal, Governor

3030 Energy Lane • Suite 200 • Casper, Wyoming 82604

SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

ABANDONED MINES
(307) 473-3460
Fax: (307) 473-3458

March 25, 2005

ATTN: IPS

Permit 04-643
WITHDRAWN

Mr. Bruce Bandorick
Thunder Basin Environmental Consulting, Inc.
377 Cummings Ave.
Buffalo, WY, 82834

RE: Clean Sweep Barium Removal Pilot Project Permit # 04-643

Dear Mr. Bandorick:

The Wyoming Department of Environmental Quality/ Water Quality Division (WDEQ/WQD) was informed that the Clean Sweep process was not going to be utilized by Petro-Canada at the permit application 04-643 site. The department will withdraw this permit application but has reviewed the permit and in general find the CleanSweep process to be a viable form of CBM water treatment. Any future sites selected for this treatment process will require a Pilot Project Permit. The permit application will require the site specific details but need not include the generic process information submitted for the above referenced permit.

If you have any questions or concerns please contact Dennis Lamb at (307) 473-3452 dlamb@state.wy.us, or write 3030 Energy Lane, Casper, WY 82604.

Sincerely,

Dennis Lamb
WDEQ/WQ NE District Program Principal

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 04-644

REFERENCE PERMIT NO. 00-182

Pine Bluffs Lance/Fox Hills Well
PWS: WY5600040

This permit hereby authorizes the applicant:

Wyoming Water Development Commission
6950 Yellowtail Road
Cheyenne, WY, 82002

to construct, install or modify a 1900 ft deep exploration well designed for conversion to a municipal well according to the procedures and conditions of the application number 04-644. The facility is located in SW 1/4 SW 1/4 Section 10 T14N R60W in the county of Laramie, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by May 10, 2007.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 4 The necessary samples to complete EPA required water quality testing for connection of a new source to a public water supply shall be taken midway through the constant rate test pump period and at the end of the continuous test pump period. The sample results shall be included with the certificate of completion.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

1/21/05
Date of Issuance

LBH/jd/5-0167

cc: Town of Pine Bluffs

STATEMENT OF BASIS

1. Permit Number: 04-644
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3 and 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
YES
Public water supplies are exempted from review by Chapter 3, Section 17.
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.
5. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on January 21, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



The State
of Wyoming

ARCHIVES



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE

January 3, 2005

Carter Napier, City Administrator
City of Riverton
816 North Federal Blvd.
Riverton, WY 82501

RE: Riverton's Webbwood Road Water and Sewer Improvements, Permit Number: 04-646, Sections 17 & 18, T35N, R87W, Fremont County, PWS #WY5600047C

Dear Mr. Napier:

The above application for coverage under General Permit to construct a distribution water main consisting of 3,040 linear feet of 12-inch PVC pipe and to construct a sewer collection line consisting of 4,500 linear feet of 8-inch PVC and 3,600 linear feet of 18-inch PVC pipe in accordance with Chapter 3, Section 7; Chapter 11, Section 9; and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough
James Brough
Environmental Engineer
Water Quality Division

Jeff Hermansky
Jeff Hermansky, P.E.
Northwest District Engineer
Water Quality Division

cc: IPS, Cheyenne

encl: General Permits For a Public Water Supply Distribution System & a Sewage Collection System



The State
of Wyoming



Department of Environmental Quality

Dave Freudenthal, Governor

250 Lincoln Street • Lander, Wyoming 82520 • Fax (307) 332-7726

ABANDONED MINES
(307) 332-5085

AIR QUALITY
(307) 332-6755

LAND QUALITY
(307) 332-3047

SOLID & HAZARDOUS WASTE
(307) 332-6924

WATER QUALITY
(307) 332-3144

NOTIFICATION OF COVERAGE FOR AS-BUILT

January 25, 2005

Shawn P. O'Malley
Town of Jackson
P.O. Box 1687
Jackson, WY 83001

RE: Public Fire Hydrant Located at 810 Upper Redmond Road As-Built; Permit
Number: 04-647, Section 34, T41N, R116W, Teton County, PWS #WY5600213C

Dear Mr. O'Malley:

The above application for coverage under General Permit to have installed a fire hydrant for a public water supply distribution system in accordance with Chapter 3, Section 7 and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough
Environmental Engineer
Water Quality Division

Jeff Hermansky, P.E.
Northwest District Engineer
Water Quality Division

cc: IPS, Cheyenne
Sinclair Buckstaff, Nelson Engineering, P.O. Box 1599, 430 South Cache, Jackson, WY 83001

