

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-351

Lamphier Inc. Feedlot

This permit hereby authorizes the applicant:

Lamphier Inc.
P.O. Box 96
Lingle, WY, 82223

to construct, install or modify a two wastewater retention ponds for feedlot pens according to the procedures and conditions of the application number 06-351. The facility is located in Sections 17 and 21, T25N R63W in the county of Goshen, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by July 13, 2008.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and


permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

7/10/06
Date of Issuance

LBH/rm/6-0584

cc: Jim Pike, NRCS, 1441 East "M" Street, Torrington, WY 82240-3521

STATEMENT OF BASIS


1. Permit Number: 06-351
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3 and 11 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
Yes
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was required.
5. If Section 17 of Chapter 3 review is required, indicate the basis for determining groundwater will be protected.
 - a. The facility is designed and will be operated so that it will not to violate groundwater standards.
This requirement is satisfied by compliance with Policy 13.29.4
6. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on June 29, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

June 27, 2006

Ken Witzeling, President
Target Powell Valley
P.O. Box 814
Powell, WY 82435

RE: Homestead Industrial Park Water and Sewer Lines, Permit Number: 06-352, T55N, R99W, Park County

Dear Mr. Witzeling:

The above application for coverage under General Permit to construct 3,140 linear feet of 8-inch and 550 linear feet of 12-inch water distribution lines, extension of a public water supply system and 2,400 linear feet of sanitary sewer lines, extension of a sewage collection system, has been reviewed in accordance with Chapter 3, Section 7; Chapter 11, Section 9; and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough, P.E.
Environmental Engineer
Water Quality Division

xc: IPS, Cheyenne
Dustin Spomer, P.E., Graham, Dietz & Associates, Cody, WY 82414
Sean Christensen, P.E., City of Powell, P.O. Box 1008, Powell, WY 82435

encl: General Permits For a Public Water Distribution System & Existing Sewage Collection System

Lander Field Office • 510 Meadowview Drive • Lander, WY 82520 • <http://deq.state.wy.us>

ABANDONED MINES
(307) 332-5085
FAX 332-7726

AIR QUALITY
(307) 332-6755
FAX 332-7726

LAND QUALITY
(307) 332-3047
FAX 332-7726


SOLID & HAZARDOUS WASTE
(307) 332-6924
FAX 332-7726

WATER QUALITY
(307) 332-3144
FAX 332-3183





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

June 12, 2006

Bill Nielson, Chairman
Mountain Holding, Inc.
1825 Big Horn Ave.
Cody, WY 82414

RE: Panorama View Addition - Phase III, Permit Number: 06-353, Section 1, T52N, R102W, Park County

Dear Mr. Nielson:

The above application for coverage under General Permit to construct 8-inch water distribution lines, extension of a public water supply system and 8-inch and 6-inch sanitary sewer lines, extension of a sewage collection system, has been reviewed in accordance with Chapter 3, Section 7; Chapter 11, Section 9; and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations is hereby approved.

You are authorized to construct the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough, P.E.
Environmental Engineer
Water Quality Division


xc: ✓ IPS, Cheyenne
James Evans, P.E., Sage Civil Engineering, 2824 Big Horn Ave., Cody, WY 82414
Stephen W. Payne, P.E., City of Cody, P.O. Box 2200, Cody, WY 82414

encl: General Permits For a Public Water Distribution System & Existing Sewage Collection System





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

June 27, 2006

Mark Nowlin, Owner
P.O. Box 2152
Jackson, WY 83001

RE: Ashley Nowlin Addition's Water and Sewer Lines, Permit Number: 06-354, Section 34, T41N, R116W, Teton County

Dear Mr. Nowlin:

The above application for coverage under General Permit to construct 250 linear feet of 4-inch water distribution line, extension of a public water supply system, and 307 linear feet of 8-inch sanitary sewer line, extension of a sewage collection system, has been reviewed in accordance with Chapter 3, Section 7; Chapter 11, Section 9; and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough, P.E.
Environmental Engineer
Water Quality Division


xc: PS, Cheyenne
David Dufault, P.E., Nelson Engineering, P.O. Box 1599, Jackson, WY 83001
Shawn O'Malley, P.E., Town of Jackson, P.O. Box 1687, Jackson, WY 83001

encl: General Permits For a Public Water Distribution System & Existing Sewage Collection System





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

July 11, 2006

Robert L. Tarufelli
Hunter's ridge Development
1257 Palisades Way
Rock Springs, WY 82901

RE: Rock Springs - Marche Addition - Water and Sewer Main Extensions - Permit Number 06-355, SW 1/4 Section 28, T19N, R105W, Sweetwater County, PWS # WY5601182

Dear Mr. Tarufelli:

The above application for coverage under General Permits to Construct water and sewer main extensions consisting of 125 linear feet (LF) of 8-inch, 30 LF of 6-inch PVC water main and 98 (LF) of 8-inch PVC sewer main to serve 4 lots accordance with Chapter 3, Section 7 and Chapter 12, Section 14 and Chapter 11, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, the facilities in accordance with the general permits and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permits.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Mark Baron, P.E.
Program Principal
Water Quality Division

xc: ✓IPS, Cheyenne

encl: General Permit for a Sewage Collection System,
General Permit for a Public Water Supply Distribution System

Page 1 of 1

Lander Field Office • 510 Meadowview Drive • Lander, WY 82520 • <http://deq.state.wy.us>

ABANDONED MINES
(307) 332-5085
FAX 332-7726

AIR QUALITY
(307) 332-6755
FAX 332-7726

LAND QUALITY
(307) 332-3047
FAX 332-7726


SOLID & HAZARDOUS WASTE
(307) 332-6924
FAX 332-7726

WATER QUALITY
(307) 332-3144
FAX 332-3183





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

July 21, 2006

David Johnson, President
Johnbor, LLC
2740 Hitching Post
Green River, WY 82935

RE: **The Johnson Addition Water Main and Sanitary Sewer Main, Permit No. 06-356;**
SW 1/4 Section 27, T19N, R105W, Sweetwater County

Dear Mr. Johnson:

The above application for coverage under General Permit to construct approximately 1,090 linear feet of 8-inch waterline, extension of a public water system, and about 1,064 linear feet of 8-inch sewerline, extension of an existing sewer collection system, has been reviewed in accordance with Chapter 3, Section 7; Chapter 11, Section 9; and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations and is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough, P.E.
Environmental Engineer
Water Quality Division

xc: IPS, Cheyenne
Carolyn Moore, P.E., VECO USA, 1471 Dewar Dr., Suit 118, Rock Springs, WY 82901
Paul Kauchich, P.E., City of Rock Springs; 212 D Street; Rock Springs, WY 82901
Bryan Seppie, P.E., Joint Powers Water Board, P.O. Box 1299; Green River, WY 82935

encl: General Permits For a Public Water Supply Distribution System & Existing Sewage Collection System

Lander Field Office • 510 Meadowview Drive • Lander, WY 82520 • <http://deq.state.wy.us>

ABANDONED MINES
(307) 332-5085
FAX 332-7726

AIR QUALITY
(307) 332-6755
FAX 332-7726

LAND QUALITY
(307) 332-3047
FAX 332-7726

SOLID & HAZARDOUS WASTE
(307) 332-6924
FAX 332-7726

WATER QUALITY
(307) 332-3144
FAX 332-3183



WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-357

3 Forks Lodge Well No. 1
PWS: Not Assigned

This permit hereby authorizes the applicant:

Three Forks Ranch Corp.
P.O. Box 69
Savery, WY, 82332

to construct, install, or modify a water supply well according to the procedures and conditions of the application number 06-357. The facility is located in SW 1/4 Section 16 T12N R86W in the county of Carbon, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by August 11, 2008.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.


- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division



John V. Corra
Director
Department of Environmental Quality

8/20/06

Date of Issuance

LBH/bb/6-0742.PER

STATEMENT OF BASIS

1. Permit Number: 06-357
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3 and 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?

NO
4. A variance is granted to the requirements of Chapter 12, Section 9(b) of the Wyoming Department of Environmental Quality/Water Quality Division Rules and Regulations which requires a two inch annular space in the drill hole around well casings and screens in order to allow proper placement of the gravel pack. The silica sand is not being utilized as a gravel pack, but as a formation support.
5. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was NOT REQUIRED.

Public water supplies are exempted from review by Chapter 3, Section 17.
6. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on August 18, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

LBH/bb/6-0742.STM

DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-358

3 Forks Lodge Well No. 2
PWS: Not Assigned

This permit hereby authorizes the applicant:

Three Forks Ranch Corp.
P.O. Box 69
Savery, WY, 82332

to construct, install, or modify a water supply well according to the procedures and conditions of the application number 06-358. The facility is located in SW 1/4 Section 16 T12N R86W in the county of Carbon, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by August 11, 2008.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.


- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division



John V. Corra
Director
Department of Environmental Quality

8/20/06

Date of Issuance

STATEMENT OF BASIS

1. Permit Number: 06-358
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3 and 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
NO
4. A variance is granted to the requirements of Chapter 12, Section 9(b) of the Wyoming Department of Environmental Quality/Water Quality Division Rules and Regulations which requires a two inch annular space in the drill hole around well casings and screens in order to allow proper placement of the gravel pack. The silica sand is not being utilized as a gravel pack, but as a formation support.
5. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was NOT REQUIRED.

Public water supplies are exempted from review by Chapter 3, Section 17.
6. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on August 18, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

LBH/bb/6-0743.STM



Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.



Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

July 14, 2006

Thomas K. Tulk
Wyoming Pronghorn, LLC
15985 West Ridge Tee Drive
Morrison, CO 80465

RE: Rock Springs - Pronghorn Estates - Water and Sewer Main Extensions - Permit Number 06-359, NE 1/4 Section 28, T19N, R105W, Sweetwater County, PWS # WY5601182

Dear Mr. Tulk:

The above application for coverage under General Permits to Construct water and sewer main extensions consisting of 1413 linear feet (LF) of 8-inch PVC water main and 1407 (LF) of 12-inch PVC sewer main to serve 25 proposed residential lots and 270 future lots accordance with Chapter 3, Section 7 and Chapter 12, Section 14 and Chapter 11, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, the facilities in accordance with the general permits and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permits.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Mark Baron, P.E.
Program Principal
Water Quality Division

xc: IPS, Cheyenne


encl: General Permit for a Sewage Collection System,
General Permit for a Public Water Supply Distribution System





Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.



Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

June 27, 2006

Jerry Kienlen
Split Rock Land & Cattle
1523 South Flat Road
Worland, WY 82401

RE: Tonka Vista II Water Distribution Line, Permit Number: 06-363, T46N, R92 & 93W,
Washakie County

Dear Mr. Kienlen:

The above application for coverage under General Permit to install about 1,336 linear feet of 6-inch water distribution line, extension of a public water supply system, has been reviewed in accordance with Chapter 3, Section 7; and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough, P.E.
Environmental Engineer
Water Quality Division

xc: ✓IPS, Cheyenne
Stanton J. Abell, Jr., P.E. Grosch Construction, Inc., P.O. Box 36, Worland, WY 82401

encl: General Permit For a Public Water Distribution System





Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.



John Corra, Director

Dave Freudenthal, Governor

NOTIFICATION OF COVERAGE

June 27, 2006

Bob Kiser, Facilities Manager
State of Wyoming, DOC
615 West 20th St.
Cheyenne, WY 82002

RE: Honor Farm Sewer Line Replacement, Permit Number: 06-364, Section 14, T1N, R4E, Fremont County

Dear Mr. Kiser:

The above application for coverage under General Permit to replace two deteriorated manholes and 225 linear feet of 8-inch sanitary sewer line has been reviewed in accordance with Chapter 3, Section 7; and Chapter 11, Section 9 of the Wyoming Water Quality Rules and Regulations is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough, P.E.
Environmental Engineer
Water Quality Division


xc: ✓IPS, Cheyenne
Ed Steele, P.E., James Gores and Associates, 450 South Federal Blvd., WY 82501

encl: General Permit For a an Existing Sewage Collection System





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

June 26, 2006

R&T Investments
ATTN: Hal Titenson, Manager
P.O. Box 431
Afton, Wyoming 83110

RE: Twin Cliffs Water Pipeline Extension, Application No. **06-365**

Dear Mr. Titenson:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, and the general permit. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit

The approval granted under this Notification Of Coverage and the General Permit shall expire on July 1, 2008. Please reference Application Number 06-365 in any future correspondence.

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973



If you have any questions, please contact me at (307) 777-6371.

Sincerely,




Brian Mark
Program Principal
Water Quality Division


BDM/rm/6-0568

Enclosures: GENERAL PERMIT - Extensions/Modifications of Existing
Public Water Supply Distribution Systems
Certificate of Completion Form

cc: IPS, Cheyenne
Ryan Erickson, PE, Sunrise Engineering, Inc., P.O. Box 609, Afton, WY
83110
Mark Baron, Department of Environmental Quality, Lander



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

July 19, 2006

Pat & Anita Grieve
P.O. Box 142
Baggs, Wyoming 82321

RE: Grieve Small Wastewater System Application No. 06-366
Location: NE¼ NE¼ , Section 8, T12N, R91W, Carbon County

Dear Mr & Mrs. Grieve:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility for a 3 bedroom house in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the conditions listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific conditions also apply:

1. Leachfield Minimum Size and Layout Requirement - The minimum size of the leachfield was miscalculated 25% too small in the application. Therefore, the **minimum total length of leachfield trench shall be 360 linear feet, to be installed in four(4) equal length trenches of 90 feet each.**
2. Septic Tank Clean-Out Riser Requirement - Either a 6 inch diameter clean-out riser or the manway from each **compartment of the tank** must be extended to the ground surface.

The approval granted under this Notification Of Coverage and the General Permit shall expire on July 19, 2008. Please reference Application Number 06-366 in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald, P.E.
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/rm/6-0648

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion

cc: IPS, Cheyenne
Carbon County Interim Planning Director, Kristy Rowan, 215 W. Buffalo Street,
#304, P.O. Box 487, Rawlins, Wyoming 82301

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973



WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-367

REFERENCE PERMIT NO. 81-441, 82-357

Town of Baggs Water Treatment Plant
PWS: 5600058

This permit hereby authorizes the applicant:

Town of Baggs
130 South Penland
Baggs, WY, 82321

to construct, install or modify a upgrade of existing water treatment plant with a ultrafiltration membrane process according to the procedures and conditions of the application number 06-367. The facility is located in NE 1/4 Section 5 T12N R91W in the county of Carbon, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by September 15, 2010.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 4 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973 in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.


2 of 4 The project must be constructed as modified by letters from Forsgren and Associates dated July 12, 2006 and August 18, 2006.

3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.


- a. Date that construction of the facility was completed; and
- b. Date that the facility was placed in operation; and
- c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
- d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division



John V. Corra
Director
Department of Environmental Quality

August 25, 2006

Date of Issuance

LBH/rm/6-0765
JRS 8/23/06

cc: Mindy Mohr, EPA Region 8, 999 18th Street, Suite 200, Denver CO 80202-2406
Roy Prior, Wyoming Rural Utility Services, P.O. Box 820, Casper WY 82602

STATEMENT OF BASIS

1. Permit Number: 06-367
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3, 11, and 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?

NO

The permit approval is based up on a deviation from applicable regulations in accordance with Section 5. of Chapter 12, Chapter 12 does not address automated ultrafiltration units.

4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.

Public water supplies are exempted from review by Chapter 3, Section 17.

5. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on August 23, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-369

Seal and Sand Trap for the City Springs Chemical Feed Station
PWS: 5600029

This permit hereby authorizes the applicant:

City of Laramie
P.O. Box C
Laramie, WY, 82070

to construct, install or modify a 63,000 gallon sand separator and flow equalization tank at the 8 MG reservoir according to the procedures and conditions of the application number 06-369. The facility is located in SW 1/4 Section 35 T16N R73W in the county of Albany, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by July 13, 2010.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".


AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division

7/12/08

Date of Issuance



John V. Corra
Director
Department of Environmental Quality

LBH/rm/6-0604

JRC 7/12/08

STATEMENT OF BASIS

1. Permit Number: 06-369
2. Application reviewed for compliance with the following applicable regulations :
Chapter(s) 3 and 12 of the Wyoming Water Quality Rules and Regulations
3. Does the permit comply with all applicable regulations identified above?
YES
Public water supplies are exempted from review by Chapter 3, Section 17.
4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.
5. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on July 6, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

STATE OF WYOMING
DEPARTMENT OF ENVIRONMENTAL QUALITY
UNDERGROUND INJECTION CONTROL PERMIT ISSUED UNDER
WYOMING WATER QUALITY RULES AND REGULATIONS
CHAPTER 16

CLASS V INJECTION WELL

(X) New
() Modified

Permit Number UIC 06-373RR
UIC Facility Number WYS-023-011

In compliance with the Wyoming Environmental Quality act (W.S. 35-11-101 through 1104, specifically 301(a)(i) through 301 (a)(iv), Laws 1973, Ch. 250, Section 1) and Wyoming Water Quality Rules and Regulations, Chapter 16.

Applicant: Lincoln County School District #2
Attn: Steven B. Rich
222 East 4th Ave.
Afton, WY 83110
(307) 885-3811

Lincoln County School District #2, hereafter referred to as the permittee, is authorized to operate the proposed Class V (5E3) septic system within the SW 1/4 SW 1/4 of Section 11, Township 35 North, Range 119 West, of the 6th Principal Meridian, Lincoln County; according to the procedures and conditions of application UIC 06-373RR and requirements and other conditions of this permit.

This permit shall become effective on date of issuance.


John Wagner, Administrator
Water Quality Division
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002
(307)-777-7781

9/17/07
Date


John V. Corra, Director
Department of Environmental Quality
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002

9/17/07
Date

MDB/cs/7-0804

Table of Contents

A.	Discharge Zone	3
B.	Well and Area of Review.....	3
C.	Groundwater Classification	3
D.	Authorized Operations	3
E.	Hazardous Waste	4
F.	Proper Operation and Maintenance	4
G.	Entry and Inspection	4
H.	Environmental Monitoring Program for Groundwaters of the State	4
I.	Requirements for Monitoring the Discharge	6
J.	Test Procedures	7
K.	Records and Reports	7
L.	Permit Actions	7
M.	Abandonment.....	8
N.	Duties of the Permittee.....	8
O.	Signatories Requirement.....	9
P.	Noncompliance	9
Q.	Permit Transfer	10
R.	Property Rights	10
S.	Severability	10

A. Discharge Zone

This injection well (sanitary leach field system) is authorized to inject into the unconfined vadose zone. A groundwater aquifer has been found to exist 67 feet below the ground surface.

B. Well and Area of Review

The injection well authorized by this permit is located as follows:

SW 1/4 SW 1/4 of Section 11, Township 35 North, Range 119 West, 6th Principal Meridian

The Area of Review is defined as the ten (10) year groundwater travel time measured from the leachfield in the direction of groundwater flow. However, leachate beyond the zone of endangering influence (1 year groundwater travel time) presents no known public health concerns related to groundwater contamination of nitrate and/or pathogen contamination. The area of review can be based upon the following assumptions:

Time of Operation: 10 Years (Total of 3,650 Days)

Effective porosity: 0.20

Hydraulic conductivity: 57 feet/day

Groundwater gradient: 0.027

Maximum injection rate: 3.1 gallons/minute (107 barrels/day or 4500 gallons/day)

Calculation of the area of review: As per Form UIC-1-V (6-0999.DOC); 2.(D & F) "For permits with a design injection capacity of 10,000 gallons per day or less, an area of review which includes the quarter-quarter (40 acre tract) where the facility is located and all of the adjacent quarter-quarter sections may be used. This will yield a total area of review of nine quarter-quarters or a total of 360 acres with the injection facility near its center." This area is as follows:

SW 1/4 SW 1/4 Section 11, SE 1/4 SW 1/4 Section 11, NW 1/4 SW 1/4 Section 11, NE 1/4 SW 1/4 Section 11, NW 1/4 NW 1/4 Section 14, NE 1/4 NW 1/4 Section 14, NE 1/4 NE 1/4 Section 15, SE 1/4 SE 1/4 Section 10, NE 1/4 SE 1/4 Section 10 all in T35N, R119W.

C. Groundwater Classification

A Class I groundwater aquifer has been found to exist 67 feet below the ground surface. Three monitoring well will be constructed at this site. Groundwater monitoring will required to protect groundwater quality as defined in Chapter 8 of the Wyoming Water Quality Rules and Regulations. This permit is designed to prevent degradation of any water found. Ground water of Class I shall not be degraded to make it unusable as a source of water for this purpose. An aquifer that contains less than 10,000 mg/L total dissolved solids (and is not exempted) can be considered an underground source of drinking water.

D. Authorized Operations

The permittee is authorized to inject 107 barrels per day, (4500 gallons per day) of wastewater through the proposed septic system. The wastewater is described as domestic sewage from 266 students associated with the Etna Elementary. The wastewater will flow by gravity, from the kitchen into a 3000 gallon grease trap, the remaining school wastewater will mix with the grease trap effluent before a 5025 gallon septic tank and then flow into a 5745 gallon tank equipped with a Biomicrobics HighStrenghtFast 4.5 unit with a design flow of 4500 gallons per day. A second Biomicrobics HighStrenghtFast 4.5 unit will be required if the school were to add an additional wing and increase the student population. The wastewater is then distributed into to a chamber leach field using a series of TUF-TITE distribution boxes to spilt the flow evenly.

E. Hazardous Waste

This permit does not allow for the injection of any hazardous waste as defined in 40 CFR 261.3 and in Wyoming Solid Waste Management Rules and Regulations, Chapter 2. Injection of any substance defined as a hazardous waste, whether hazardous by listing or by characteristic is a violation of this permit.

F. Proper Operation and Maintenance

The permittee shall take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit. The permittee shall operate and maintain all facilities and systems of treatment and control which are installed or used by the permittee to achieve compliance with the conditions of the permit. Proper operation and maintenance includes: effective performance, adequate funding, operator staffing and training, and laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of this permit.

The injection well covered by this permit shall meet all construction requirements outlined in Wyoming Water Quality Rules and Regulations, Chapter 11 and Chapter 16.

The permittee is required to operate in accordance with statements, representations and procedures presented in the complete permit application and supporting documents as accepted and approved by the Administrator. Any modifications which will result in a violation of permit conditions shall be reported by submission of a new or amended permit application and shall not be implemented until a new or modified permit has been issued. Injection into a well may not begin until construction is complete and the permit is approved.

G. Entry and Inspection

The permittee shall allow the Administrator (upon presentation of credentials and during normal working hours) to enter the premises where a regulated facility is located, or where records are kept under the conditions of this permit and inspect and photograph the discharge and related facilities, review and copy reports and records required by this permit, collect fluid samples for analysis, measure and record water levels, and perform any other function authorized by law or regulation.

H. Environmental Monitoring Program for Groundwaters of the State

General Requirements:

PERMIT UIC 06-373RR

FORM UIC 21

Revised October 28, 2005

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
2. The permittee shall retain records of all monitoring information including all calibration and maintenance records, copies of the reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least three (3) years from the date of the sample measurement, report, or application. This period may be extended by request of the Administrator at any time.
3. Records of monitoring information shall include:
 - a. The date, exact place, and time of sampling or measurements;
 - b. The initials or name(s) of the individual(s) who performed the sampling or measurements;
 - c. The date(s) analyses were performed;
 - d. The time(s) analyses were initiated;
 - e. The initials or name(s) of the individual(s) who performed the analyses;
 - f. References and written procedures for the analytical techniques or methods used;
 - g. The results of such analyses, including the bench sheets, instrument readouts, computer disks or tapes, etc., used to determine these results.
4. Monitoring must be conducted according to test procedures approved under 40 CFR Part 136, unless other test procedures have been specified in this permit.
5. The permittee shall retain all records concerning the nature and composition of injected fluids until five (5) years after completion of any specified plugging and abandonment procedures. The administrator may require the owner/operator to deliver the records to the administrator at the conclusion of the retention period.
6. The permittee shall report any noncompliance which may endanger health or the environment within 24 hours from the time the operator becomes aware of the circumstances. The report should include:
 - a. Any monitoring or other information which indicates that any contaminant may cause an endangerment to a usable groundwater of the state;
 - b. Any noncompliance with a permit condition or malfunction of the discharge (injection) system which may cause fluid migration into or between usable ground waters of the state;
 - c. A written submission shall be provided within 5 days of the time the operator becomes aware of the circumstances. This written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.
7. The permittee shall report all instances of noncompliance not reported otherwise, at the time monitoring reports are submitted.
8. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 30 days following each schedule date.

I. Requirements for Monitoring the Discharge

The groundwater in the receiving formation shall be sampled and the following parameters analyzed according to the schedule identified in **Table 1**. Monitoring wells designed to monitor the leachate shall consist of one up gradient well and three down gradient wells located between the leach field and the (ten) year groundwater travel time distances. The following parameters shall be analyzed semi-annually by the listed methods and reported annually:

Table 1 (Groundwater Sampling Schedule)

WELL NAME OR NUMBER	SAMPLING SCHEDULE	PARAMETER ANALYZED	ANALYTICAL METHOD	PERMIT LIMIT or UCL*
MW-1	Once each semi-annual period. 3/31; 9/30 Submit all reports by 01/31 of following year.	Ammonia as N	SM 4500 NH ₃ H	0.50 mg/L
		Chloride	SM 4500 CL B	250 mg/L
		Fecal coliforms	SM 9222D	0 colonies/100 mL
		Nitrate	SM 4500 NO ₃ E	10 mg/L
		Top of casing elevation (ft)	Casing elevation must be surveyed	Not applicable
		Depth to static water (ft)	Steel tape with chalk or electronic tape	Not applicable

*All chemical concentrations in this permit are expressed in mg/l unless otherwise noted.

The above upper control limit (UCL) can not be exceeded in any sample. Exceedance of this value is a violation of this permit and shall require notification under Section K of this permit. Failure to perform and report analyses in accordance with the prescribed schedule and method is also a violation of this permit.

J. Test Procedures

All samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity. All samples taken shall include a trip blank of distilled water for each sampling date and a duplicate sample at least once per year. All required analyses shall be conducted in compliance with Wyoming Water Quality Rules and Regulations, Chapter 8, Section 7.

K. Records and Reports

The permittee shall furnish to the Administrator within a specified time any information which the Administrator may request relating to the operation of the facility, including copies of records required to be kept by this permit. The permittee shall retain copies of all records and reports required by this permit for a period of three (3) years following permanent well abandonment. After that time, those records shall be delivered to the Administrator for disposal or archive at his discretion. Reports of compliance or noncompliance with, and any progress reports on, interim and final requirements contained in any compliance schedule shall be submitted no later than thirty (30) days following each schedule date. Confirmed noncompliance resulting in the migration of injected fluid into any zone outside the permitted receiver shall be reported to the Administrator within twenty-four (24) hours, and a written submission (via certified mail) shall be provided within five (5) days of the time the permittee becomes aware of the excursion. The written submission shall contain: a description of the noncompliance; the period of noncompliance, including exact dates and times, and if the noncompliance has not been controlled, the anticipated time it is expected to continue; and a list of the steps taken or planned to reduce, eliminate, and prevent the recurrence of the noncompliance. Confirmed noncompliance not already reported under this section shall be reported at the time monitoring reports are submitted. The reports shall contain the same information as required by the paragraph above. The permittee shall notify the Administrator thirty (30) days in advance of any planned alteration, conversion, or abandonment of the well covered by this permit.

L. Permit Actions

This permit is authorized for a period of ten (10) years. If the permittee wishes to continue injection after the expiration date of this permit he shall apply to the Administrator and obtain a new permit. It shall not be a defense for the permittee in an enforcement action that it would be necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. The filing of a request by the permittee, or at the instigation of the Administrator, for permit modification, revocation, termination, or notification of planned changes or anticipated noncompliance shall not stay any condition of this permit.

After notice and opportunity for a hearing, a permit may be modified, suspended or revoked in whole or part during its term for cause which includes, but is not limited to any of the following:

1. Violation of this permit; or
2. Obtaining a permit by misrepresentation of facts in the application.

This permit will be reviewed at least once every five (5) years, and may be reviewed more frequently. A permit may be modified at any time as may be required, including for conformity with changes in regulations or standards which occur after the permit was issued. A permit may be modified in whole or part in order to apply more or less stringent standards; or prohibitions for toxic or other substances present in the permittees discharge as may be ordered by the Environmental Quality Council.

M. Abandonment

General Requirements:

1. The permittee shall notify the administrator at least thirty (30) days prior to abandonment of the facility.
2. An abandonment report, detailing the compliance with abandonment procedures outlined in the original application for coverage under this permit, or describing any deviations from the original plan, shall be submitted as soon as practicable after abandonment. The abandonment shall include reclamation of the well site.
3. Injection wells covered by this permit shall be abandoned in accordance with Wyoming Water Quality Rules and Regulations, Chapter 16, Section 12.

N. Duties of the Permittee

The permittee shall give advance notice to the Administrator as soon as possible of any planned physical alteration or additions, other than authorized operation and maintenance, to the permitted facility and receive authorization prior to implementing the proposed alternation or addition. The permittee shall furnish the Administrator within a reasonable time any information which the Administrator may request to determine whether cause exists for modifying, revoking, or reissuing, or terminating this permit, or to determine compliance with this permit; and to furnish to the Administrator upon request, copies of records required to be kept by this permit.

Any modification which may result in a violation of a permit condition shall be reported to the Administrator, and any modification that will result in a violation of any permit conditions shall be reported to the Administrator through the submission of a new or amended permit application. The permittee shall report all instances where he becomes aware that he failed to submit any relevant facts in

the permit application, or where he submitted incorrect information in a permit application or in any report to the Administrator, and shall promptly submit such facts or information.

If any cultural materials are discovered during construction, work in the area should halt immediately. The Administrator and the Wyoming State Historic Preservation Office shall be contacted (777-7697) and the materials shall be evaluated by an archaeologist or historian meeting the Secretary of the Interior's Professional Qualification Standards (48 FR 22716, Sept. 1983).

O. Signatories Requirement

All reports filed in conjunction with this permit shall contain the following certification:

"I certify, under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All reports required by this permit and other requested information shall be signed as follows:

For a corporation – by a principal executive officer of at least the level of vice-president;

For a partnership or sole proprietorship – by a general partner or the proprietor, respectively;

For a municipality, state, federal, or other public agency – by either a principal executive officer or ranking elected official; or

By a duly authorized representative for any of the above. A person is a duly authorized representative only if:

1. The authorization is made in writing by one of the prescribed principals;
2. The authorization specifies either an individual or position having responsibility for the overall operation of the regulated facility or activity; and
3. The written authorization is submitted to the Administrator.

If an authorization is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization must be submitted to the Administrator prior to or together with any reports or information, to be signed by the new authorized representative.

P. Noncompliance

The permittee shall comply with all conditions of the permit. Any permit noncompliance constitutes a violation of Wyoming Water Quality Rules and Regulations, Chapter 16 and is grounds for enforcement action, permit termination, revocation, or modification. Confirmed noncompliance resulting in an excursion shall be reported to the Administrator orally within twenty-four (24) hours, and a written

submission shall be provided within five (5) days of the time the permittee becomes aware of the excursion. The written report shall contain the sections specified in Section K of this permit. Any permit noncompliance constitutes a violation of this permit.

The filing of any request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.

Q. Permit Transfer

Any transfer of this permit shall be accomplished by the submission of the proper forms for permit transfer to the Administrator. Transfer of this permit must first be approved by the Administrator and the Director. No transfer shall be approved unless the proposed permittee agrees to bring any and all noncompliance issues into compliance with this permit. The permittee is alone responsible for the operation of the facility covered by this permit. Sale of the facility and subsequent operation of this facility by another is a violation of this permit unless a transfer of this permit has first been accomplished.

R. Property Rights

This permit does not convey any property rights of any sort or any exclusive privilege. This permit does not authorize injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.

S. Severability

Nothing in this permit shall be construed to preclude the institution of any legal action or to relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable state law or regulation.

STATEMENT OF BASIS FOR A UIC PERMIT

I. General information.

- A. UIC Permit Number: 06-373RR
- B. Facilities Covered: Lincoln County School District #2 - Etna Elementary School Septic System
- C. Class of Facility: Class 5E3 (Wyoming Water Quality Rules and Regulations, Chapter 16)

II. Application reviewed for compliance with the following regulations. (Indicate yes or no for each section)

- | | | | |
|---------------|-----|---------------|-----|
| A. Chapter 8 | Yes | D. Chapter 12 | No |
| B. Chapter 9 | No | E. Chapter 13 | No |
| C. Chapter 11 | Yes | F. Chapter 16 | Yes |

III. Basis for issuing permit (Indicate yes or no for each section).

- A. Review of application package indicates proposed facility will be in compliance with applicable regulations identified in Section II.
Yes
- B. Permit based on deviation from applicable regulations in accordance with approved policy statement.
No

IV. Facilities not specifically covered by regulations. (Indicate the section number of the regulations and briefly summarize the regulation).

Not Applicable

V. Application requires review to determine groundwater impacts in accordance with Wyoming Water Quality Rules and Regulations, Chapter 3, Section 17. Note that sediment ponds, public water supplies, sewerage systems, and small wastewater systems are exempt from the requirements of Section 17. (Indicate either applicable or not applicable. If not applicable delete all of section VI from the Statement of Basis).

Applicable. A groundwater review has been conducted to insure that no groundwater will be impacted by this system. One up gradient and three down gradient monitoring will be installed. Groundwater from these four wells will be sampled and checked for compliance biannually.

VI. Documentation of Statement of Basis.

- A. The archive file for this permit will include adequate documentation of all sections of this Statement of Basis.

VII. Applicant and Public Participation

- A. The applicant has been provided with a draft permit prior to the permit being issued.
- B. A Public Notice has been issued with a public notice period starting August 9, 2007 and ending on September 9, 2007 (30 day notice as required by Wyoming Water Quality Rules and Regulations, Chapter 16). This notice was published in the Star Valley Independent on or before the start of the public comment period.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Wyoming Water Quality Rules and Regulations, Chapter 16, Section 6. This review was performed by Mark D. Baron, P.E., Southwest District Engineer, and completed on September 12, 2007. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis".



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

July 17, 2006

Mayor Bill Hippe
Town of Wamsutter
PO Box 6
Wamsutter, Wyoming 82336

RE: Wamsutter Daycare Facility Water and Sewer permit
Application No. **06-374**

Dear Mayor Hippe:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and Existing Sewage Collection Systems in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permits, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permits.

The approval granted under this Notification Of Coverage and the General Permit shall expire on July 20, 2008. Please reference Application Number **06-374** in any future correspondence.

If you have any questions, please contact me at (307) 777-6371.

Sincerely,

Brian Mark
Program Principal
Water Quality Division

BDM/rm/6-0641

Enclosures: GENERAL PERMIT - Extensions/Modifications of Existing Public Water Supply Distribution Systems
GENERAL PERMIT - Extensions/Modifications of Existing Sewage Collection Systems
Certificate of Completion form

cc: IPS, Cheyenne
Eric Saul, Worthington Lenhart & Carpenter, 200 Pronghorn, Casper, Wyoming 82601

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864


SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

July 12, 2006

David M. Rowley, President
R and R Enterprises
P.O. Box 1928
Evanston, WY 82931

RE: City View 3rd Addition Water & Sewer Lines, Permit Number: 06-375, Section 28, T15N, R120W, Uinta County

Dear Mr. Rowley:

The above application for coverage under General Permit to construct 6-inch water distribution lines, extension of a public water supply system, and 8-inch sanitary sewer lines, extension of a sewage collection system, has been reviewed in accordance with Chapter 3, Section 7; Chapter 11, Section 9; and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations is hereby approved with the following recommendation:

In reference to the air release valve detail, DEQ recommends that the discharge piping be properly fitted at the end with a bug-proof screen (e.g., #14 to #24 mesh screen).

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough, P.E.
Environmental Engineer
Water Quality Division

xc: IPS, Cheyenne
Michael Lanning, P.E., Uinta Engineering & Surveying, 808 Main St., Evanston, WY 82930
Brian Honey, City of Evanston, 1200 Main St., Evanston, WY 82930

encl: General Permits For a Public Water Distribution System & Existing Sewage Collection System

Lander Field Office • 510 Meadowview Drive • Lander, WY 82520 • <http://deq.state.wy.us>

ABANDONED MINES
(307) 332-5085
FAX 332-7726

AIR QUALITY
(307) 332-6755
FAX 332-7726

LAND QUALITY
(307) 332-3047
FAX 332-7726

SOLID & HAZARDOUS WASTE
(307) 332-6924
FAX 332-7726

WATER QUALITY
(307) 332-3144
FAX 332-3183



WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-376
PWS# 5600822C

Rafter J Water System's Second 200,000-Gallon Storage Tank

This permit hereby authorizes the applicant:

James P. Huspek, President
Rafter J Improvement and Service District
2951 W. Big Trail Drive
Jackson, Wyoming 83001

to install a 200,000-gallon, concrete storage tank to increase Rafter J Water System storage volume to a total of 400,000 gallons; according to the procedures and conditions of the application number 06-376. The facility is located within Section 17, Township 40 North and Range 116 West in the county of Teton, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by June 29, 2008.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, or any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 4 All interior surfaces or coatings shall consist of products which are certified by ANSI/NSF Standard 61. This requirement applies to any pipes and fittings, protective materials (e.g., paints, coatings, concrete admixtures, concrete release agents, concrete sealers), joining and sealing materials (e.g., adhesives, caulks, gaskets, primers and sealants) which are located so as to come into contact with the drinking water.
- 2 of 4 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality, Water Quality Division (WQD), Northwest District Engineer, 510 Meadowview Drive, Lander, WY 82520, 307-332-3144, FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 3 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
- a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

7/17/06
Date of Issuance
JSB/jsb
bb/6-0639.PER

STATEMENT OF BASIS

1. Permit Number: 06-376
2. Application reviewed for compliance with the following regulations:
Chapters 3, and 12 of the Wyoming Water Quality Rules and Regulations.
3. Does the permit comply with all applicable regulations identified above? Yes
4. Facilities include components not specifically covered by regulations and approval is based upon a deviation from applicable regulations in accordance with Section 5 of applicable regulations.
No
5. If Section 17 of Chapter 3 review is required indicate the basis for determining groundwater will be protected.
Public water systems are exempted from review by Chapter 3, Section 17.
6. Documentation of Statement of Basis: The archives file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by James S. Brough, jbroug@state.wy.us, Environmental Engineer and completed on June 29, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents permit conditions, and the items identified in this "Statement of Basis."

JSB/bb/6-0639.STM

Xc: Matthew F. Ostdiek, Rendezvous Engineering, P.C., P.O. Box 4858, Jackson, Wyoming 83001

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-377

Bar BC Ranch Water System

This permit hereby authorizes the applicant:

Gary L. Schmitz, Vice President
Hillwood Bar BC, LLC
P.O. Box 2308
Jackson, WY 83001

to install two groundwater supply wells, a well control house, two booster pump stations and a 200,000-gallon concrete storage tank to serve the fourteen lots on Bar BC Ranch; according to the procedures and conditions of the application number 06-377. The facility is located within Sections 4, 5, 8, and 9; Township 41 North; and Range 116 West in the county of Teton, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by July 17, 2008.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, or any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality, Water Quality Division (WQD), Northwest District Engineer, 510 Meadowview Drive, Lander, WY 82520, 307-332-3144, FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.
- a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

7/20/06
Date of Issuance

JSB/rm/6-0642

STATEMENT OF BASIS

1. Permit Number: 06-377
2. Application reviewed for compliance with the following regulations:
Chapters 3, and 12 of the Wyoming Water Quality Rules and Regulations.
3. Does the permit comply with all applicable regulations identified above? Yes
4. Facilities include components not specifically covered by regulations and approval is based upon a deviation from applicable regulations in accordance with Section 5 of applicable regulations.
No
5. If Section 17 of Chapter 3 review is required indicate the basis for determining groundwater will be protected.
Public water systems are exempted from review by Chapter 3, Section 17.
6. Documentation of Statement of Basis: The archives file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by James S. Brough, jbroug@state.wy.us, Environmental Engineer and completed on July 17, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents permit conditions, and the items identified in this "Statement of Basis."

Xc: Matthew F. Ostdiek, Rendezvous Engineering, P.C., P.O. Box 4858, Jackson, Wyoming 83001



The State
of Wyoming

Department of Environmental Quality



Dave Freudenthal, Governor

152 N. Durbin Street • Suite 100 • Casper, Wyoming 82601

SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

June 5, 2006

Rick R. Jahn
RJ Leasing, LLC
P.O. Box 4500
Gillette, WY 82717


RE: RJ Leasing Septic System
Permit # 06-378

Dear Mr. Jahn:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O, of the general permit.

If you have any questions please contact Dennis Lamb at 152 North Durbin Street, Suite 100, Casper, WY, 82601, or at (307) 473-3452. Thank you.

Sincerely,


Dennis Lamb
NE District Supervisor
DEQ/WQD

Enclosures: General Permit
Certificate of Completion

cc: IPS, Cheyenne

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-379

Family Life Church Temporary Sewage Holding Tank

This permit hereby authorizes the applicant:

Martin Crump
Family Life Church
P.O. Box 214
Gillette, Wyoming 82717

to construct, install or modify a temporary sewage holding tank according to the procedures and conditions of the application number 06-379. The facility is located in SE/4 of Section 6, Township 49 North, Range 72 West in the county of Campbell, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by July 1, 2007.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.


The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will provide immediate oral or written notice to the DEQ/WQD Northeast District Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 4 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the DEQ/WQD Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis."
- 4 of 4 The Family Life Church facilities will be connected to the City of Gillette sewage collection and treatment system by July 1, 2008

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division

7/19/06
Date of Issuance


John V. Corra
Director
Department of Environmental Quality

BDM/rm/6-0587

cc: WDEQ Casper Field Office

Keith Bowar, Campbell County Building & Planning, 500 South Gillette Ave Suite 1500, Gillette, WY 82716

Tom Langston, City of Gillette Department of Community Development, P.O. Box 3003, Gillette, WY 82717-3003

Steve Bruce, Bruce Engineering, P.O. Box 194, Gillette, WY 82717

STATEMENT OF BASIS

1. Permit Number: 06-379
2. Application reviewed for compliance with the following applicable regulations :
 - a. Chapter 11. Section 43(a).
3. Does the permit comply with all applicable regulations identified above?
 - a. No. Section 43(a) prohibits the use of holding tanks for new construction.
 - b. This holding tank is temporary. Currently, City sewer is unavailable. The facilities will be connected to the City of Gillette sewage collection and treatment system by July 1, 2008. The permittee and the City of Gillette Department of Community Development are currently pursuing an annexation agreement per the permittee's request and the City of Gillette Council's directive to Department of Community Development staff. The holding tank meets the requirements of Chapter 11 table 1 for size and holding capacity, and Chapter 11 Section 43 holding tank design criteria.
4. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

not required

5. Documentation of Statement of Basis.

The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Brian Mark, Program Principal and completed on June 29, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."



The State
of Wyoming

Department of Environmental Quality

Dave Freudenthal, Governor

152 N. Durbin Street • Suite 100 • Casper, Wyoming 82601



SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

June 26, 2006

Gerald Black
2800 North Bahnson Avenue
Sioux Falls, SD 57104

RE: Black Residential Septic System
Permit # 06-380

Dear Mr. Black:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O, of the general permit.

If you have any questions please contact Kim Medina at 152 North Durbin Street, Suite 100, Casper, WY, 82601, or at (307) 473-3452. Thank you.

Sincerely,

Kim J. Medina
Senior Environmental Analyst
DEQ/WQD

Enclosures: General Permit
Certificate of Completion

cc: IPS, Cheyenne



The State
of Wyoming

Department of Environmental Quality



Dave Freudenthal, Governor

152 N. Durbin Street • Suite 100 • Casper, Wyoming 82601

SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

June 13, 2006

Dennis and Carole Solo
P.O. Box 1772
Gillette, WY 82717

RE: Solo Residential Septic System
Permit # 06-381

Dear Mr. and Mrs. Solo:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O, of the general permit.

If you have any questions please contact Dennis Lamb at 152 North Durbin Street, Suite 100, Casper, WY, 82601, or at (307) 473-3452. Thank you.

Sincerely,

Dennis Lamb
NE District Supervisor
DEQ/WQD

Enclosures: General Permit
Certificate of Completion

cc: IPS, Cheyenne
Linda Fritz, Crook County, P.O. Box 37, Sundance, WY 82729



The State
of Wyoming

Department of Environmental Quality



Dave Freudenthal, Governor

152 N. Durbin Street • Suite 100 • Casper, Wyoming 82601

SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

June 14, 2006

John Stahla
Stahla Construction
P.O. Box 818
Moorcroft, WY 82721

RE: Stahla Construction Residential Permit
Permit #06-382

Dear Mr. Stahla:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of existing sewage collection systems in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions please contact me at the address above, at kmedin@state.wy.us or by phone at (307) 473-3476

Sincerely,

Kim J. Medina
Senior Environmental Analyst
DEQ/WQD

cc: IPS, Cheyenne
Marshall Davis, Town of Pinehaven, 24 Waters Drive, Pinehaven, WY 82721-9761

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-383

Eagle Estates Residential Subdivision
PWS# WY5600018 (Town of Evansville)

This permit hereby authorizes the applicant:

Granite Peak Development Company
PO Box 51568
Casper, Wyoming 82605

to construct, install or modify a sanitary sewer system consisting of approximately 13,300 feet of 8" PVC gravity pipe, 2,050 feet of 6" pressurized pipe, and a lift station, and a water distribution system consisting of approximately 13,000 feet of 8" PVC pipe, and associated appurtenances, according to the procedures and conditions of the application number 06-383. The facility is located in Section 36, Township 34 North, Range 78 West in the county of Natrona, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by December 31, 2008.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the DEQ/WQD Northeast District Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations (WWQRR) of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the DEQ/WQD Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division



John V. Corra
Director
Department of Environmental Quality

11/21/06

Date of Issuance

KJF/rm/6-1088

STATEMENT OF BASIS

1. Permit Number: 06-383
2. Application reviewed for compliance with the following applicable regulations:
 - a. Chapters 11 and 12.
3. Does the permit comply with all applicable regulations identified above?
 - a. Yes.
4. Facilities not specifically covered by regulations
 - a. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
Not applicable
 - b. Briefly state the basis for the deviation.
Not applicable
5. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.
Not applicable
6. Documentation of Statement of Basis.

The archive file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter 3, Wyoming Water Quality Rules and Regulations. This review was performed by Kevin Frank, PE, SRF Program Environmental Senior Analyst and completed on November 15, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-384

Rozet Ranchettes Subdivision Well
PWS#

This permit hereby authorizes the applicant:

Timothy Zebroski
4402 Collins Road
Gillette, WY 82716

to construct, install or modify a public water supply well in accordance with the procedures and conditions of the application number 06-384. The facility is located in Sections 26, 27, 34, & 35 Township 50 North, Range 70 West in the county of Campbell, in the State of Wyoming. This permit shall be effective until June 1, 2009.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the water treatment process described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the land application is located for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.


The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor: any infringement of federal, state or local laws or regulations.

The permittee shall conduct permitted water treatment in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.


In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 3 The applicant will provide immediate oral or written notice to the DEQ/WQD Northeast District Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the DEQ/WQD Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Date that construction of the facility was completed; and
 - b. Date that the facility was placed in operation; and
 - c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
 - d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate. All modifications or deviations from the authorized plans must be highlighted.
- 3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:



John F. Wagner
Administrator
Water Quality Division



John V. Corra
Director
Department of Environmental Quality

9-26-07

Date of Issuance

JDL/LBH/cs/7-0830

cc: WDEQ Casper Field Office
Mike Brayton, Wester-Wetstein and Associates, 201 Lakeway Road, Suite 1000, Gillette, WY 82718

STATEMENT OF BASIS

1. Permit Number: 06-384
2. Application reviewed for compliance with the following applicable regulations :
 - a. Chapter 11, Section G.
 - b. Chapter 12.
3. Does the permit comply with all applicable regulations identified above?
 - a. Yes
4. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

Not reqd.
5. Documentation of Statement of Basis.

The archive file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Dennis Lamb, CBM Program, and completed on September 14, 2007. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents permit conditions, and the items identified in this "Statement of Basis."



The State
of Wyoming

Department of Environmental Quality



Dave Freudenthal, Governor

152 N. Durbin Street • Suite 100 • Casper, Wyoming 82601

SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

July 26, 2006

Mr. Dan Sabrosky
PO Box 50912
Casper, WY 82601

RE: Palomino/Antelope Extension, Application No. 06-385

Dear Mr. Sabrosky:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Public Water Supply Distribution Systems in accordance with Chapter 3 and Chapter 12 of the Wyoming Water Quality Rules and Regulations and for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modification of Existing Sewage Collection Systems in accordance with Chapter 3 and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the facility(ies) in accordance with the general permits and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V. Section O. of the general permits.

If you have any questions, please contact me at 307-473-3471.

Sincerely,

Kevin J. Frank, PE
Senior Analyst
Water Quality Division

cc: IPS, Cheyenne

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-386RR

Sublette County Shop - Pinedale

This permit hereby authorizes the applicant:

Sublette County, Wyoming
PO Box 250
Pinedale, Wyoming 82941

to construct, install or modify an evaporation pond to dispose of wash water and drain water from the floor, a septic system for wastewater disposal; and all associated appurtenances, for the Sublette County Shop; according to the procedures and conditions of the application number 06-386RR. The facility is located in SW1/4 and SE1/4 Section 23, Township 33 North, Range 109 West in the county of Sublette, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by December 31, 2007.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:


1 of 3 The applicant will provide immediate oral or written notice to the DEQ/WQD Northeast District Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations (WWQRR) of any changes or modifications which are not consistent with the terms and conditions of this permit.


2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the DEQ/WQD Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:

- a. Date that construction of the facility was completed; and
- b. Date that the facility was placed in operation; and
- c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or
- d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division


John V. Corra
Director
Department of Environmental Quality

10/10/06
Date of Issuance

KJF/rm/6-0934
JRF 10/11/06

STATEMENT OF BASIS

1. Permit Number: 06-386RR
2. Application reviewed for compliance with the following applicable regulations:
 - a. Chapter 11.
3. Does the permit comply with all applicable regulations identified above?
 - a. Yes.
4. Facilities not specifically covered by regulations
 - a. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.
N/A
 - b. Briefly state the basis for the deviation.
N/A
5. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

Evaporation pond will include a polypropylene liner system to provide protection equivalent to three feet of soil having a permeability of 10^{-7} cm/second as allowed by the regulations. The liner system will include a leak detection system.
6. Documentation of Statement of Basis.
The archive file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Kevin Frank, PE, SRF Program Environmental Senior Analyst and completed on October 11, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

STATE OF WYOMING
DEPARTMENT OF ENVIRONMENTAL QUALITY
UNDERGROUND INJECTION CONTROL PERMIT ISSUED UNDER
WYOMING WATER QUALITY RULES AND REGULATIONS
CHAPTER 16

CLASS V INJECTION WELL

(X) New
() Modified


Permit Number UIC 06-389
UIC Facility Number WYS-~~000000~~ 005-00491

In compliance with the Wyoming Environmental Quality act (W.S. 35-11-101 through 1104, specifically 301(a)(i) through 301 (a)(iv), Laws 1973, Ch. 250, Section 1) and Wyoming Water Quality Rules and Regulations, Chapter 16.

Applicant: Cedar Resources Corporation
P.O. Box 475
Gillette, WY 82717
(307) 689-0657

Cedar Resources Corporation, hereafter referred to as the permittee, is authorized to operate the Class V (5F2) Cedar Resources Sub-surface Drip Irrigation System in Section 33, Township 54 North, Range 76 West, 6th Principal Meridian, Campbell County, according to the procedures and conditions of application UIC 05-302 and requirements and other conditions of this permit.


This permit shall become effective on date of issuance.



John Wagner, Administrator
Water Quality Division
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002
(307)-777-7781

8/21/06

Date



John V. Corra, Director
Department of Environmental Quality
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002

8/24/06

Date

Table of Contents

A.	Discharge Zone.....	3
B.	Well and Area of Review	3
C.	Groundwater Classification	3
D.	Authorized Operations.....	3
E.	Hazardous Waste	3
F.	Proper Operation and Maintenance	4
G.	Entry and Inspection	4
H.	Environmental Monitoring Program for Groundwaters of the State.....	4
I.	Requirements for Monitoring the Discharge	4
J.	Test Procedures.....	5
K.	Records and Reports	5
L.	Permit Actions	6
M.	Abandonment.....	6
N.	Duties of the Permittee	6
O.	Signatories Requirement.....	7
P.	Noncompliance	8
Q.	Permit Transfer	8
R.	Property Rights	8
S.	Severability.....	8

A. Discharge Zone

This injection system is authorized to inject into the colluvial and alluvial deposits adjacent to Wild Horse Creek in Section 33, Township 54 North, Range 76 West.

B. Well and Area of Review

The injection well authorized by this permit is located as follows:

NE SE and SE SE Section 33, Township 54 North, Range 76 West, 6th Principal Meridian

The Area of Review around this facility is described as follows:

Townships 53 & 54 North, Range 76 West, 6th Principal Meridian

SE, SESW Section 29; SWSW Section 28; NE, NENW Section 32; NW, SWNE, SE N1/2 SW, Section 33; SWSW, NWSW Section 34; NWNW Section 3; NENE Section 4

The area of review is based on subsurface time of travel in the vadose zone of the colluvial and alluvial system of Wild Horse Creek. Surface water monitoring has been established to protect Wild Horse Creek to state standards.

The area of review is based on the following:

Description	Inputs	Units
Permit Duration	10	Years
Porosity of receiver ¹	12	Percent
Maximum injection rate	7620	Barrels/day
Thickness of receiver ¹	150	Feet
Area of review	10800	Feet

¹receiver is the vadose zone

C. Groundwater Classification

Groundwater was not encountered beneath this facility to a depth of 150 feet. No additional groundwater monitoring will be required.

D. Authorized Operations

The permittee is authorized to inject 0.32 million gallons per day (7620 barrels/day) of produced coalbed methane water through the Cedar Resources sub-surface drip irrigation system. The produced water originates from coal bed methane wells completed in the Anderson, Canyon and Wall coal formations in the Wild Horse Creek region of the Powder River Basin in Wyoming.

E. Hazardous Waste

This permit does not allow for the injection of any hazardous waste as defined in 40 CFR 261.3 and in Wyoming Solid Waste Management Rules and Regulations, Chapter 2. Injection of any substance

defined as a hazardous waste, whether hazardous by listing or by characteristic is a violation of this permit.

F. Proper Operation and Maintenance

The permittee shall take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit. The permittee shall operate and maintain all facilities and systems of treatment and control which are installed or used by the permittee to achieve compliance with the conditions of the permit. Proper operation and maintenance includes: effective performance, adequate funding, operator staffing and training, and laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of this permit.

The injection well covered by this permit shall meet all construction requirements outlined in Wyoming Water Quality Rules and Regulations, Chapter 16.

The permittee is required to operate in accordance with statements, representations and procedures presented in the complete permit application and supporting documents as accepted and approved by the Administrator. Any modifications which will result in a violation of permit conditions shall be reported by submission of a new or amended permit application and shall not be implemented until a new or modified permit has been issued. Injection into a well may not begin until construction is complete and the permit is approved.

G. Entry and Inspection

The permittee shall allow the Administrator (upon presentation of credentials and during normal working hours) to enter the premises where a regulated facility is located, or where records are kept under the conditions of this permit and inspect and photograph the discharge and related facilities, review and copy reports and records required by this permit, collect fluid samples for analysis, measure and record water levels, and perform any other function authorized by law or regulation.

H. Environmental Monitoring Program for Groundwaters of the State

Groundwater was not encountered to a depth below ground surface of 150 feet beneath the proposed facility. The water will be injected into the shallow vadose zone. No groundwater monitoring program is will be required for this facility.

I. Requirements for Monitoring the Discharge.

1. The permittee shall monitor the quantity and quality of the injected fluid on the schedule listed in Table 1 below.

Table 1 (Injected Fluid Sampling Schedule)

Sampling and Reporting Schedule	Parameter Analyzed	Analytical Method	Permit limit or UCL
---------------------------------	--------------------	-------------------	---------------------

Quarterly 12/31; 3/31; 6/30; 9/30	Total Volume	Flowmeter	0.32 million gallons/day
Annually 12/31	Total Dissolved Solids	160.1	10,000 mg/L

2. The area between this facility and Wild Horse Creek shall be inspected on a monthly basis for evidence of water re-surfacing from the injection facility. Any occurrence of water re-surfacing from this facility during the monthly inspections or during other routine operations shall be reporting to the WDEQ immediately.

Table 2 (Surface Water Sampling Schedule)

Inspection Schedule	Reporting Schedule	Parameter Analyzed	Analytical Method	Permit limit or UCL*
Monthly	Quarterly	Surface seeps	Visual inspection	Presence of water

The requirements for monitoring the discharge listed in Table1 and Table 2 shall be submitted to the following address: WDEQ, Groundwater Program, UIC Coordinator, Herschler Building 4W, 122 West 25th Street, Cheyenne, Wyoming. A copy of the data shall also be supplied to the WDEQ, Sheridan field office at the following address: WDEQ, Groundwater Program, 1866 South Sheridan Ave., Sheridan, WY 82801.

J. Test Procedures

All samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity. All samples taken shall include a trip blank of distilled water for each sampling date and a duplicate sample at least once per year. All required analyses shall be conducted in compliance with Wyoming Water Quality Rules and Regulations, Chapter 8, Section 7.

K. Records and Reports

The permittee shall furnish to the Administrator within a specified time any information which the Administrator may request relating to the operation of the facility, including copies of records required to be kept by this permit. The permittee shall retain copies of all records and reports required by this permit for a period of three (3) years following permanent well abandonment. After that time, those records shall be delivered to the Administrator for disposal or archive at his discretion. Reports of compliance or noncompliance with, and any progress reports on, interim and final requirements contained in any compliance schedule shall be submitted no later than thirty (30) days following each schedule date. Confirmed noncompliance resulting in the migration of injected fluid into any zone outside the permitted receiver shall be reported to the Administrator within twenty-four (24) hours, and a written submission (via certified mail) shall be provided within five (5) days of the time the permittee becomes aware of the excursion. The written submission shall contain: a description of the noncompliance; the period of noncompliance, including exact dates and times, and if the noncompliance has not been controlled, the anticipated time it is expected to continue; and a list of the steps taken or planned to reduce, eliminate,

and prevent the recurrence of the noncompliance. Confirmed noncompliance not already reported under this section shall be reported at the time monitoring reports are submitted. The reports shall contain the same information as required by the paragraph above. The permittee shall notify the Administrator thirty (30) days in advance of any planned alteration, conversion, or abandonment of the well covered by this permit.

L. Permit Actions

This permit is authorized for a period of ten (10) years. If the permittee wishes to continue injection after the expiration date of this permit he shall apply to the Administrator and obtain a new permit. It shall not be a defense for the permittee in an enforcement action that it would be necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. The filing of a request by the permittee, or at the instigation of the Administrator, for permit modification, revocation, termination, or notification of planned changes or anticipated noncompliance shall not stay any condition of this permit.

After notice and opportunity for a hearing, a permit may be modified, suspended or revoked in whole or part during its term for cause which includes, but is not limited to any of the following:

1. Violation of this permit; or
2. Obtaining a permit by misrepresentation of facts in the application.

This permit will be reviewed at least once every five (5) years, and may be reviewed more frequently. A permit may be modified at any time as may be required, including for conformity with changes in regulations or standards which occur after the permit was issued. A permit may be modified in whole or part in order to apply more or less stringent standards; or prohibitions for toxic or other substances present in the permittees discharge as may be ordered by the Environmental Quality Council.

M. Abandonment

General Requirements:

1. The permittee shall notify the administrator at least thirty (30) days prior to abandonment of the facility.
2. An abandonment report, detailing the compliance with abandonment procedures outlined in the original application for coverage under this permit, or describing any deviations from the original plan, shall be submitted as soon as practicable after abandonment.

N. Duties of the Permittee

The permittee shall give advance notice to the Administrator as soon as possible of any planned physical alteration or additions, other than authorized operation and maintenance, to the permitted facility and receive authorization prior to implementing the proposed alternation or addition. The permittee shall furnish the Administrator within a reasonable time any information which the Administrator may request to determine whether cause exists for modifying, revoking, or reissuing, or terminating this permit, or to determine compliance with this permit; and to furnish to the Administrator upon request, copies of

records required to be kept by this permit. Any modification which may result in a violation of a permit condition shall be reported to the Administrator, and any modification that will result in a violation of any permit conditions shall be reported to the Administrator through the submission of a new or amended permit application. The permittee shall report all instances where he becomes aware that he failed to submit any relevant facts in the permit application, or where he submitted incorrect information in a permit application or in any report to the Administrator, and shall promptly submit such facts or information.

If any cultural materials are discovered during construction, work in the area should halt immediately. The Administrator and the Wyoming State Historic Preservation Office shall be contacted (777-7697) and the materials shall be evaluated by an archaeologist or historian meeting the Secretary of the Interior's Professional Qualification Standards (48 FR 22716, Sept. 1983).

O. Signatories Requirement

All reports filed in conjunction with this permit shall contain the following certification:

"I certify, under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All reports required by this permit and other requested information shall be signed as follows:

For a corporation – by a principal executive officer of at least the level of vice-president;

For a partnership or sole proprietorship – by a general partner or the proprietor, respectively;

For a municipality, state, federal, or other public agency – by either a principal executive officer or ranking elected official; or

By a duly authorized representative for any of the above. A person is a duly authorized representative only if:

1. The authorization is made in writing by one of the prescribed principals;
2. The authorization specifies either an individual or position having responsibility for the overall operation of the regulated facility or activity; and
3. The written authorization is submitted to the Administrator.

If an authorization is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization must be submitted to the Administrator prior to or together with any reports or information, to be signed by the new authorized representative.

P. Noncompliance

The permittee shall comply with all conditions of the permit. Any permit noncompliance constitutes a violation of Wyoming Water Quality Rules and Regulations, Chapter 16 and is grounds for enforcement action, permit termination, revocation, or modification. Conformed noncompliance resulting in an excursion shall be reported to the Administrator orally within twenty-four (24) hours, and a written submission shall be provided within five (5) days of the time the permittee becomes aware of the excursion. The written report shall contain the sections specified in Section K of this permit. Any permit noncompliance constitutes a violation of this permit.

The filing of any request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.

Q. Permit Transfer

Any transfer of this permit shall be accomplished by the submission of the proper forms for permit transfer to the Administrator. Transfer of this permit must first be approved by the Administrator and the Director. No transfer shall be approved unless the proposed permittee agrees to bring any and all noncompliance issues into compliance with this permit. The permittee is alone responsible for the operation of the facility covered by this permit. Sale of the facility and subsequent operation of this facility by another is a violation of this permit unless a transfer of this permit has first been accomplished.

R. Property Rights

This permit does not convey any property rights of any sort or any exclusive privilege. This permit does not authorize injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.

S. Severability

Nothing in this permit shall be construed to preclude the institution of any legal action or to relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable state law or regulation.

~~DRM~~/rm/6-0758
WDF



harvesting water for beneficial use

2161 Coffeen Ave. #302 Sheridan, WY 82801
ph 307.673.0607 fax 307.673.1080 www.beneterra.com

RECEIVED

OCT 16 2006

October 16, 2006


John Wagner
Wyoming Dept. of Environmental Quality
Administrator – Water Quality Division
122 West 25th St.
Herschler Bldg., 4th Floor West
Cheyenne, WY 82001

John:

Enclosed please find an application for transfer of UIC permit 06-390. JM Huber is transferring this permit to BeneTerra LLC. This is one of those cases wherein multiple energy operators may bring water to this facility.

Regards,

John Zupancic
Vice president / LLC member



UNDERGROUND INJECTION CONTROL PERMIT TRANSFER APPLICATION
WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION

RECEIVED

OCT 18 2006

PART I (To be completed by current operator)

As present operator, J.M. Huber Corporation (name) hereby applies to the Administrator to transfer operation of the facility or facilities authorized under UIC Permit #06-390.

William W. DeLapp
Printed name of person signing

Will W. DeLapp
Signature

Operations Manager
Title

10/18/06
Date

PART II (To be completed by proposed operator)

As proposed transferee, Beneterra LLC, 1415 N. Main St. Sheridan, WY 82801 (name and address) agrees to be bound by all of the terms and conditions of the permit described above. (In addition, for Class I facilities the potential transferee must complete the second page of this form to show financial responsibility). If this permit is presently out of compliance, the proposed transferee agrees to bring the operation into compliance according to the (schedule, agreement, letter, notice) attached and dated / / .

John W Zupancic
Printed name of person signing

John W Zupancic
Signed

Vice-president
Title

10/18/06
Date

APPROVAL FOR TRANSFER OF PERMIT

This transfer is approved effective on the later of the two dates below:

[Signature]
Administrator/Water Quality Division

12/5/06
Date

[Signature]
Director/Department of Environmental Quality

12/8/06
Date

STATE OF WYOMING
DEPARTMENT OF ENVIRONMENTAL QUALITY
UNDERGROUND INJECTION CONTROL PERMIT ISSUED UNDER
WYOMING WATER QUALITY RULES AND REGULATIONS
CHAPTER 16

CLASS V INJECTION WELL

(X) New
() Modified

Permit Number UIC 06-390
UIC Facility Number WYS-33-153

In compliance with the Wyoming Environmental Quality act (W.S. 35-11-101 through 1104, specifically 301(a)(i) through 301 (a)(iv), Laws 1973, Ch. 250, Section 1) and Wyoming Water Quality Rules and Regulations, Chapter 16.

Applicant: JM Huber Corporation
2266 N. Main Street
Sheridan, WY 82801
(307) 673-8800


JM Huber Corporation, hereafter referred to as the permittee, is authorized to operate the proposed Class V (5F2) Dow Ranch Subsurface Drip Irrigation Project in Sections 34 and 35 , Township 58 North, Range 82 West, 6th Principal Meridian, Campbell County, according to the procedures and conditions of application UIC 06-390 and requirements and other conditions of this permit.

This permit shall become effective on date of issuance.



John Wagner, Administrator
Water Quality Division
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002
(307)-777-7781

8/21/06
Date



John V. Corra, Director
Department of Environmental Quality
Herschler Building, 122 West 25th Street
Cheyenne, WY 82002

8/21/06
Date

Table of Contents

A.	Discharge Zone	3
B.	Well and Area of Review	3
C.	Groundwater Classification	3
D.	Authorized Operations.....	3
E.	Hazardous Waste	3
F.	Proper Operation and Maintenance	4
G.	Entry and Inspection.....	4
H.	Environmental Monitoring Program for Groundwaters of the State	4
I.	Requirements for Monitoring the Discharge	5
J.	Test Procedures.....	7
K.	Records and Reports	7
L.	Permit Actions	7
M.	Abandonment.....	8
N.	Duties of the Permittee	8
O.	Signatories Requirement.....	8
P.	Noncompliance	9
Q.	Permit Transfer	9
R.	Property Rights	10
S.	Severability.....	10

A. Discharge Zone

The Dow Ranch Subsurface Drip Irrigation Project is authorized to inject into the colluvial and alluvial deposits adjacent to Badger Creek in northern Sheridan County. The Dow Ranch Subsurface Drip Irrigation Project is not authorized to discharge into Badger Creek.

B. Well and Area of Review

The injection well authorized by this permit is located as follows:

E ½, Section 34, Township 58 North, Range 82 West, S ½ Section 35, Township 58 North, Range 82 West, SE ¼ Section 2, Township 57 North, Range 82 West, NW ¼ and S ½ Section 1, Township 57 North, Range 82 West, West ½ Section 6, Township 57 North, Range 81 West, NWNW ¼, Section 7, Township 57 North, Range 81 West, 6th Principal Meridian.

The Area of Review around this facility is described as follows:

E ½, Section 34, Township 58 North, Range 82 West, S ½ Section 35, Township 58 North, Range 82 West, SE ¼ Section 2, Township 57 North, Range 82 West, NW ¼ and S ½ Section 1, Township 57 North, Range 82 West, West ½ Section 6, Township 57 North, Range 81 West, NWNW ¼, Section 7, Township 57 North, Range 81 West, 6th Principal Meridian.

The area of review is based on the following:

Description	Inputs	Units
Permit Duration	10	Years
Porosity of receiver ¹	12 (varies)	Percent
Maximum injection rate	83333	Barrels/day
Thickness of receiver ¹	30	Feet
Area of review	510	Feet

¹receiver is the vadose zone and groundwater

C. Groundwater Classification

The groundwater in the unconfined alluvial aquifer is classified as Class IVB according to Wyoming Water Quality Rules and Regulations, Chapter 8. This classification is made because the total dissolved solids in the groundwater in this formation is in excess of 10,000 parts per million.

D. Authorized Operations

The permittee is authorized to inject 3.5 million gallons per day of produced coalbed methane water through the Dow Ranch Subsurface Drip Irrigation Project. The produced water originates from coal bed methane wells completed in the Dietz, Smith, Anderson, Monarch and Carney coal seams in the vicinity of the Badger Creek, northern Sheridan County.

E. Hazardous Waste

This permit does not allow for the injection of any hazardous waste as defined in 40 CFR 261.3 and in Wyoming Solid Waste Management Rules and Regulations, Chapter 2. Injection of any substance defined as a hazardous waste, whether hazardous by listing or by characteristic is a violation of this permit.

F. Proper Operation and Maintenance

The permittee shall take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit. The permittee shall operate and maintain all facilities and systems of treatment and control which are installed or used by the permittee to achieve compliance with the conditions of the permit. Proper operation and maintenance includes: effective performance, adequate funding, operator staffing and training, and laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of this permit.

The injection well covered by this permit shall meet all construction requirements outlined in Wyoming Water Quality Rules and Regulations, Chapter 16.

The permittee is required to operate in accordance with statements, representations and procedures presented in the complete permit application and supporting documents as accepted and approved by the Administrator. Any modifications which will result in a violation of permit conditions shall be reported by submission of a new or amended permit application and shall not be implemented until a new or modified permit has been issued. Injection into a well may not begin until construction is complete and the permit is approved.

G. Entry and Inspection

The permittee shall allow the Administrator (upon presentation of credentials and during normal working hours) to enter the premises where a regulated facility is located, or where records are kept under the conditions of this permit and inspect and photograph the discharge and related facilities, review and copy reports and records required by this permit, collect fluid samples for analysis, measure and record water levels, and perform any other function authorized by law or regulation.

H. Environmental Monitoring Program for Groundwaters of the State

General Requirements:

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
2. The permittee shall retain records of all monitoring information including all calibration and maintenance records, copies of the reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least three (3) years from the date of the sample measurement, report, or application. This period may be extended by request of the Administrator at any time.
3. Records of monitoring information shall include:
 - a. The date, exact place, and time of sampling or measurements;
 - b. The initials or name(s) of the individual(s) who performed the sampling or measurements;
 - c. The date(s) analyses were performed;

- d. The time(s) analyses were initiated;
 - e. The initials or name(s) of the individual(s) who performed the analyses;
 - f. References and written procedures for the analytical techniques or methods used;
 - g. The results of such analyses, including the bench sheets, instrument readouts, computer disks or tapes, etc., used to determine these results.
4. Monitoring must be conducted according to test procedures approved under 40 CFR Part 136, unless other test procedures have been specified in this permit.
 5. The permittee shall retain all records concerning the nature and composition of injected fluids until five (5) years after completion of any specified plugging and abandonment procedures. The administrator may require the owner/operator to deliver the records to the administrator at the conclusion of the retention period.
 6. The permittee shall report any noncompliance which may endanger health or the environment within 24 hours from the time the operator becomes aware of the circumstances. The report should include:
 - a. Any monitoring or other information which indicates that any contaminant may cause an endangerment to a usable groundwater of the state;
 - b. Any noncompliance with a permit condition or malfunction of the discharge (injection) system which may cause fluid migration into or between usable ground waters of the state;
 - c. A written submission shall be provided within 5 days of the time the operator becomes aware of the circumstances. This written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.
 7. The permittee shall report all instances of noncompliance not reported otherwise, at the time monitoring reports are submitted.
 8. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 30 days following each schedule date.

I. Requirements for Monitoring the Discharge.

1. The permittee shall monitor the quantity and quality of the injected fluid on the schedule listed in Table 1 below.

Table 1 (Injected Fluid Sampling Schedule)

Sampling and Reporting Schedule	Parameter Analyzed	Analytical Method	Permit limit or UCL*
Quarterly 12/31; 3/31; 6/30; 9/30	Total Volume	Flowmeter	3.5 million gallons/day
Annually 12/31	Total Dissolved Solids	160.1	10,000 mg/L

- The groundwater in the receiving formation shall be sampled and the following parameters analyzed according to the schedule identified in Table 2.

Table 2 (Groundwater Sampling Schedule)

WELL NAME OR NUMBER	SAMPLING AND REPORTING SCHEDULE (DUE DATE)	PARAMETER ANALYZED	ANALYTICAL METHOD	PERMIT LIMIT or UCL
All (16 total) (MW-1 thru MW-16)	Quarterly: 3/31; 6/30; 9/30; 12/31 (Recommended: monthly for first year)	Depth to static water (ft)	Steel tape with chalk or electronic tape	None (tracking purposes: surface water protection)
All (16 total) (MW-1 thru MW-16)	Semi-annual 3/31; 9/30	Sodium Absorption Ratio	Calculated	None (tracking purposes: surface water protection)
All (16 total) (MW-1 thru MW-16)	Semi-annual 3/31; 9/30	Bicarbonate	SM 2320B	None (tracking purposes: surface water protection)
All (16 total) (MW-1 thru MW-16)	Semi-annual 3/31; 9/30	Total Dissolved Solids	160.1	None (tracking purposes: surface water protection)

Failure to perform and report analyses in accordance with the prescribed schedule and method is a violation of this permit.

- Badger Creek is an ephemeral drainage proximal to the facility. If water migrating from the drip irrigation system re-surfaces into Badger Creek, a discharge permit from the WYPDES Program will be required. If the discharge cannot meet the WYPDES discharge standards, actions will need to be taken to stop the discharge.
- The main channel of Badger Creek immediately adjacent to this facility shall be inspected on a quarterly basis for surface seeps. Any observations of water re-surfacing into Badger Creek from the monthly inspections or other observations shall be reporting to the WDEQ immediately.

Table 3 (Surface Water Sampling Schedule)

Inspection Schedule	Reporting Schedule	Parameter Analyzed	Analytical Method	Permit limit or UCL
Monthly	Quarterly 3/31; 6/30; 9/30; 12/31	Surface seeps	Visual inspection	Presence of water

The requirements for monitoring the discharge listed in Table 1, Table 2, and Table 3 shall be submitted to the following address: WDEQ, Groundwater Program, UIC Coordinator, Herschler Building 4W, 122 West 25th Street, Cheyenne, Wyoming. A copy of the data shall also be supplied to the WDEQ, Sheridan field office at the following address: WDEQ, Groundwater Program, 1866 South Sheridan Ave., Sheridan, WY 82801.

J. Test Procedures

All samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity. All samples taken shall include a trip blank of distilled water for each sampling date and a duplicate sample at least once per year. All required analyses shall be conducted in compliance with Wyoming Water Quality Rules and Regulations, Chapter 8, Section 7.

K. Records and Reports

The permittee shall furnish to the Administrator within a specified time any information which the Administrator may request relating to the operation of the facility, including copies of records required to be kept by this permit. The permittee shall retain copies of all records and reports required by this permit for a period of three (3) years following permanent well abandonment. After that time, those records shall be delivered to the Administrator for disposal or archive at his discretion. Reports of compliance or noncompliance with, and any progress reports on, interim and final requirements contained in any compliance schedule shall be submitted no later than thirty (30) days following each schedule date. Confirmed noncompliance resulting in the migration of injected fluid into any zone outside the permitted receiver shall be reported to the Administrator within twenty-four (24) hours, and a written submission (via certified mail) shall be provided within five (5) days of the time the permittee becomes aware of the excursion. The written submission shall contain: a description of the noncompliance; the period of noncompliance, including exact dates and times, and if the noncompliance has not been controlled, the anticipated time it is expected to continue; and a list of the steps taken or planned to reduce, eliminate, and prevent the recurrence of the noncompliance. Confirmed noncompliance not already reported under this section shall be reported at the time monitoring reports are submitted. The reports shall contain the same information as required by the paragraph above. The permittee shall notify the Administrator thirty (30) days in advance of any planned alteration, conversion, or abandonment of the well covered by this permit.

L. Permit Actions

This permit is authorized for a period of ten (10) years. If the permittee wishes to continue injection after the expiration date of this permit he shall apply to the Administrator and obtain a new permit. It shall not be a defense for the permittee in an enforcement action that it would be necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. The filing of a request by the permittee, or at the instigation of the Administrator, for permit modification, revocation, termination, or notification of planned changes or anticipated noncompliance shall not stay any condition of this permit.

After notice and opportunity for a hearing, a permit may be modified, suspended or revoked in whole or part during its term for cause which includes, but is not limited to any of the following:

1. Violation of this permit; or
2. Obtaining a permit by misrepresentation of facts in the application.

This permit will be reviewed at least once every five (5) years, and may be reviewed more frequently. A permit may be modified at any time as may be required, including for conformity with changes in

regulations or standards which occur after the permit was issued. A permit may be modified in whole or part in order to apply more or less stringent standards; or prohibitions for toxic or other substances present in the permittees discharge as may be ordered by the Environmental Quality Council.

M. Abandonment

General Requirements:

1. The permittee shall notify the administrator at least thirty (30) days prior to abandonment of the facility.
2. An abandonment report, detailing the compliance with abandonment procedures outlined in the original application for coverage under this permit, or describing any deviations from the original plan, shall be submitted as soon as practicable after abandonment. The abandonment shall include reclamation of the well site.
3. The injection system covered by this permit shall be abandoned in accordance with Wyoming Water Quality Rules and Regulations, Chapter 16, Section 12. Groundwater monitoring wells covered by this permit shall be abandoned in accordance with Wyoming Water Quality Rules and Regulations, Chapter 11, Part G.

N. Duties of the Permittee

The permittee shall give advance notice to the Administrator as soon as possible of any planned physical alteration or additions, other than authorized operation and maintenance, to the permitted facility and receive authorization prior to implementing the proposed alternation or addition. The permittee shall furnish the Administrator within a reasonable time any information which the Administrator may request to determine whether cause exists for modifying, revoking, or reissuing, or terminating this permit, or to determine compliance with this permit; and to furnish to the Administrator upon request, copies of records required to be kept by this permit. Any modification which may result in a violation of a permit condition shall be reported to the Administrator, and any modification that will result in a violation of any permit conditions shall be reported to the Administrator through the submission of a new or amended permit application. The permittee shall report all instances where he becomes aware that he failed to submit any relevant facts in the permit application, or where he submitted incorrect information in a permit application or in any report to the Administrator, and shall promptly submit such facts or information.

If any cultural materials are discovered during construction, work in the area should halt immediately. The Administrator and the Wyoming State Historic Preservation Office shall be contacted (777-7697) and the materials shall be evaluated by an archaeologist or historian meeting the Secretary of the Interior's Professional Qualification Standards (48 FR 22716, Sept. 1983).

O. Signatories Requirement

All reports filed in conjunction with this permit shall contain the following certification:

"I certify, under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather

and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All reports required by this permit and other requested information shall be signed as follows:

For a corporation – by a principal executive officer of at least the level of vice-president;

For a partnership or sole proprietorship – by a general partner or the proprietor, respectively;

For a municipality, state, federal, or other public agency – by either a principal executive officer or ranking elected official; or

By a duly authorized representative for any of the above. A person is a duly authorized representative only if:

1. The authorization is made in writing by one of the prescribed principals;
2. The authorization specifies either an individual or position having responsibility for the overall operation of the regulated facility or activity; and
3. The written authorization is submitted to the Administrator.

If an authorization is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization must be submitted to the Administrator prior to or together with any reports or information, to be signed by the new authorized representative.

P. Noncompliance

The permittee shall comply with all conditions of the permit. Any permit noncompliance constitutes a violation of Wyoming Water Quality Rules and Regulations, Chapter 16 and is grounds for enforcement action, permit termination, revocation, or modification. Confirmed noncompliance resulting in an excursion shall be reported to the Administrator orally within twenty-four (24) hours, and a written submission shall be provided within five (5) days of the time the permittee becomes aware of the excursion. The written report shall contain the sections specified in Section K of this permit. Any permit noncompliance constitutes a violation of this permit.

The filing of any request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.

Q. Permit Transfer

Any transfer of this permit shall be accomplished by the submission of the proper forms for permit transfer to the Administrator. Transfer of this permit must first be approved by the Administrator and the Director. No transfer shall be approved unless the proposed permittee agrees to bring any and all

noncompliance issues into compliance with this permit. The permittee is alone responsible for the operation of the facility covered by this permit. Sale of the facility and subsequent operation of this facility by another is a violation of this permit unless a transfer of this permit has first been accomplished.

R. Property Rights

This permit does not convey any property rights of any sort or any exclusive privilege. This permit does not authorize injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.

S. Severability

Nothing in this permit shall be construed to preclude the institution of any legal action or to relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable state law or regulation.

~~DEM~~/rm/6-0759

WDF



The State
of Wyoming

Department of Environmental Quality



Dave Freudenthal, Governor

3030 Energy Lane • Suite 200 • Casper, Wyoming 82604

SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

ABANDONED MINES
(307) 473-3460
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

June 5, 2006

Mike Oman
1101 Praire Lane
Bar Nunn, WY 82601

RE: Bar Nunn KOA Sewer Extension Permit # 06-391

Dear Mr. Oman;

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of existing sewage collection systems in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) have been reviewed and are hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit.

If you have any questions please contact Dennis Lamb at 3030 Energy Lane, Casper, WY, 82604, (307) 473-3452. Thank you.

Sincerely,

Dennis Lamb
NE District Supervisor
DEQ/WQD

cc: IPS, Cheyenne



The State
of Wyoming

Department of Environmental Quality



Dave Freudenthal, Governor

152 N. Durbin Street • Suite 100 • Casper, Wyoming 82601

SOLID & HAZARDOUS WASTE DIVISION
(307) 473-3450
Fax: (307) 473-3458

AIR QUALITY DIVISION
(307) 473-3455
Fax: (307) 473-3458

WATER QUALITY DIVISION
(307) 473-3465
Fax: (307) 473-3458

NOTIFICATION OF COVERAGE

June 19, 2006

Jay and Lisa Foster
24774 Highway 85
Newcastle, WY 82701

RE: Foster Residential Septic System
Permit # 06-392

Dear Mr. and Mrs. Foster:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of existing sewage collection systems in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) have been reviewed and are hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions please contact Kim Medina at the address above, at (307) 473-3476, or at kmedin@state.wy.us. Thank you.

Sincerely,

Kim J. Medina
Senior Environmental Analyst
DEQ/WQD

cc: IPS, Cheyenne



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

August 1, 2006

John Bauder
418 North 4th Street
Douglas, Wyoming 82633

RE: Bauder Residential Septic System, Application No. **06-395**
Location: SE ¼, Section 22, T30N, R68W, Platte County

Dear Mr. Bauder:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility for a **3 bedroom** house in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the condition listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific condition also applies:

Septic Tank Clean-Out Riser Requirement - Either a 6 inch diameter clean-out riser or the manway from **each compartment of the tank** must be extended to the ground surface.

The approval granted under this Notification Of Coverage and the General Permit shall expire on August 1, 2008. Please reference Application Number **06-395** in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald, P.E.
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/rm/6-0696

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion

cc: IPS, Cheyenne
Platte County Planner, Marlin Johnson, P.O. Box 728, Wheatland, Wyoming 82201

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973



WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 06-396

Land Application of Produced CBM Water,
River Unit Alpha Land Application Project

This permit hereby authorizes the applicant:

Lance Oil and Gas Company
1400 East Lincoln Avenue
Gillette, Wyoming 82716

to construct, install or modify a land application water system for produced CBM discharge water procedures and conditions of the application number 06-396. The facility is located in portions of Sections 27 and 28, Township 49 North, Range 77 West in the county of Johnson, in the State of Wyoming. This permit shall be effective until June 1, 2009.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the land application described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the land application is located for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor: any infringement of federal, state or local laws or regulations.


The permittee shall conduct permitted land application in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit

does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

- 1 of 4 The applicant will provide immediate oral or written notice to the DEQ/WQD Northeast District Office in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.
- 2 of 4 The applicant shall submit an annual report to the department providing relevant details of the land application, including quantity of water applied, quality of water applied, type and quantity of soil amendments applied, any violations of DEQ regulations (WYPDES or groundwater), soil sampling data from the land receiving the water, and any other information deemed applicable by the department. The annual report shall be due to DEQ by the end of April of the year following land application and prior to the beginning of the irrigation season.
- 3 of 4 Within sixty days of completion of the land application, the applicant will submit to the DEQ/WQD Northeast District Office on the form provided (CERTIFICATION OF COMPLETION), the following information:
 - a. Dates that the land application was initiated and terminated for the irrigation season; and
 - b. Certification the land application was performed in accordance with the terms and conditions of the permit; or
 - c. Certification the land application was completed with changes or modifications. Submittal of documentation of the land application sites where the changes or modifications were performed if appropriate. All modifications or deviations from the authorized plans must be highlighted; and
 - d. Landowner certification and applicable documentation that the site has been properly reclaimed.
- 4 of 4 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".


AUTHORIZED BY:


John F. Wagner
Administrator
Water Quality Division

6/21/06

Date of Issuance

KJM/rm/6-0535 *ORS* 5/19/06
cc: WDEQ Casper Field Office


John V. Corra
Director
Department of Environmental Quality

STATEMENT OF BASIS

1. Permit Number: 06-396
2. Application reviewed for compliance with the following applicable regulations :
 - a. Chapter 11.
3. Does the permit comply with all applicable regulations identified above?
 - a. Yes
4. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

The water is being applied at an agronomic rate determined by soil testing to prevent groundwater impacts.

5. Documentation of Statement of Basis.

The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter III, Wyoming Water Quality Rules and Regulations. This review was performed by Kim Medina, Senior Environmental Analyst, and completed on June 16, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents permit conditions, and the items identified in this "Statement of Basis."



Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

June 29, 2006

ARCHIVES

Mr. Greg Prugh Jr., Manager
Prugh Real Estate, LLC
P.O. Box 3274
Jackson, WY 83001

RE: Katrina Dog Subdivision Sewer Main, Permit Number: 06-399, NE ¼ Section 34, T41N, R116W, Teton County

Dear Mr. Prugh:

The above application for coverage under a General Permit to install about 300 linear feet of 8-inch diameter PVC sewer main and three manholes to serve seven residential connections has been reviewed in accordance with Chapter 3, Section 7 and Chapter 11, Section 9 of the Wyoming Water Quality Rules and Regulations and is hereby approved.

You are authorized to construct the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Jeff Hermansky, P.E.
NW District Engineering Supervisor
Water Quality Division

xc: IPS, Cheyenne
Robert Norton, P.E., Nelson Engineering, P.O. Box 1599, Jackson, WY 83001

encl: General Permits For Sewage Collection System

Lander Field Office • 510 Meadowview Drive • Lander, WY 82520 • <http://deq.state.wy.us>

ABANDONED MINES
(307) 332-5085
FAX 332-7726

AIR QUALITY
(307) 332-6755
FAX 332-7726

LAND QUALITY
(307) 332-3047
FAX 332-7726


SOLID & HAZARDOUS WASTE
(307) 332-6924
FAX 332-7726

WATER QUALITY
(307) 332-3144
FAX 332-3183





Department of Environmental Quality



To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

July 17, 2006

Ariel Eduardo Davila
Patterson Services
15015 Vickery Dr.
Houston, TX 77032

RE: Patterson Services Waterline Extension Permit
Application No. **06-400**

Dear Mr. Davila:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, and the general permit. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

The approval granted under this Notification Of Coverage and the General Permit shall expire on July 17, 2008. Please reference Application Number 06-400 in any future correspondence.

If you have any questions, please contact me at (307) 777-6371.

Sincerely,

Brian Mark
Program Principal
Water Quality Division

BDM/rm/6-0643

Enclosures: GENERAL PERMIT - Extensions/Modifications of Existing Public Water Supply Distribution Systems
Certificate of Completion Form

cc: IPS, Cheyenne
Amy Allen, JFC Engineers, 1515 Ninth Street, Rock Springs, Wyoming 82901

Herschler Building • 122 West 25th Street • Cheyenne, WY 82002 • <http://deq.state.wy.us>

ADMIN/OUTREACH
(307) 777-7758
FAX 777-3610

ABANDONED MINES
(307) 777-6145
FAX 777-6462

AIR QUALITY
(307) 777-7391
FAX 777-5616

INDUSTRIAL SITING
(307) 777-7369
FAX 777-6937

LAND QUALITY
(307) 777-7756
FAX 777-5864

SOLID & HAZ. WASTE
(307) 777-7752
FAX 777-5973

WATER QUALITY
(307) 777-7781
FAX 777-5973

