Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

October 4, 2005

John Walker
P.O. Box 152
Granite Canon, Wyoming 82059

RE: Walker Residential Septic System, Application No. **05-551**
Location: SW¼, Section 28, T14N, R85W, Carbon County

Dear Mr. Walker:

The above application for coverage under General Permit to Construct, Install, Modify or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the conditions listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific conditions also apply:

1. Septic Tank Clean-Out Riser Requirement - Either a 6 inch diameter clean-out riser or the manway from **each compartment of the tank** must be extended to the ground surface.

2. Polyethylene Septic Tank Installation Requirements - To ensure structural integrity, the **manufacturer's instructions** regarding bedding the tank and filling the tank with water during burial **must be followed during installation.** Additionally, immediately after clean-outs, the tank must be refilled with water according to the manufacturer's instructions to maintain structural integrity.

The approval granted under this Notification Of Coverage and the General Permit shall expire on October 3, 2007. Please reference Application Number **05-551** in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald

Ronald L. Ewald, P.E.
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/jc/5-1084

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion

cc: IPS, Cheyenne
Carbon County Planning Director, Jonathan Schnal, 215 W. Buffalo Street, #304, P.O. Box 487, Rawlins, Wyoming 82301

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

October 10, 2005

Don A. Nelson
P.O. Box 38
Deadwood, SD 57732

RE: Don Nelson Septic, Permit # 05-552

Dear Don:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Included with your application was a completed Crook County Inspection form that typically is completed **after** the Notice of Coverage from this office is received by you. Please contact Crook County to complete this part of the installation, which I believe will require the system to be inspected by them.

On August 4, 2004, the Crook County Commissioners enacted Resolution N0. 9-2004. This resolution requires that ALL small wastewater treatment facilities permitted by the Wyoming Department of Environmental Quality (WDEQ) and installed in Crook County after September 1, 2004, MUST BE INSPECTED BY AN INSPECTOR DESIGNATED BY CROOK COUNTY.

Please contact the Crook County Clerks Office for requirements of this resolution.

If you have any questions please contact me at 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Crook County Clerk, P.O. Box 37, Sundance, WY 82729
Brian Hoffman, 20748 Story Lane, Sturgis, SD 57785

1866 SOUTH SHERIDAN AVENUE • SHERIDAN, WY 82801
AIR, LAND AND WATER DIVISIONS
(307) 673-WDEQ (9337) • FAX (307) 672-2213

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
ROAD APPLICATION PERMIT FOR AS-APPLIED

PERMIT NO. 05-553 REFERENCE PERMIT NO. N/A

Fremont County Road 508 – Road Application

This permit hereby authorizes the applicant:

Brian Sittner, Supervisor
Kinder Morgan, Inc.
1010 Railroad Ave.
Riverton, WY 82501

to have appropriately road applied pipeline hydrostatic test water according to the procedures and conditions of application number 05-553. The application site is located on Fremont County Road 508, southeast of Moneta, in the county of Fremont, in the State of Wyoming. This permit shall be effective until October 5, 2006.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable standards. Compliance with DEQ standards is the responsibility of the permittee, owner, and/or operator.

Nothing in this permit constitutes an endorsement by the DEQ of the disposal method described herein. This permit verifies only that the submitted application meets the standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance of, the permitted activity. The permittee, owner and/or operator are solely responsible for any liability arising from the waste disposal permitted. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator has complied with all of the following permit conditions:

Section 9, Chapter III, Wyoming Water Quality Rules and Regulations requires notification of DEQ for any changes or modifications to the approved permit package. The permittee provided immediate verbal

or written notice to the Northwest District Engineer, Wyoming DEQ/WQD, 510 Meadowview Drive, Lander, WY 82520, phone 307-332-3144.

2 of 6 The permittee provided certification that the project was completed in accordance with the terms and conditions of the permit within sixty (60) days of the project completion to the Northwest District Engineer on the attached Certification of Completion form.

a. Date that the road application was completed; and

b. Certification the road application was completed with changes or modifications. Submit the information necessary to clearly indicate the road application as actually performed. This information shall include a contour map depicting only those sections of road that actually received pipeline hydrostatic test water.

3 of 6 Pipeline hydrostatic test water was applied uniformly and incorporated into the road bed. Application was not initiated during the spring runoff period or at times saturated soil conditions exist. Applications were not applied during the period from November 1 to April 10.

4 of 6 The application site slope did not exceed eight percent (8%.)

5 of 6 Pipeline hydrostatic test water application was terminated within 300 feet of the definable high water mark of perennial and intermittent drainages, irrigation canals, lakes and reservoirs.

6 of 6 Only the roads designated in this permit are authorized for application of the pipeline hydrostatic test water.

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

10/5/05
Date of Issuance

JSB/jc/5-1091

cc: Bureau of Land Management; AFM – Minerals and Lands; P. O. Box 119; Worland, WY 82401

STATEMENT OF BASIS

1. Permit Number: 05-553

2. Application reviewed for compliance with the following applicable regulations :

   Chapter 11 of the Wyoming Water Quality Rules and Regulations

3. Basis for issuing permit.

   The permit is based on deviation from applicable regulations in accordance with approved policy statement.

4. Facilities not specifically covered by regulations.

   a. Identify specific sections of the regulations for which a deviation is approved and briefly summarize the regulation.

      There are no numeric standards or criteria in Chapter XI for road application. W.S. 35-11-301 (a)(iii) requires a permit to be issued when any disposal system capable of causing or contributing to pollution is constructed, installed, modified, or operated.

   b. Briefly state the basis for the deviation.

      Road application is permitted when DEQ authorized disposal facilities are not readily available, a beneficial use of the waste to be applied is possible, and significant impact to waters of the State is minimized.

   c. Permit based on general or statewide deviation contained in approved policy statement.

      District Policy numbers 10.1 (4/9/91), 10.2 (10/17/86), 10.3 (8/91), 10.4 (10/24/91), and 10.6 (1/18/91) address the statutory authority to regulate the road application of waste, establish criteria for characterizing the waste, and determine acceptable conditions for the application of the waste to roadbeds to minimize impact to waters of the State.

5. Application requires review to determine groundwater impacts in accordance with Section 17, Chapter 3.

   The opportunity for direct or indirect discharge, percolation, or filtration to groundwater is minimized by uniformly applying the hydrostatic test water onto the roadbed in amounts sufficient for dust control. Repeated applications on the same sections of road will be monitored by roadbed analyses.

6. Documentation of Statement of Basis.

   The archives file for this permit will include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Section 6, Chapter 3, Wyoming Water Quality Rules and Regulations. This review was performed by James Brough, jbrough@state.wy.us , Wyoming DEQ/WQD, Northwest District Engineer and completed on October 5, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. G. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 100 & 101, Permit No. 05-554,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr.Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. G. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 102 & 103, Permit No. 05-555,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. G. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 104 & 105, Permit No. 05-556,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. G. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 106 & 107, Permit No. 05-557,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

November 15, 2005

Mike & Stacy Erickson
P.O. Box 211
Encampment, Wyoming 82325

RE: Erickson Residential Septic System, Application No. **05-558**
Location: S½ S½ , Section 31, T15N, R83W, Carbon County

Dear Mr. & Mrs. Erickson:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate a Small Wastewater Facility in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the condition listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific condition also applies:

> Septic Tank Clean-Out Riser Requirement - Either a 6 inch diameter clean-out riser or the manway from **each compartment of the tank** must be extended to the ground surface.

The approval granted under this Notification Of Coverage and the General Permit shall expire on November 15, 2007. Please reference Application Number **05-558** in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald

Ronald L. Ewald, P.E.
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/bb/5-1238.LTR

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion

cc: IPS, Cheyenne
Carbon County Planning Director, Jonathan Schnal, 215 W. Buffalo Street, #304, P.O. Box 487, Rawlins, Wyoming 82301

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

October 10, 2005

Bill Urbigkit, Director of Public Works
City of Riverton,
816 North Federal Blvd.
Riverton, WY 82501

RE: Riverton Regional Airport Industrial Park Project Phase 1 Sewer & Water Lines, Permit Number: 05-559, Sections 13 & 18, T1N, R 3E/4E, Fremont County

Dear Mr. Urbigkit:

The above application for coverage under General Permit to install 3,300 linear feet of 8-inch sewer line and 1,150 linear feet of water service line in accordance with Chapter 3, Section 7; Chapter 11, Section 9; and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved with a variance to the minimum slope requirement (Chapter 12, Section 9.i.C).

All of the conditions under Policy 13.9.13 "Flat Grade Sewers Variance" have been satisfactorily addressed in the design drawings and technical specifications except for the following two conditions which also must be satisfactorily addressed.

1. The sewer pipe must be installed using a sewer laser to ensure an accurate and uniform grade.
2. All flat grade sewers should be installed under the supervision of a full time inspector.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough

James Brough, P.E.
Environmental Engineer
Water Quality Division

xc: IPS, Cheyenne
Steven Gerber, HKM Engineering Inc., P.O. Box 1655, Lander, WY 82520

encl: General Permit For an Existing Sewage Collection System

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

October 18, 2005

MS. Bobbe Fitzhugh, City Administrator
City of Douglas
P.O. Box 1030
Douglas, WY 82633

RE: Douglas Business Park Water and Sewer Extensions, Application No.05-560,Converse County

Dear MS. Fitzhugh:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to or Modifications of Existing Public Water Supply Distribution Systems and of Existing Sewage Collection Systems described as 3420 ft of 8" diameter water line with appurtenances and 2150 ft of 8" and 12" diameter sewer lines with manholes, W ½ Section 17 T32N R71W; Converse County, in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install or modify the water distribution system in accordance with Chapter 12, Section 14 of the Water Quality Division Rules and Regulations, the sewage collection system in accordance with Chapter 11, Section 9 of the Water Quality Division Rules and Regulations, and both systems in accordance with the general permit and the materials submitted in your application package. All service connections will be protected by the appropriate backflow device as required by Chapter 12, Section 14(I) of the Water Quality Division Rules and Regulations. All construction, installation, or modification allowed by this notification of coverage shall be completed by May 10, 2008.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Please reference Application No. 05-560 in any future correspondence.

If you have any questions, please contact me at 307-777-7088.

Sincerely,

Louis B. Harmon

Louis B. Harmon PE-PG
Southeast District Engineer
Water Quality Division

cc: IPS, Cheyenne
Susan Holmes, HKM Engineering Inc.
P.O. Box 7010
Sheridan, WY 82801

LBH/jc/5-1124

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 05-561 REFERENCE PERMIT NO. 03-421

Chugwater Water Supply Project, Well No. 5
PWS: WY5600200

This permit hereby authorizes the applicant:

Town of Chugwater
248 2nd Street
Chugwater, WY, 82210

to construct, install or modify a pump, 4" and 6" diameter transmission line, disinfection, and valving according to the procedures and conditions of the application number 05-561. The facility is located in Section 25 T21N R67W in the county of Platte, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by May 10, 2008.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 3 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.

a. Date that construction of the facility was completed; and

b. Date that the facility was placed in operation; and

c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or

d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

3/6/06
Date of Issuance

John V. Corra
Director
Department of Environmental Quality

03/04/06

LBH/jc/6-0186
03/02/06
cc: Kevin Frank

STATEMENT OF BASIS

1. Permit Number: 05-561

2. Application reviewed for compliance with the following applicable regulations :

   Chapter(s) 2 and 12 of the Wyoming Water Quality Rules and Regulations

3. Does the permit comply with all applicable regulations identified above?

   Yes

   Public water supplies are exempted from review by Chapter 3, Section 17.

4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.

5. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on March 2, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

November 10, 2005

Richard T. Lunger
Painter Place, L.L.C.
4 VanDyke Road
Cody, WY 82414

RE: Painter Store Subdivision's Small Wastewater Treatment Facilities, Permit Number: 05-562R, Section 4, T56N, R106W, Park County

Dear Mr. Lunger:

On November 8th, DEQ/WQD received revised plans and specifications from your consultant to add a new septic tank, flow divider tees, and chamber units to increase the capacity of the existing gravity flow septic tank and leachfield to treat 975 gallons per day and to add a new gravity flow septic tank system and leachfield that is sized to treat 1,000 gallons per day. The above application for coverage under General Permit to construct the aforementioned systems in accordance with Chapter 3, Section 7; and Chapter 11, Part D of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough

James Brough, P.E.
Environmental Engineer
Water Quality Division

xc: IPS, Cheyenne
Roy Holm. P.E., Holm, Blough, & Co., 1402 Stampede Ave., Cody, WY 82414
Bob Jackson, Park County, 1002 Sheridan Ave., Cody, WY 82414

encl: General Permit For a Small Wastewater Facility

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
AS- BUILT PERMIT TO CONSTRUCT

PERMIT NO. 05- 563

Sand Draw - Lot 12 Sinclair Station - Small Wastewater System

This permit hereby authorizes the applicant:

Eric Fairbanks
P.O. Box 274
Boulder, WY 82923

to construct a small wastewater treatment facility to serve a Sinclair Gas Station consisting of 2 - 1000 gallon septic tanks and a 59 chamber leach bed according to the procedures and conditions of the application number 05-563. The facility is located at SW 1/4 Section 32, T31N, R107W in the county of Sublette, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by October 19, 2007.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 3 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality, Water Quality Division (WQD), Southwest District Engineer,510 Meadow View Drive, Lander, WY 82520, 307-332-3144,FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.

a. Date that construction of the facility was completed; and

b. Date that the facility was placed in operation; and

c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or

d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached Statement of Basis".

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

10/24/05
Date of Issuance

MDB/mdb/jc/5-1130

STATEMENT OF BASIS

1. Permit Number: 05-563

2. Application reviewed for compliance with the following regulations:

   Chapters 3 and 11 of the Wyoming Water Quality Rules and Regulations.

3. Does the permit comply with all applicable regulations identified above?

   Yes.

4. If a Section 17 of Chapter 3 review is required indicate the basis for determining groundwater will be protected.

   Not Required

5. Documentation of Statement of Basis: The archives file for this permit include adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Mark D. Baron, mbaron@state.wy.us, Environmental Senior Analyst and completed on October 19, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

xc: Keith Raney, Environmental Health, Sublette County, P.O. Box 722,Pinedale,WY 82941

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

October 17, 2005

Ms. June Warren
P.O. Box 277
Big Horn, WY 82833

RE: Cross Creek Estates Water Line 05-565
PWS# 5600052

Dear June:

The above application for coverage under General Permit to Construct, Install, Modify or Operate an extension to the Sheridan Area Water Supply Distribution system in accordance with Chapter 3 and Chapter 12 of the WWQRR has been reviewed and is hereby approved. You are now authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. All construction, installation, or modification allowed by this permit shall be completed by November 1, 2006.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permits. Following completion of construction of this facility please return the attached WDEQ Certificate of Completion and the completed Transfer of Ownership.

If you have any questions please contact me at 1866 S. Sheridan Avenue, Sheridan, WY, 82801, 673-9337.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQD NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Megan Crow, PE, MC2 Engineering, 1101 Sugarview Dr, Ste. 201, Sheridan, WY 82801
Mike Cole, PE, Assistant Public Works Director-Utilities, City of Sheridan
Jay Stender, SAWS Manager

1866 SOUTH SHERIDAN AVENUE • SHERIDAN, WY 82801
AIR, LAND AND WATER DIVISIONS
(307) 673-WDEQ (9337) • FAX (307) 672-2213

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
"AS-BUILT" PERMIT TO CONSTRUCT

PERMIT NO. 05-566

Bullwhacker III POD: Phase II

This permit hereby authorizes the applicant:

Williams Production RMT Company
300 Works Avenue
Gillette, WY 82716

to have installed four compliance monitoring wells according to the procedures and conditions of the application number 05-566. The facilities are proximal to the on channel coalbed methane produced water impoundment located in Townships 42N and 43N, Range 77W, Sections 21 and 35, in the county of Johnson, in the State of Wyoming. All construction, installation, or modification allowed by this permit has been completed.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 2: The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality/ Water Quality Division, Groundwater Program, 1866 South Sheridan Avenue, Sheridan, WY 82801, 307-673-9337, fax 307-672-2213, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 2: Monitoring Requirements:

Groundwater monitoring at the impoundments shall be performed on a quarterly basis until further notice and shall include the following information:

- Measurement of static water level and sampling and analysis of groundwater at downgradient wells MW 12-21-1 and MWAL23-35-1.
- Reporting results of quarterly monitoring and sampling need to be at the department by January 15th, April 15th, July 15th, and October 15th of each year. The first set of data will be due by **January 15, 2006**.

The parameters listed in the tables below are required for groundwater compliance monitoring beneath the listed impoundments:

Impoundment 21-1

Parameter	MW 12-21-1 Background Value (mg/L) (7/7/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	<0.005 (ND)	≥ 0.16	0.2
Selenium	<0.005 (ND)	≥ 0.04	0.05
Sulfate	233	≥ 2400	3000
Total Dissolved Solids (TDS)	600	≥ 4000	5000
pH	8.3	≤ 6.5	6.5 – 8.5 (s.u)

Impoundment 35-1

Parameter	MWAL23-35-1 Background Value (mg/L) (7/7/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	<0.005 (ND)	≥ 0.16	0.2
Selenium	0.029	≥ 0.04	0.05
Sulfate	304	≥ 2400	3000
Total Dissolved Solids (TDS)	750	≥ 4000	5000
pH	8.0	≤ 6.5	6.5 – 8.5 (s.u)

Trigger values, specific to the groundwater samples at each impoundment, have been assigned to each constituent and are also listed above. If one or more of these trigger values is exceeded during a quarterly sampling event, monthly sampling of the groundwater for all listed parameters is required, with the analytical results due by the 15th day of each month. If groundwater monitoring reveals a pH measurement of 6.5 or less, the WDEQ may require sampling and analysis of groundwater for the following additional parameters: aluminum, boron, cadmium, chromium, copper, lead and zinc.

The analytical results for each sampling event, along with impoundment and monitor well location information must be included in an Excel spread sheet formatted to match the attached template (Attachment 1). These data shall be submitted electronically on the due dates established above to the following department address: cbmgroundwater@state.wy.us. An electronic copy of the spreadsheet is available by contacting the Groundwater Program in the Sheridan DEQ office at 307-673-9337. The analytical laboratory reports must also be submitted either electronically (pdf format) or hard copy via mail.

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

10/28/05
Date of Issuance

WDF/UW/jc/5-1170

GROUNDWATER PROGRAM
REVIEW COMMENTS:
PLANS/SPECIFICATIONS/PROPOSALS/REPORTS

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
1866 South Sheridan Avenue
Sheridan, WY 82801
Phone: 307-672-6457

PERMIT TYPE: CBM: Groundwater Compliance Monitoring Program

WATER QUALITY DIVISION REFERENCE (PERMIT) NUMBER: 05-566

SITE (POD) NAME: Bullwhacker III Pod: Phase II

APPLICANT: Williams Production RMT Company
Attn: Thomas E. Dahl
300 Works Avenue
Gillette, WY 82716

CONSULTANT: WWC Engineering
Attn: Mr. Ben Schiffer
1849 Terra Avenue
Sheridan, WY 82801

LOCATION: Drainage: Dry Fork Powder River
County : Johnson
Township 42, 43 North; Range 77 West

DATE ON REPORT: July 28, 2005

REVIEWING OFFICIAL: Ursula Williams, North District Groundwater Sen. Analyst

DATE OF THIS REVIEW: September 29, 2005

ACTION: Compliance Monitoring Plan authorized for Bullwhacker III POD pursuant to conditions on permit # 05-566

COMMENTS: GROUNDWATER SECTION

1.0 SITE SUMMARY:

1.1 Site Description.

Watershed Name: Reservoir 21-1: unnamed tributary of Bullwhacker Creek, tributary to Dry Fork Powder River ; 35-1: Crawford Draw, tributary to Dry Fork Powder River

Type of Impoundment(s)

_____ "Off channel "
____X____ "On channel"

Groundwater Classification:

Class 1 (domestic) _____
Class 2 (irrigation) _____
Class 3 (agricultural) ____X____

Basis for Classification: Laboratory analysis of groundwater indicates ambient water quality meets Water Quality Rules and Regulations Chapter 8 Class III standards (Table 1- Chapter 8).

Names of Impoundments (all are on-channel) covered under Permit 05-566:

Impoundment Name	Capacity (acre/ft)	Qtr Qtr	Section	Township	Range
21-1	14.1	SWNW	21	43 N	77 W
35-1	19.1	NESW	35	42 N	77 W

2.0 MONITORING AND REPORTING REQUIREMENTS

Groundwater monitoring at the impoundments shall be performed on a quarterly basis until further notice and shall include the following information:

- Measurement of static water level and sampling and analysis of groundwater at downgradient wells MW 12-21-1 and MWAL23-35-1.
- Reporting results of quarterly monitoring and sampling need to be at the department by January 15th, April 15th, July 15th, and October 15th of each year. The first set of data will be due by **January 15, 2006**.
- The parameters listed in the tables below are required for groundwater compliance monitoring beneath the listed impoundments:

Impoundment 21-1

Parameter	MW 12-21-1 Background Value (mg/L) (7/7/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	<0.005 (ND)	≥ 0.16	0.2
Selenium	<0.005 (ND)	≥ 0.04	0.05
Sulfate	233	≥ 2400	3000
Total Dissolved Solids (TDS)	600	≥ 4000	5000
pH	8.3	≤ 6.5	6.5 – 8.5 (s.u)

Impoundment 35-1

Parameter	MWAL23-35-1 Background Value (mg/L) (7/7/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	<0.005 (ND)	≥ 0.16	0.2
Selenium	0.029	≥ 0.04	0.05
Sulfate	304	≥ 2400	3000
Total Dissolved Solids (TDS)	750	≥ 4000	5000
pH	8.0	≤ 6.5	6.5 – 8.5 (s.u)

Trigger values, specific to the groundwater samples at this impoundment, have been assigned to each constituent and are also listed above. If one or more of these trigger values is exceeded during a quarterly sampling event, monthly sampling of the groundwater for all listed parameters is required, with the analytical results due by the 15th day of each month. If groundwater monitoring reveals a pH measurement of 6.5 or less, the WDEQ may require sampling and analysis of groundwater for the following additional parameters: aluminum, boron, cadmium, chromium, copper, lead and zinc.

The analytical results for each sampling event, along with impoundment and monitor well location information must be included in an Excel spread sheet formatted to match the attached template (Attachment 1). These data shall be submitted electronically on the due dates established above to the following department address: cbmgroundwater@state.wy.us. An electronic copy of the spreadsheet is available by contacting the Groundwater Program in the Sheridan DEQ office at 307-673-9337. The analytical laboratory reports must also be submitted either electronically (pdf format) or hard copy via mail.

END OF REVIEW

WDF/UW/jc/5-1171

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
"AS-BUILT" PERMIT TO CONSTRUCT

PERMIT NO. 05-567

Dugout Draw: Josie Reservoir

This permit hereby authorizes the applicant:

Thomas Operating Company
Attn.: Mr. Scott Smith
2102 45th Avenue Court
Greeley, CO 80634

to have installed one compliance monitoring well according to the procedures and conditions of the application number 05-567. The facilities are proximal to the on channel coalbed methane produced water impoundment located in Township 54N, Range 73W, Section 21, in the county of Campbell, in the State of Wyoming. All construction, installation, or modification allowed by this permit has been completed.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 2: The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality/ Water Quality Division, Groundwater Program, 1866 South Sheridan Avenue, Sheridan, WY 82801, 307-673-9337, fax 307-672-2213, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 2: Monitoring Requirements:

Groundwater monitoring at the impoundments shall be performed on a quarterly basis until further notice and shall include the following information:

- Measurement of static water level and sampling and analysis of groundwater at downgradient well JS-01.
- Reporting results of quarterly monitoring and sampling need to be at the department by January 15th, April 15th, July 15th, and October 15th of each year. The first set of data will be due by **January 15, 2006**.

The parameters listed in the tables below are required for groundwater compliance monitoring beneath the listed impoundments:

Impoundment Josie Reservoir

Parameter	JS-01 Background Value (mg/L) (4/11/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	<0.005 (ND)	≥ 0.16	0.2
Selenium	<0.001 (ND)	≥ 0.04	0.05
Sulfate	1420	≥ 2400	3000
Total Dissolved Solids (TDS)	2630	≥ 4000	5000
pH	7.9	≤ 6.5	6.5 – 8.5 (s.u)

Trigger values, specific to the groundwater samples at each impoundment, have been assigned to each constituent and are also listed above. If one or more of these trigger values is exceeded during a quarterly sampling event, monthly sampling of the groundwater for all listed parameters is required, with the analytical results due by the 15th day of each month. If groundwater monitoring reveals a pH measurement of 6.5 or less, the WDEQ may require sampling and analysis of groundwater for the following additional parameters: aluminum, boron, cadmium, chromium, copper, lead and zinc.

The analytical results for each sampling event, along with impoundment and monitor well location information must be included in an Excel spread sheet formatted to match the attached template (Attachment 1). These data shall be submitted electronically on the due dates established above to the following department address: cbmgroundwater@state.wy.us. An electronic copy of the spreadsheet is available by contacting the Groundwater Program in the Sheridan DEQ office at 307-673-9337. The analytical laboratory reports must also be submitted either electronically (pdf format) or hard copy via mail.

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

10/28/05
Date of Issuance

WDF/UW/jc/1172

GROUNDWATER PROGRAM
REVIEW COMMENTS:
PLANS/SPECIFICATIONS/PROPOSALS/REPORTS

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
1866 South Sheridan Avenue
Sheridan, WY 82801
Phone: 307-672-6457

PERMIT TYPE: CBM: Groundwater Compliance Monitoring Program

WATER QUALITY DIVISION REFERENCE (PERMIT) NUMBER: 05-567

SITE (POD) NAME: Dugout Draw POD: Josie Reservoir

APPLICANT: Thomas Operating Company
Attn.: Mr. Scott Smith
2102 45th Avenue Court
Greeley, CO 80634

CONSULTANT: O&G Environmental Consulting, L.L.C.
Attn: Michael Stanley
11 Inverness Way South
Englewood, CO 80112

LOCATION: Drainage: Unnamed tributary to Horse Creek, tributary to Little Powder River
County : Campbell
Township 54 North; Range 73 West

DATE ON REPORT: August 5, 2005

REVIEWING OFFICIAL: Ursula Williams, North District Groundwater Sen. Analyst

DATE OF THIS REVIEW: October 12, 2005

ACTION: Compliance Monitoring Plan authorized for Dugout Draw POD pursuant to conditions on permit # 05-567

COMMENTS: GROUNDWATER SECTION

1.0 SITE SUMMARY:

1.1 Site Description.

Watershed Name: unnamed tributary to Horse Creek, tributary to Little Powder River

Type of Impoundment(s)

_____ "Off channel "
___X___ "On channel"

Groundwater Classification:

Class 1 (domestic) _____
Class 2 (irrigation) _____
Class 3 (agricultural) ___X___

Basis for Classification: Laboratory analysis of groundwater indicates ambient water quality meets Water Quality Rules and Regulations Chapter 8 Class III standards (Table 1- Chapter 8).

Names of Impoundments covered under Permit 05-567:

Impoundment Name	Capacity (acre/ft)	Type	Qtr Qtr	Section	Township	Range
Josie Reservoir	18.08	On-channel	NESW	21	54 N	73 W

2.0 MONITORING AND REPORTING REQUIREMENTS

Groundwater monitoring at the impoundments shall be performed on a quarterly basis until further notice and shall include the following information:

- Measurement of static water level and sampling and analysis of groundwater at downgradient well JS-01.
- Reporting results of quarterly monitoring and sampling need to be at the department by January 15th, April 15th, July 15th, and October 15th of each year. The first set of data will be due by **January 15, 2006**.
- The parameters listed in the tables below are required for groundwater compliance monitoring beneath the listed impoundments:

Impoundment Josie Reservoir

Parameter	JS-01 Background Value (mg/L) (4/11/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	<0.005 (ND)	≥ 0.16	0.2
Selenium	<0.001 (ND)	≥ 0.04	0.05
Sulfate	1420	≥ 2400	3000
Total Dissolved Solids (TDS)	2630	≥ 4000	5000
pH	7.9	≤ 6.5	6.5 – 8.5 (s.u)

Trigger values, specific to the groundwater samples at this impoundment, have been assigned to each constituent and are also listed above. If one or more of these trigger values is exceeded during a quarterly sampling event, monthly sampling of the groundwater for all listed parameters is required, with the analytical results due by the 15th day of each month. If groundwater monitoring reveals a pH measurement of 6.5 or less, the WDEQ may require sampling and analysis of groundwater for the following additional parameters: aluminum, boron, cadmium, chromium, copper, lead and zinc.

The analytical results for each sampling event, along with impoundment and monitor well location information must be included in an Excel spread sheet formatted to match the attached template (Attachment 1). These data shall be submitted electronically on the due dates established above to the following department address: cbmgroundwater@state.wy.us. An electronic copy of the spreadsheet is available by contacting the Groundwater Program in the Sheridan DEQ office at 307-673-9337. The analytical laboratory reports must also be submitted either electronically (pdf format) or hard copy via mail.

END OF REVIEW

WDF/UW/jc/1173

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

February 13, 2006

Ron Patterson
Double Eagle LLC
P.O. Box 6793
Sheridan, WY 82801

RE: Double Eagle Tech Park (Water & Sewer) 05-568
PWS# 5600052

Dear Ron:

The above application for coverage under General Permit to Construct, Install, Modify or Operate an extension to the City of Sheridan Wastewater Collection and Water Distribution system in accordance with Chapter 3 and Chapters 11 and 12 of the WWQRR has been reviewed and is hereby approved. You are now authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package. All construction, installation, or modification allowed by this permit shall be completed by March 1, 2007.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permits. Following completion of construction of this facility please return the attached WDEQ Certificate of Completion.

If you have any questions please contact me at restes1@state.wy.us, 1866 S. Sheridan Avenue, Sheridan, WY, 82801, or by phone (307) 673-9337.

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQD NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Jim S. Willey, P.E., 13 Buffalo Run Drive, Banner, WY 82832
Mike Cole, PE, Assistant Public Works Director-Utilities, City of Sheridan

1866 SOUTH SHERIDAN AVENUE • SHERIDAN, WY 82801
AIR, LAND AND WATER DIVISIONS
(307) 673-WDEQ (9337) • FAX (307) 672-2213

C

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 1, 2005

Mike DeKemper
P.O. Box 2354
Gillette, WY 82717

RE: DeKemper Septic System, Permit # 05-569

Dear Mike:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation, gravel and pipe or set infiltrators shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by November 1, 2006.

On August 4, 2004, the Crook County Commissioners enacted Resolution N0. 9-2004. This resolution requires that ALL small wastewater treatment facilities permitted by the Wyoming Department of Environmental Quality (WDEQ) and installed in Crook County after September 1, 2004, MUST BE INSPECTED BY AN INSPECTOR DESIGNATED BY CROOK COUNTY.

Please contact the Crook County Clerks Office for requirements of this resolution.

If you have any questions please contact me at; 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Sincerely,

Rick J. Estes

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Crook County Clerk, P.O. Box 37, Sundance, WY 82729
Rob Anderson, Anderson Trucking, 15 Ridge Road, Moorcroft, WY 82721

1866 SOUTH SHERIDAN AVENUE • SHERIDAN, WY 82801
AIR, LAND AND WATER DIVISIONS
(307) 673-WDEQ (9337) • FAX (307) 672-2213

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
"AS-BUILT" PERMIT TO CONSTRUCT

PERMIT NO. 05-570

Hartzog Draw: Van Vorhes

This permit hereby authorizes the applicant:

XTO Energy
210 West Park Circle, Suite 2350
Oklahoma City, OK 73102

to have installed one compliance monitoring well according to the procedures and conditions of the application number 05-570. The facilities are proximal to the on channel coalbed methane produced water impoundment located in Township 44N, Range 75W, Section 9, in the county of Campbell, in the State of Wyoming. All construction, installation, or modification allowed by this permit has been completed.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 2: The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality/ Water Quality Division, Groundwater Program, 1866 South Sheridan Avenue, Sheridan, WY 82801, 307-673-9337, fax 307-672-2213, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 2: Monitoring Requirements:

Groundwater monitoring at the impoundments shall be performed on a quarterly basis until further notice and shall include the following information:

- Measurement of static water level and sampling and analysis of groundwater at downgradient well Van Vorhes MW-1.
- Reporting results of quarterly monitoring and sampling need to be at the department by January 15th, April 15th, July 15th, and October 15th of each year. The first set of data will be due by **January 15, 2006**.

The parameters listed in the tables below are required for groundwater compliance monitoring beneath the listed impoundments:

Impoundment Van Vorhes Reservoir

Parameter	Van Vorhes MW-1 Background Value (mg/L) (6/10/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	0.011	≥ 0.16	0.2
Selenium	0.007	≥ 0.04	0.05
Sulfate	267	≥ 2400	3000
Total Dissolved Solids (TDS)	870	≥ 4000	5000
pH	8.3	≤ 6.5	6.5 – 8.5 (s.u)

Trigger values, specific to the groundwater samples at each impoundment, have been assigned to each constituent and are also listed above. If one or more of these trigger values is exceeded during a quarterly sampling event, monthly sampling of the groundwater for all listed parameters is required, with the analytical results due by the 15th day of each month. If groundwater monitoring reveals a pH measurement of 6.5 or less, the WDEQ may require sampling and analysis of groundwater for the following additional parameters: aluminum, boron, cadmium, chromium, copper, lead and zinc.

The analytical results for each sampling event, along with impoundment and monitor well location information must be included in an Excel spread sheet formatted to match the attached template (Attachment 1). These data shall be submitted electronically on the due dates established above to the following department address: cbmgroundwater@state.wy.us. An electronic copy of the spreadsheet is available by contacting the Groundwater Program in the Sheridan DEQ office at 307-673-9337. The analytical laboratory reports must also be submitted either electronically (pdf format) or hard copy via mail.

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

10/28/05
Date of Issuance

WDF/UW/jc/1166

GROUNDWATER PROGRAM
REVIEW COMMENTS:
PLANS/SPECIFICATIONS/PROPOSALS/REPORTS

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
1866 South Sheridan Avenue
Sheridan, WY 82801
Phone: 307-672-6457

PERMIT TYPE: CBM: Groundwater Compliance Monitoring Program

WATER QUALITY DIVISION REFERENCE (PERMIT) NUMBER: 05-570

SITE (POD) NAME: Hartzog Draw: Van Vorhes Reservoir

APPLICANT: XTO Energy
210 West Park Circle, Suite 2350
Oklahoma City, OK 73102

CONSULTANT: Pearl Development Company
Attn: David Nicolarsen
P.O. Box 783
Sheridan, WY 82801

LOCATION: Drainage: Greasewood Creek,
tributary to Mud Springs Creek
County : Campbell
Township 44 North; Range 75 West

DATE ON REPORT: August 16, 2005

REVIEWING OFFICIAL: Ursula Williams, North District Groundwater Sen. Analyst

DATE OF THIS REVIEW: October 12, 2005

ACTION: Compliance Monitoring Plan authorized for Hartzog Draw POD pursuant to conditions on permit # 05-570

COMMENTS: GROUNDWATER SECTION

1.0 SITE SUMMARY:

1.1 Site Description.

Watershed Name: Greasewood Creek, tributary to Mud Springs Creek

Type of Impoundment(s)

_____ "Off channel "
___X___ "On channel"

Groundwater Classification:

Class 1 (domestic) _____
Class 2 (irrigation) _____
Class 3 (agricultural) ___X___

Basis for Classification: Laboratory analysis of groundwater indicates ambient water quality meets Water Quality Rules and Regulations Chapter 8 Class III standards (Table 1- Chapter 8).

Names of Impoundment covered under Permit 05-570:

Impoundment Name	Capacity (acre/ft)	Type	Qtr Qtr	Section	Township	Range
Van Vorhes Reservoir	3.95	On-channel	NWNE	9	44 N	75 W

2.0 MONITORING AND REPORTING REQUIREMENTS

Groundwater monitoring at the impoundments shall be performed on a quarterly basis until further notice and shall include the following information:

- Measurement of static water level and sampling and analysis of groundwater at downgradient well Van Vorhes MW-1.
- Reporting results of quarterly monitoring and sampling need to be at the department by January 15th, April 15th, July 15th, and October 15th of each year. The first set of data will be due by **January 15, 2006**.
- The parameters listed in the tables below are required for groundwater compliance monitoring beneath the listed impoundments:

Impoundment Van Vorhes Reservoir

Parameter	Van Vorhes MW-1 Background Value (mg/L) (6/10/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	0.011	≥ 0.16	0.2
Selenium	0.007	≥ 0.04	0.05
Sulfate	267	≥ 2400	3000
Total Dissolved Solids (TDS)	870	≥ 4000	5000
pH	8.3	≤ 6.5	6.5 – 8.5 (s.u)

Trigger values, specific to the groundwater samples at this impoundment, have been assigned to each constituent and are also listed above. If one or more of these trigger values is exceeded during a quarterly sampling event, monthly sampling of the groundwater for all listed parameters is required, with the analytical results due by the 15th day of each month. If groundwater monitoring reveals a pH measurement of 6.5 or less, the WDEQ may require sampling and analysis of groundwater for the following additional parameters: aluminum, boron, cadmium, chromium, copper, lead and zinc.

The analytical results for each sampling event, along with impoundment and monitor well location information must be included in an Excel spread sheet formatted to match the attached template (Attachment 1). These data shall be submitted electronically on the due dates established above to the following department address: cbmgroundwater@state.wy.us. An electronic copy of the spreadsheet is available by contacting the Groundwater Program in the Sheridan DEQ office at 307-673-9337. The analytical laboratory reports must also be submitted either electronically (pdf format) or hard copy via mail.

END OF REVIEW

WDF/UW/jc/5-1167

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
"AS-BUILT" PERMIT TO CONSTRUCT

PERMIT NO. 05-571

Hartzog Draw POD: Jay Reservoir

This permit hereby authorizes the applicant:

XTO Energy
210 West Park Circle, Suite 2350
Oklahoma City, OK 73102

to have installed one compliance monitoring well according to the procedures and conditions of the application number 05-571. The facilities are proximal to the on channel coalbed methane produced water impoundment located in Township 44N, Range 75W, Section 2, in the county of Campbell, in the State of Wyoming. All construction, installation, or modification allowed by this permit has been completed.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 2: The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality/ Water Quality Division, Groundwater Program, 1866 South Sheridan Avenue, Sheridan, WY 82801, 307-673-9337, fax 307-672-2213, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 2: Monitoring Requirements:

Groundwater monitoring at the impoundments shall be performed on a quarterly basis until further notice and shall include the following information:

- Measurement of static water level and sampling and analysis of groundwater at downgradient well Jay MW-1.
- Reporting results of quarterly monitoring and sampling need to be at the department by January 15th, April 15th, July 15th, and October 15th of each year. The first set of data will be due by **January 15, 2006**.

The parameters listed in the tables below are required for groundwater compliance monitoring beneath the listed impoundment:

Impoundment Jay Reservoir

Parameter	Jay MW-1 Background Value (mg/L) (6/8/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	0.002	≥ 0.16	0.2
Selenium	<0.005 (ND)	≥ 0.04	0.05
Sulfate	330	≥ 2400	3000
Total Dissolved Solids (TDS)	760	≥ 4000	5000
pH	8.0	≤ 6.5	6.5 – 8.5 (s.u)

Trigger values, specific to the groundwater samples at each impoundment, have been assigned to each constituent and are also listed above. If one or more of these trigger values is exceeded during a quarterly sampling event, monthly sampling of the groundwater for all listed parameters is required, with the analytical results due by the 15th day of each month. If groundwater monitoring reveals a pH measurement of 6.5 or less, the WDEQ may require sampling and analysis of groundwater for the following additional parameters: aluminum, boron, cadmium, chromium, copper, lead and zinc.

The analytical results for each sampling event, along with impoundment and monitor well location information must be included in an Excel spread sheet formatted to match the attached template (Attachment 1). These data shall be submitted electronically on the due dates established above to the following department address: cbmgroundwater@state.wy.us. An electronic copy of the spreadsheet is available by contacting the Groundwater Program in the Sheridan DEQ office at 307-673-9337. The analytical laboratory reports must also be submitted either electronically (pdf format) or hard copy via mail.

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

10/28/05
Date of Issuance

WDF/UW/jc/1168

GROUNDWATER PROGRAM
REVIEW COMMENTS:
PLANS/SPECIFICATIONS/PROPOSALS/REPORTS

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
1866 South Sheridan Avenue
Sheridan, WY 82801
Phone: 307-672-6457

PERMIT TYPE: CBM: Groundwater Compliance Monitoring Program

WATER QUALITY DIVISION REFERENCE (PERMIT) NUMBER: 05-571

SITE (POD) NAME: Hartzog Draw: Jay Reservoir

APPLICANT: XTO Energy
210 West Park Circle, Suite 2350
Oklahoma City, OK 73102

CONSULTANT: Pearl Development Company
Attn: David Nicolarsen
P.O. Box 783
Sheridan, WY 82801

LOCATION: Drainage: Jay Draw, tributary to Greasewood Creek, tributary to Mud Springs Creek
County : Campbell
Township 44 North; Range 75 West

DATE ON REPORT: August 16, 2005

REVIEWING OFFICIAL: Ursula Williams, North District Groundwater Sen. Analyst

DATE OF THIS REVIEW: October 12, 2005

ACTION: Compliance Monitoring Plan authorized for Hartzog Draw: Jay Reservoir pursuant to conditions on permit # 05-571

COMMENTS: GROUNDWATER SECTION

1.0 SITE SUMMARY:

1.1 Site Description.

Watershed Name: Jay Draw, tributary to Greasewood Creek, tributary to Mud Springs Creek

Type of Impoundment(s)

_____ "Off channel "
___X___ "On channel"

Groundwater Classification:

Class 1 (domestic) _____
Class 2 (irrigation) _____
Class 3 (agricultural) ___X___

Basis for Classification: Laboratory analysis of groundwater indicates ambient water quality meets Water Quality Rules and Regulations Chapter 8 Class III standards (Table 1- Chapter 8).

Names of Impoundment covered under Permit 05-571:

Impoundment Name	Capacity (acre/ft)	Type	Qtr Qtr	Section	Township	Range
Jay Reservoir	4.71	On-channel	NWSW	2	44 N	75 W

2.0 MONITORING AND REPORTING REQUIREMENTS

Groundwater monitoring at the impoundments shall be performed on a quarterly basis until further notice and shall include the following information:

- Measurement of static water level and sampling and analysis of groundwater at downgradient well Jay MW-1.
- Reporting results of quarterly monitoring and sampling need to be at the department by January 15th, April 15th, July 15th, and October 15th of each year. The first set of data will be due by **January 15, 2006**.
- The parameters listed in the tables below are required for groundwater compliance monitoring beneath the listed impoundments:

Impoundment Jay Reservoir

Parameter	Jay MW-1 Background Value (mg/L) (6/8/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	0.002	≥ 0.16	0.2
Selenium	<0.005 (ND)	≥ 0.04	0.05
Sulfate	330	≥ 2400	3000
Total Dissolved Solids (TDS)	760	≥ 4000	5000
pH	8.0	≤ 6.5	6.5 – 8.5 (s.u)

Trigger values, specific to the groundwater samples at this impoundment, have been assigned to each constituent and are also listed above. If one or more of these trigger values is exceeded during a quarterly sampling event, monthly sampling of the groundwater for all listed parameters is required, with the analytical results due by the 15th day of each month. If groundwater monitoring reveals a pH measurement of 6.5 or less, the WDEQ may require sampling and analysis of groundwater for the following additional parameters: aluminum, boron, cadmium, chromium, copper, lead and zinc.

The analytical results for each sampling event, along with impoundment and monitor well location information must be included in an Excel spread sheet formatted to match the attached template (Attachment 1). These data shall be submitted electronically on the due dates established above to the following department address: cbmgroundwater@state.wy.us. An electronic copy of the spreadsheet is available by contacting the Groundwater Program in the Sheridan DEQ office at 307-673-9337. The analytical laboratory reports must also be submitted either electronically (pdf format) or hard copy via mail.

END OF REVIEW

WDF/UW/jc/5-1169

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
"AS-BUILT" PERMIT TO CONSTRUCT

PERMIT NO. 05-572

Hartzog Draw: Kathie Reservoir

This permit hereby authorizes the applicant:

XTO Energy
210 West Park Circle, Suite 2350
Oklahoma City, OK 73102

to have installed one compliance monitoring well according to the procedures and conditions of the application number 05-572. The facilities are proximal to the on channel coalbed methane produced water impoundment located in Township 44N, Range 75W, Section 11, in the county of Campbell, in the State of Wyoming. All construction, installation, or modification allowed by this permit has been completed.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 2: The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality/ Water Quality Division, Groundwater Program, 1866 South Sheridan Avenue, Sheridan, WY 82801, 307-673-9337, fax 307-672-2213, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 2: Monitoring Requirements:

Groundwater monitoring at the impoundments shall be performed on a quarterly basis until further notice and shall include the following information:

- Measurement of static water level and sampling and analysis of groundwater at downgradient well Kathie MW-2.
- Reporting results of quarterly monitoring and sampling need to be at the department by January 15th, April 15th, July 15th, and October 15th of each year. The first set of data will be due by **January 15, 2006**.

The parameters listed in the tables below are required for groundwater compliance monitoring beneath the listed impoundments:

Impoundment Kathie Reservoir

Parameter	Kathie MW-2 Background Value (mg/L) (6/8/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	<0.001 (ND)	≥ 0.16	0.2
Selenium	<0.005 (ND)	≥ 0.04	0.05
Sulfate	523	≥ 2400	3000
Total Dissolved Solids (TDS)	970	≥ 4000	5000
pH	8.1	≤ 6.5	6.5 – 8.5 (s.u)

Trigger values, specific to the groundwater samples at each impoundment, have been assigned to each constituent and are also listed above. If one or more of these trigger values is exceeded during a quarterly sampling event, monthly sampling of the groundwater for all listed parameters is required, with the analytical results due by the 15th day of each month. If groundwater monitoring reveals a pH measurement of 6.5 or less, the WDEQ may require sampling and analysis of groundwater for the following additional parameters: aluminum, boron, cadmium, chromium, copper, lead and zinc.

The analytical results for each sampling event, along with impoundment and monitor well location information must be included in an Excel spread sheet formatted to match the attached template (Attachment 1). These data shall be submitted electronically on the due dates established above to the following department address: cbmgroundwater@state.wy.us. An electronic copy of the spreadsheet is available by contacting the Groundwater Program in the Sheridan DEQ office at 307-673-9337. The analytical laboratory reports must also be submitted either electronically (pdf format) or hard copy via mail.

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

10/28/05
Date of Issuance

WDF/UW/jc/5-1164

GROUNDWATER PROGRAM
REVIEW COMMENTS:
PLANS/SPECIFICATIONS/PROPOSALS/REPORTS

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
1866 South Sheridan Avenue
Sheridan, WY 82801
Phone: 307-672-6457

PERMIT TYPE: CBM: Groundwater Compliance Monitoring Program

WATER QUALITY DIVISION REFERENCE (PERMIT) NUMBER: 05-572

SITE (POD) NAME: Hartzog Draw: Kathie Reservoir

APPLICANT: XTO Energy
210 West Park Circle, Suite 2350
Oklahoma City, OK 73102

CONSULTANT: Pearl Development Company
Attn: David Nicolarsen
P.O. Box 783
Sheridan, WY 82801

LOCATION: Drainage: Unnamed tributary to Mud Springs Creek, tributary to Belle Fourche River
County : Campbell
Township 44 North; Range 75 West

DATE ON REPORT: August 16, 2005

REVIEWING OFFICIAL: Ursula Williams, North District Groundwater Sen. Analyst

DATE OF THIS REVIEW: October 12, 2005

ACTION: Compliance Monitoring Plan authorized for Hartzog Draw: Kathie Reservoir pursuant to conditions on permit # 05-572

COMMENTS: GROUNDWATER SECTION

1.0 SITE SUMMARY:

1.1 Site Description.

Watershed Name: unnamed tributary to Mud Springs Creek, tributary to Belle Fourche River

Type of Impoundment(s)

_____ "Off channel "
___X___ "On channel"

Groundwater Classification:

Class 1 (domestic) _____
Class 2 (irrigation) _____
Class 3 (agricultural) ___X___

Basis for Classification: Laboratory analysis of groundwater indicates ambient water quality meets Water Quality Rules and Regulations Chapter 8 Class III standards (Table 1- Chapter 8).

Names of Impoundment covered under Permit 05-572:

Impoundment Name	Capacity (acre/ft)	Type	Qtr Qtr	Section	Township	Range
Kathie Reservoir	7.31	On-channel	NESE	11	44 N	75 W

2.0 MONITORING AND REPORTING REQUIREMENTS

Groundwater monitoring at the impoundments shall be performed on a quarterly basis until further notice and shall include the following information:

- Measurement of static water level and sampling and analysis of groundwater at downgradient well Kathie MW-2.
- Reporting results of quarterly monitoring and sampling need to be at the department by January 15th, April 15th, July 15th, and October 15th of each year. The first set of data will be due by **January 15, 2006**.
- The parameters listed in the tables below are required for groundwater compliance monitoring beneath the listed impoundments:

Impoundment Kathie Reservoir

Parameter	Kathie MW-2 Background Value (mg/L) (6/8/05)	Trigger Value (mg/L)	Class III Water Quality Standards (mg/L)
Arsenic	<0.001 (ND)	≥ 0.16	0.2
Selenium	<0.005 (ND)	≥ 0.04	0.05
Sulfate	523	≥ 2400	3000
Total Dissolved Solids (TDS)	970	≥ 4000	5000
pH	8.1	≤ 6.5	6.5 – 8.5 (s.u)

Trigger values, specific to the groundwater samples at this impoundment, have been assigned to each constituent and are also listed above. If one or more of these trigger values is exceeded during a quarterly sampling event, monthly sampling of the groundwater for all listed parameters is required, with the analytical results due by the 15th day of each month. If groundwater monitoring reveals a pH measurement of 6.5 or less, the WDEQ may require sampling and analysis of groundwater for the following additional parameters: aluminum, boron, cadmium, chromium, copper, lead and zinc.

The analytical results for each sampling event, along with impoundment and monitor well location information must be included in an Excel spread sheet formatted to match the attached template (Attachment 1). These data shall be submitted electronically on the due dates established above to the following department address: cbmgroundwater@state.wy.us. An electronic copy of the spreadsheet is available by contacting the Groundwater Program in the Sheridan DEQ office at 307-673-9337. The analytical laboratory reports must also be submitted either electronically (pdf format) or hard copy via mail.

END OF REVIEW

WDF/UW/05-1165

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

October 17, 2005

Mike Berry, Owner
5401 Business Park South #114
Bakersfield, CA 93309

RE: Berry's Small Wastewater Treatment Facility, Permit Number: 05-573, NE ¼, Section 34, T834, R95W, Hot Springs County

Dear Mr. Berry:

The above application for coverage under General Permit to construct a gravity flow septic tank and leachfield in accordance with Chapter 3, Section 7; and Chapter 11, Part D of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved provided:

> Lee Campbell, Hot Springs County Planner, must be contacted at 307-864-2961 to schedule a construction inspection at least 24 hours prior to the beginning of construction.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough

James Brough, P.E.
Environmental Engineer
Water Quality Division

xc: IPS, Cheyenne
Jerald B. Crews, Cardinal Design Group, 405 South 7th Street East., Riverton, WY 82501
Lee Campbell, Hot Springs County, 415 Arapahoe, Thermopolis, WY 82443 (w/enclosures)

encl: General Permit For a Small Wastewater Facility

AS-BUILT
PERMIT TO CONSTRUCT

New X

Permit No. 05-576
SPECIAL CONDITIONS

Parker's 2nd Small Wastewater Treatment Facility

This permit hereby authorizes the applicant:

William H. Parker, Owner
1288 Missouri Flat Rd.
Thermopolis, WY 82443

to have constructed a septic tank/leach field according to the procedures and conditions of the application number 05-576. The facility is located in NW ¼, Section 8, T8N, R4W, Wind River Meridian in the county of Hot Springs, in the State of Wyoming.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator. Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, meets applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit. The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee has constructed and shall operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1 of 2 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

2 of 2 This facility is permitted for a maximum design flow of 300 gallons per day.

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John Corra
Director
Department of Environmental Quality

11/2/05
Date of Issuance

JSB/jc/5-1245

STATEMENT OF BASIS

1. Permit Number: 05-576

2. Application reviewed for compliance with the following regulations:

   Chapter 11

3. Does the permit comply with all applicable regulations identified above?

   Yes

4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3.

   N/A

5. Documentation of Statement of Basis: The archives file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by, James Brough, Northwest District Engineer, jbroug@state.wy.us and completed on November 16, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

Cc: Lee Campbell, Hot Springs County, 415 Arapahoe, Thermopolis, WY 82443 (w/enclosures)

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

October 24, 2005

James M. Kary, President
3J Development, LLC
1284 Road 9
Powell, WY 82435

RE: Kary's Sanitary Sewer Extension, Permit Number: 05-577, Lot 62-A, T55N, R99W, Park County

Dear Mr. Kary:

The above application for coverage under General Permit to construct about 578 linear feet of sanitary sewer main, extension of a sewage collection system, in accordance with Chapter 3, Section 7 and Chapter 11, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-335-6961.

Sincerely,

James Brough

James Brough, P.E.
Environmental Engineer
Water Quality Division

xc: IPS, Cheyenne
Sean Christensen, City Engineer, City of Powell, P.O. Box 1008, Powell, WY 82435
Roy Holm, Holm, Blough, & Co., 1402 Stampede Ave., Cody, WY 82414

encl: General Permits For Existing Sewage Collection System

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

October 21, 2005

John Albrecht
Park County School District No.1
160 N. Evarts Street
Powell, WY 82435

RE: New Powell High School Water and Sewer Service Lines, Permit Number: 05-578, Section 11, T55N, R99W, Park County

Dear Mr. Albrecht:

The above application for coverage under General Permit to construct 2,475 linear feet of water main, extension of a public water supply system, and about 945 linear feet of sanitary sewer main, extension of a sewage collection system, in accordance with Chapter 3, Section 7; Chapter 11, Section 9; and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-335-6961.

Sincerely,

James Brough

James Brough, P.E.
Environmental Engineer
Water Quality Division

xc: IPS, Cheyenne
Scott Lewis, P.E., Inberg-Miller Engineers, 428 Alan Rd., Powell, WY 82435
Sean Christensen, City Engineer, City of Powell, P.O. Box 1008, Powell, WY 82435

encl: General Permits For a Public Water Distribution System & Existing Sewage Collection System

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 05-580

Laramie Main Lift Station

This permit hereby authorizes the applicant:

City of Laramie
Post Office Box C
Laramie, WY, 82073

to construct, install or modify a existing lift station and upgrade of mechanical bar screens according to the procedures and conditions of the application number 05-580. The facility is located in SW 1/4 Section 21 T16N R73W in the county of Albany, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by 10 May 2010.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and

permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 3 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.

a. Date that construction of the facility was completed; and

b. Date that the facility was placed in operation; and

c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or

d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

1/31/06
Date of Issuance

LBH/jc/6-0077
cc:

STATEMENT OF BASIS

1. Permit Number: 05-580

2. Application reviewed for compliance with the following applicable regulations :

   Chapter(s) 3 and 11 of the Wyoming Water Quality Rules and Regulations

3. Does the permit comply with all applicable regulations identified above?

   Yes

   Sewerage systems are exempted from review by Chapter 3, Section 17.

4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was not required.

5. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on January 30, 2006. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 05-581

Aspens Wastewater Treatment Plant

This permit hereby authorizes the applicant:

Greg Olson, District Manager
Aspens Water & Sewer District
P.O. Box 25201
Jackson, WY 83001

to add flexibility to the operation of sludge holding tank No.1 by adding a new coarse bubble aeration system to the existing jet aeration system; according to the procedures and conditions of the application number 05-581. The facility is located within SW ¼, Section 14, Township 41 North and Range 117 West in the county of Teton, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by October 24, 2007.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, or any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 3 The applicant will provide immediate oral or written notice to the Wyoming Department of Environmental Quality, Water Quality Division (WQD), Northwest District Engineer, 520 Meadowview Dr., Lander, WY 82520, 307-332-3144,FAX 307-332-3183, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Northwest District a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.

a. Date that construction of the facility was completed; and

b. Date that the facility was placed in operation; and

c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or

d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

10/26/05
Date of Issuance

JSB/jsb/jc/5-1157

STATEMENT OF BASIS

1. Permit Number: 05-581

2. Application reviewed for compliance with the following regulations:

   Chapters 3 and 11 of the Wyoming Water Quality Rules and Regulations.

3. Does the permit comply with all applicable regulations identified above?

   Yes

4. Facilities include components not specifically covered by regulations and approval is based upon a deviation from applicable regulations in accordance with Section 5 of applicable regulations.

   NA

5. If Section 17 of Chapter 3 review is required indicate the basis for determining groundwater will be protected.

   This facility is covered under UIC Permit No. 00-331.

6. Documentation of Statement of Basis: The archives file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by James S. Brough, jbroug@state.wy.us, Environmental Engineer and completed on October 24, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

Xc: Brian Lenz, P.E., Jorgensen Associates, P.O. Box 9550, Jackson, WY 83002

F:\DIVISION\WQD\WP\2005 Permits & Reviews\05-581.pc.jsb.doc

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

October 27, 2005

R. Bruce Morrison, Mayor
Town of Lovell
P.O. Box 188
Lovell, WY 82431

RE: North Area Water and Sewer Line Replacements, T56N, R96W, Permit Number: 05-582, Bighorn County

Dear Mayor Morrison:

The above application to replace the existing water and sewer lines in the north area of Lovell with new PVC piping, valves, manholes and service connections, in accordance with Chapter 3, Section 7; Chapter 11, Section 9; and Chapter 12, Section 14 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, the facility in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact James Brough at 307-332-3144.

Sincerely,

James Brough

James Brough, P.E.
Environmental Engineer
Water Quality Division

xc: IPS, Cheyenne
Steven Gerber, P.E., HKM Engineering Inc., P.O. Box 1655, Lander, WY 82520

encl: General Permit For a Public Water Supply Distribution System & an Existing Sewage Collection System

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
PERMIT TO CONSTRUCT

PERMIT NO. 05-583 REFERENCE PERMIT NO. 05-472

North Range Business Park Booster Pump Station
PWS: WY5600011

This permit hereby authorizes the applicant:

Cheyenne Board of Public Utilities
2100 Prioneer Avenue
Cheyenne, WY 82001

to construct, install or modify a 4200 gpm five pump pumping station and pressure sustaining valve station vault according to the procedures and conditions of the application number 05-583. The facility is located in Section 4 T13N R67W in the county of Laramie, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by May 10, 2008.

The issuance of this permit confirms that the Wyoming Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and operator.

Granting this permit does not imply that DEQ guarantees or ensures that the permitted facility, when constructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by Wyoming statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the State of Wyoming does not waive its sovereign immunity.

The permittee shall allow authorized representatives from DEQ to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and operator shall comply with all of the following permit conditions:

1 of 3 The applicant will provide immediate oral or written notice to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002, Phone 307-777-7088, FAX 307-777-5973, in accordance with the provisions of Section 11, Chapter 3, Wyoming Water Quality Rules and Regulations of any changes or modifications which are not consistent with the terms and conditions of this permit.

2 of 3 Within sixty days of completion of construction of the authorized facility, the applicant will submit to the Southeast District, Water Quality Division, Herschler Building 4 West, Cheyenne, WY, 82002 a certification of completion signed by the Engineer of Record or the owner. A form titled "Certificate of Completion" has been provided.

a. Date that construction of the facility was completed; and

b. Date that the facility was placed in operation; and

c. Certification the facility was constructed in accordance with the terms and conditions of the permit; or

d. Certification the facility was completed with changes or modifications. Submittal of as-constructed plans and specifications for the system as it was constructed, certified by an engineer if appropriate is required. All modifications or deviations from the authorized plans must be highlighted.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

10/26/05
Date of Issuance

LBH/jc/5-1161

cc: Mark Maxwell, Black and Veatch, 6300 So. Syracuse Way, Centennial, CO 80111-6273

STATEMENT OF BASIS

1. Permit Number: 05-583

2. Application reviewed for compliance with the following applicable regulations :

   Chapter(s) 11 and 12 of the Wyoming Water Quality Rules and Regulations

3. Does the permit comply with all applicable regulations identified above?

   YES

   Public water supplies are exempted from review by Chapter 3, Section 17.

4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3 was NOT REQUIRED.

5. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by Louis B. Harmon PE-PG, Southeast District Engineer, lharmo@state.wy.us, and completed on October 25, 2005. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 15, 2005

Brad Teter
P.O. Box 804
Wheatland, Wyoming 82201

RE: Teter Residential Septic System, Application No. **05-584**
Location: NW¼, Section 11, T23N, R68W, Platte County

Dear Mr. Teter:

The above application for coverage under General Permit to Construct, Install, Modify, or Operate a Small Wastewater Facility for a 3 bedroom house in accordance with Chapter 3, Section 9 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved. You are authorized to construct, install, or modify the small wastewater system in accordance with Chapter 11, Part D of the Water Quality Division Rules and Regulations, the general permit, the conditions listed below, and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit. Additionally, the following project specific conditions also apply:

1. Septic Tank Clean-Out Riser Requirement - Either a 6 inch diameter clean-out riser or the manway from **each compartment of the tank** must be extended to the ground surface.

2. Minimum Leachfield Size - The **minimum length of the two leachfield trenches shall be 90 feet long**, in order to meet the minimum leachfield size as calculated in the application.

The approval granted under this Notification Of Coverage and the General Permit shall expire on November 15, 2007. Please reference Application Number **05-584** in any future correspondence.

If you have any questions, please contact me at (307) 777-6183.

Sincerely,

Ronald L. Ewald

Ronald L. Ewald, P.E.
Environmental Senior Analyst
Southeast District, Water Quality Division

RLE/bb/5-1239.ltr

Enclosures: GENERAL PERMIT - Small Wastewater Facility
Certificate of Completion

cc: IPS, Cheyenne
Platte County Planner, Marlin Johnson, P.O. Box 728, Wheatland, Wyoming 82201

WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY
WATER QUALITY DIVISION
AS-BUILT
PERMIT TO CONSTRUCT

Permit No. **05-585**

Cody Fire Station Water and Sewer Lines

This permit hereby authorizes the applicant:

Jim Honn, BLM Wyoming State Engineer
Bureau of Land Management
5353 Yellowstone Rd.
Cheyenne, WY 82009

to have constructed a 4-inch diameter water line and 6-inch diameter sewer line to serve the Cody Interagency Fire Dispatch Center according to the procedures and conditions of the application number **05-585.** This application was initially reviewed by Jeff Hermansky, former Northwest District Engineer, and he left a memorandum stating four comments he had from a phone review. Both the former BLM Wyoming State Engineer and current BLM Wyoming State Engineer confirmed that Mr. Jeff Hermansky's comments were satisfactorily addressed. The facility is located at 2501 Wright Brothers Road (44.5 degrees latitude; 109 degrees longitude) which is near the Cody Airport in the county of Park, in the State of Wyoming.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator. Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, meets applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce any applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit. The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee has constructed and shall operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator has complied with all of the following permit conditions:

1 of 3 The Wyoming Public Works Standard Specifications was followed for the construction and testing of the sewer line.

2 of 3 The appropriate backflow prevention assemblies were installed for the facility.

3 of 3 The review and approval of this permit is based upon the items identified in the attached "Statement of Basis".

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John Corra
Director
Department of Environmental Quality

7/30/07
Date of Issuance

JSB/rm/7-0605
7/30/7

STATEMENT OF BASIS

1. Permit Number: **05-585**

2. Application reviewed for compliance with the following regulations:

   Chapters 3, 11, and 12 of the Wyoming Water Quality Rules and Regulations

3. Does the permit comply with all applicable regulations identified above?

   Yes

4. A review to determine groundwater impacts in accordance with Section 17, Chapter 3.

   Not required.

5. Documentation of Statement of Basis: The archive file for this permit includes adequate documentation of all sections of this Statement of Basis.

CERTIFICATION

The issuance of this permit is based upon a review of the application package submitted in accordance with the requirements of Chapter 3, Section 6, Wyoming Water Quality Rules and Regulations. This review was performed by, James Brough, Northwest District Engineer, jbroug@state.wy.us and completed on July 27, 2007. Permit issuance is recommended based upon statements, representations, and procedures presented in the permit application and supporting documents, permit conditions, and the items identified in this "Statement of Basis."

cc: Stephen Payne, P.E., City of Cody, P.O. Box 2200, Cody, WY 82414
IPS

PERMIT TO CONSTRUCT

X New
_ Renewal
_ Modified

PERMIT NO. 05-586
SPECIAL CONDITIONS

Unit 3 FGD Pond 2

This permit hereby authorizes the applicant:

PacifiCorp
P.O. Box 191
Kemmerer, WY 83101

to construct, install or modify soil borings and groundwater monitoring well(s) according to the procedures and conditions of the application number 05-586. The facility is located in SE & SW 1/4, Sec 28, T21N, R116W in the county of Sweetwater, in the State of Wyoming. All construction, installation, or modification allowed by this permit shall be completed by October 1, 2010.

The issuance of this permit confirms that the Department of Environmental Quality (DEQ) has evaluated the application submitted by the permittee and determined that it meets minimum applicable construction and design standards. The compliance with construction standards and the operation and maintenance of the facility to meet the engineer's design are the responsibility of the permittee, owner, and/or operator.

Granting this permit does not imply that the Wyoming DEQ guarantees or ensures that the permitted facility, when onstructed, will meet applicable discharge permit conditions or other effluent or operational requirements. Compliance with discharge standards remains the responsibility of the permittee.

Nothing in this permit constitutes an endorsement by the DEQ of the construction or the design of the facility described herein. This permit verifies only that the submitted application meets the design and construction standards imposed by the DEQ statutes, rules and regulations. The DEQ assumes no liability for, and does not in any way guarantee or warrant the performance or operation of the permitted facility. The permittee, owner and/or operator are solely responsible for any liability arising from the construction or operation of the permitted facility. By issuing this permit, the state does not waive its sovereign immunity.

The permittee shall allow authorized representatives from the DEQ, Water Quality Division, to enter and inspect any property, premise or place on or at which the facility is located or is being constructed or installed for the purpose of investigating actual or potential sources of water pollution, and for determining compliance or non-compliance with any rules, regulations, standards, permits or orders.

The permittee shall notify representatives from the DEQ, Water Quality Division when the construction commences and give an estimate of completion for the project. The authorized representative in your area can be contacted at the following address: WDEQ, Water Quality Division, 510 Meadowview Drive, Lander, Wyoming 82520; telephone (307) 332-3144; FAX (307) 332-3183.

Nothing in this permit shall be construed to preclude the institution of any legal action or other proceeding to enforce ny applicable provision of law or rules and regulations. It is the duty of the permittee, owner and/or operator to comply with all applicable federal, state and local laws or regulations in the exercise of its activities authorized by this permit.

The issuance of this permit does not convey any property rights in either real or personal property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations.

The permittee shall construct and operate the permitted facility in accordance with the statements, representations, procedures, terms and conditions of the permit application, supporting documents and permit. This permit does not relieve the permittee from any duty to obtain any other permit or authorization that may be required by any provision of federal, state or local laws.

In carrying out its activities authorized by this permit, the permittee, owner and/or operator shall comply with all of the following permit conditions:

1.of 6 After the monitoring well(s)/piezometer(s) have fulfilled their useful purpose, they shall be abandoned according to procedures specified in Chapter XI, Part G, Section 70 of Wyoming Water Quality Rules and Regulations. In addition, borings in public use areas, particularly paved streets and alleys, shall be abandoned in accordance with City and/or Highway Department requirements. No monitoring well/piezometer shall be abandoned without prior approval from the Water Quality Division.

2.of 6 WDEQ/WQD personnel shall be given at least two (2) weeks notice prior to the installation of groundwater monitoring wells/piezometers and sample collection so that they may be on site if deemed necessary.

3.of 6 The results of any other analyses conducted on soil or water removed from these wells/piezometers or boreholes shall be provided to the department as soon as they are available.

4.of 6 ***Environmental Monitoring Program for Groundwater of the State*:**

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity and performed in accordance with WDEQ or EPA approved Standard Procedures or Quality Assurance/Quality Control (QA/QC) Plan.

2. The permittee shall maintain records of all monitoring information for a period of at least 3 years.

3. Records of monitoring information shall include:

1. The date, exact place, and time of sampling or measurements;

2. The name(s) of individual(s) who performed the sampling or measurements;

3. The Mean Sea Level elevation of the water table to the closest .01 ft., and the depth to water (to the closest .01 ft.) from a marked measuring point at the top of casing.

4. Sampling procedures and sample preservation accomplished;

5. The date(s) analyses were performed;

6. Names of individuals who performed the analyses;

7. The analytical techniques or methods used; and

8. The results of such analyses.

9. Groundwater samples from the monitoring wells shall be analyzed as indicated on the following table. This table supercedes previous permit requirements.

WELL NAME OR NUMBER	SAMPLING FREQUENCY	ANALYTICAL METHOD(S)	PARAMETER(S) ANALYZED	PERMIT LIMIT*
All New Monitoring wells	Initial (Follow-up monitoring scheduled TBD)	Various	Various cations, anions and metals	

* Permit Limits (i.e. Groundwater Protection Standards) are only required for compliance monitoring wells. All chemical concentrations in this permit are expressed in mg/l unless otherwise noted.

5.of 6 This investigation is intended to collect supporting data for on-going hydrologic analysis and modeling. The data collected from this investigation will be used in future reports to more accurately describe the hydrology of this site. Therefore, a separate report from this investigation is not required.

6.of 6 The issuance of this permit does not relieve the permittee from obligations to complete the extent of contamination study and any further remedial work which may be required. Depending on the results of the subsurface investigation, additional site investigations or remedial actions may be required by the WQD. An adequate number of well(s)/piezometer(s) shall be installed to define the nature and extent of the contamination.

AUTHORIZED BY:

John F. Wagner
Administrator
Water Quality Division

John V. Corra
Director
Department of Environmental Quality

10/24/95
Date of Issuance

MFT/jc/5-1134

cc: IPS
Lander

M:\5-1134 PTC.doc

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

October 21, 2005

Lee Lachtara
500 Church Ave #51
Gillette, WY 82716

RE: Lachtara Septic System, Permit # 05-587

Dear Lee:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation, gravel and pipe or set infiltrators shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by November 1, 2006.

On August 4, 2004, the Crook County Commissioners enacted Resolution N0. 9-2004. This resolution requires that ALL small wastewater treatment facilities permitted by the Wyoming Department of Environmental Quality (WDEQ) and installed in Crook County after September 1, 2004, MUST BE INSPECTED BY AN INSPECTOR DESIGNATED BY CROOK COUNTY.

Please contact the Crook County Clerks Office for requirements of this resolution.

If you have any questions please contact me at; 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Sincerely,

Rick J. Estes

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Crook County Clerk, P.O. Box 37, Sundance, WY 82729

1866 SOUTH SHERIDAN AVENUE • SHERIDAN, WY 82801
AIR, LAND AND WATER DIVISIONS
(307) 673-WDEQ (9337) • FAX (307) 672-2213

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

November 3, 2005

Dan A. Tschetter
114 Kara Creek
Moorcroft, WY 82721

RE: Tschetter Septic System, Permit # 05-588

Dear Dan:

The above application for coverage under General Permit to Construct, Install, Modify or Operate extensions to or modifications of a small wastewater septic system in accordance with Chapter 3 and Chapter 11, Part B, of the Wyoming Water Quality Rules and Regulations (WWQRR) has been reviewed and is hereby approved. You are authorized to construct, install, or modify the facility in accordance with general permit and the materials submitted in your application package.

Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O. of the general permit. **A minimum of two (2) photos of the system installation, gravel and pipe or set infiltrators shall accompany the Certificate of Completion submitted to this office.** All construction, installation, or modification allowed by this permit shall be completed by November 1, 2006.

On August 4, 2004, the Crook County Commissioners enacted Resolution N0. 9-2004. This resolution requires that ALL small wastewater treatment facilities permitted by the Wyoming Department of Environmental Quality (WDEQ) and installed in Crook County after September 1, 2004, MUST BE INSPECTED BY AN INSPECTOR DESIGNATED BY CROOK COUNTY.

Please contact the Crook County Clerks Office for requirements of this resolution.

If you have any questions please contact me at; 1866 S. Sheridan Avenue 673-9337, 673-2213 (fax).

Sincerely,

Rick J. Estes, P.E.
WDEQ/WQ NE District Senior Environmental Analyst

cc: IPS, Cheyenne
Crook County Clerk, P.O. Box 37, Sundance, WY 82729

1866 SOUTH SHERIDAN AVENUE • SHERIDAN, WY 82801
AIR, LAND AND WATER DIVISIONS
(307) 673-WDEQ (9337) • FAX (307) 672-2213

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 88 & 89, Permit No. 05-589,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 90 & 91, Permit No. 05-590,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 92 & 93, Permit No. 05-591,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 94 & 95, Permit No. 05-592,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 96 & 97, Permit No. 05-593,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 98 & 99, Permit No. 05-594,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Dave Freudenthal, Governor

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 125 & 126, Permit No. 05-595,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 127 & 128, Permit No. 05-596,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 129 & 130, Permit No. 05-597,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 131 & 132, Permit No. 05-598,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 133 & 134, Permit No. 05-599,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems

Department of Environmental Quality

To protect, conserve and enhance the quality of Wyoming's environment for the benefit of current and future generations.

Dave Freudenthal, Governor

John Corra, Director

NOTIFICATION OF COVERAGE

November 7, 2005

Mr. Kevin Keller, President
Rock Springs Land Development Company, Inc.
1807 Capitol Avenue, Suite 108
Cheyenne, WY 82001

RE: **Summit View Estates, Phase III - Lots 135 & 136, Permit No. 05-600,** SW1/4 Section 33, T19N, R105, Sweetwater County

Dear Mr. Keller:

The above application for coverage under General Permit to Construct, Install, Modify or Operate Extensions to Existing Sewage Collection Systems in accordance with Chapter 3, Section 7, and Chapter 11 of the Wyoming Water Quality Rules and Regulations has been reviewed and is hereby approved.

You are authorized to construct, install or modify the facilities in accordance with the general permit and the materials submitted in your application package. Your attention is directed to the mandatory reporting requirements outlined in Part V, Section O of the general permit.

If you have any questions, please contact me at 307-332-3144.

Sincerely,

Doyle H. Conklin, P.E.
SW District Engineering Supervisor
Water Quality Division

cc: IPS, Cheyenne
City of Rock Springs; 212 D Street; Rock Springs, WY 82901
encl: General Permit for Extensions to Existing Sewage Collection Systems